

®

# aalco

THE UK'S LARGEST  
INDEPENDENT MULTI-METALS  
SERVICE PROVIDER TO THE  
ROAD TRANSPORT INDUSTRY



[www.aalco.co.uk](http://www.aalco.co.uk)



# AALCO

## >> LET'S BUILD IT TOGETHER

The Road Transport Industry is a fast-paced and expanding marketplace with constantly evolving challenges and the need for innovation and product development to meet them. At Aalco we aim to provide a comprehensive range of products to fulfil market demands, from flooring to roofing and just about everything in between.

### Who are we?

In short, we are a business that **delivers innovation, service and supply chain solutions to the Road Transport Industry**. To do this, we listen to customers' needs to ensure we offer:

- **An adaptive and rapid delivery service on all stock items**
- **Engaged and professional account management**
- **Customer inspired and innovative product solutions**
- **Flexible purchasing options; 1 or 1000, no minimum order charges**

Our range of products is ever expanding, bringing in new items to our already extensive stocks to make us the fastest growing supplier to this sector.

Quick and efficient service is key to our approach. Whatever your metal requirements, we can offer a cost-effective single source:

- **An inventory that includes aluminium, stainless steel, copper, brass, bronze in all semi-finished forms**
- **Comprehensive processing services providing items cut and/or finished to customer requirements**
- **Eighteen locations bringing local service to every corner of the UK**
- **Ongoing investment in technology and logistics to ensure on-time delivery**

*Drawings are not to scale. Unless otherwise stated diagrams are in mm.*

©2019 Aalco Metals Ltd. All copyrights are reserved and no part of this publication may be reproduced, stored or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of Aalco Metals Ltd, Parkway House, Unit 6 Parkway Industrial Estate, Wednesbury WS10 7WP.

The information contained herein is based on our present knowledge and experience and is given in good faith. However, no liability will be accepted by the Company in respect of any action taken by any third party in reliance thereon.


As the products detailed herein may be used for a wide variety of purposes and as the Company has no control over their use, the Company specifically excludes all conditions or warranties expressed or implied by statute or otherwise as to dimensions, properties and/or their fitness for any particular purpose. Any advice given by the Company to any third party is given for that party's assistance only and without any liability on the part of the Company. Any contract between the Company and a customer will be subject to the Company's Conditions of Sale. The extent of the Company's liabilities to any customer is clearly set out in those Conditions; a copy of which is available on request.

#### **WEIGHTS**

All weights shown in this publication are for guidance only. They are calculated using nominal dimensions and scientifically recognised densities. Please note that in practice, the actual weight can vary significantly from the theoretical weight due to variations in manufacturing tolerances and compositions.



01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19
10	08	06	04	02	01	02	03	04	05	06	07	08	09	10	11	12	13	14





AALCO RT  
CONTENTS

aalco

[www.aalco.co.uk](http://www.aalco.co.uk)



<b>INTRO</b> <b>CONTENTS</b> <b>ASSEMBLY USING</b> <b>AALCO RT COMPONENTS</b>	Inside Front Cover Pages 2 - 3 Pages 4 - 9	<b>01</b> FLOORS PAGES 10 - 17	<b>02</b> SIDE RAVES PAGES 18 - 21	<b>03</b> SIDE PANELS PAGES 22 - 27	<b>04</b> KICK STRIPS PAGES 28 - 29
<b>05</b> CORNER PILLARS PAGES 30 - 33	<b>06</b> CANT RAILS PAGES 34 - 37	<b>07</b> TOP HATS PAGES 38 - 39	<b>08</b> ROOFING PAGES 40 - 41	<b>09</b> ALUMINIUM CASTINGS PAGES 42 - 45	
<b>10</b> ZEDS & MOULDINGS PAGES 46 - 49	<b>11</b> DOOR CAPPINGS PAGES 50 - 51	<b>12</b> GRP SYSTEMS PAGES 52 - 59	<b>13</b> DROPSIDE BODIES PAGES 60 - 69	<b>14</b> SIDEGUARDS PAGES 70 - 73	
<b>15</b> LIVESTOCK PAGES 74 - 75	<b>16</b> TIPPER PAGES 76 - 79	<b>17</b> 30 & 50MM PROFILES PAGES 80 - 81	<b>18</b> STEEL SECTIONS PAGES 82 - 85	<b>19</b> STANDARD PRODUCTS & TIPPER PLATE PAGES 86 - 95	

## ASSEMBLY USING AALCO RT COMPONENTS

At Aalco we want to be recognised as a one-stop-shop for all your Road Transport (RT) product needs. To demonstrate this and to help you select the products that you need quickly and easily, we have structured this catalogue accordingly. Starting with the chassis and finishing with the roof, we take you through a full truck assembly, breaking it down into individual areas and illustrating how Aalco RT products can be employed throughout the various processes.



# AALCO

# >> FLAT BED TRUCK



1 **DROPSIDE BODIES**

2 **CORNER PILLARS**

3 **FLOORS**  
RUNNERS/BEARERS

4 **DROPSIDE BODIES**  
LOCK/LUG/HINGE SETS

5 **DROPSIDE BODIES**  
CENTRE PILLARS

6 **FLOORS**  
FLOOR PLANKS

7 **STANDARD PRODUCTS**  
ANGLE

8 **FLOORS**  
FLOOR PLANKS

9 **DROPSIDE BODIES**  
END CAPS

SECTION **13**  
Pages 60 - 69

SECTION **05**  
Pages 30 - 33

SECTION **01**  
Pages 10 - 17

SECTION **13**  
Pages 60 - 69

SECTION **13**  
Pages 60 - 69

SECTION **01**  
Pages 10 - 17


SECTION **19**  
Pages 86 - 95

SECTION **01**  
Pages 10 - 17

SECTION **13**  
Pages 60 - 69

# >> ALUMINIUM BOX BODY

www.aalco.co.uk



- 1 TOP HATS
- 2 CORNER PILLARS
- 3 FLOORS  
RUNNERS/BEARERS
- 4 SIDE RAVES
- 5 ZEDS & MOULDINGS  
ZED TIE
- 6 SIDE PANELS
- 7 CORNER PILLARS

SECTION 07
Pages 38 - 39
SECTION 05
Pages 30 - 33
SECTION 01
Pages 10 - 17
SECTION 02
Pages 18 - 21
SECTION 10
Pages 46 - 49
SECTION 03
Pages 22 - 27
SECTION 05
Pages 30 - 33



## >> GRP SYSTEM



- 1 **DOOR CAPPINGS**
- 2 **ALUMINIUM CASTINGS**  
REAR PILLAR
- 3 **FLOORS**  
RUNNERS/BEARERS
- 4 **GRP SYSTEMS**  
LOAD LOK TRACK
- 5 **FLOORING**
- 6 **TOP HATS**
- 7 **ROOFING**
- 8 **CANT RAILS**
- 9 **SIDE RAVES**
- 10 **SIDEGUARDS**  
PIVOT LEGS
- 11 **SIDEGUARDS**  
END CAPS
- 12 **SIDEGUARDS**

**SECTION 11**  
Page 50 - 51

**SECTION 09**  
Page 42 - 45

**SECTION 01**  
Page 10 - 17

**SECTION 12**  
Page 52 - 59

**SECTION 01**  
Page 10 - 17

**SECTION 07**  
Page 38 - 39

**SECTION 08**  
Page 40 - 41

**SECTION 06**  
Page 34 - 37


**SECTION 02**  
Page 18 - 21

**SECTION 14**  
Page 70 - 73

**SECTION 14**  
Page 70 - 73

**SECTION 14**  
Page 70 - 73

# >> CURTAINSIDE BODY



1 **DOOR CAPPINGS**

2 **CORNER PILLARS**

REAR PILLAR

3 **FLOORS**

RUNNERS/BEARERS

4 **STEEL SECTIONS**

TOP HATS

5 **CANT RAILS**

6 **ALUMINIUM CASTINGS**

CORNER CASTING

7 **ZEDS & MOULDINGS**

MOULDINGS

8 **ROOFING**

ALUMINIUM COIL

9 **CANT RAILS**

10 **FLOORS**

11 **SIDE RAVES**

SECTION **11**

Pages 50 - 51

SECTION **05**

Pages 30 - 33

SECTION **01**

Pages 10 - 17

SECTION **18**

Pages 82 - 85

SECTION **06**

Pages 34 - 37

SECTION **09**

Pages 42 - 45

SECTION **10**

Pages 46 - 49

SECTION **08**

Pages 40 - 41

SECTION **06**

Pages 34 - 37

SECTION **01**

Pages 10 - 17

SECTION **02**

Pages 18 - 21

## >> CASE STUDY: KMR Engineering Limited

[www.aalco.co.uk](http://www.aalco.co.uk)



9


KMR Engineering are one of the UK's leading manufacturers of dropside bodies, and are a long standing customer of our Aalco Norwich service centre. Due to our extensive range of road transport products, stockholding capabilities, and customer focused mind-set, KMR are able to manufacture their bodies, from the chassis up, using only Aalco products.

KMR also supplies Aalco with a selection of dropside components: this is a highly successful collaborative relationship and one of which we are very proud. We look to adopt close working relationships with all of our customers. A dedicated Account Manager will work with you, identifying the products that best fit the specific requirements of your build to achieve the optimum results.



# 01 | FLOORS

First things first - the floor. Whatever vehicle you are building, you are likely to need one of these. But, not all floors are the same, requiring different components to achieve different end results. We supply a comprehensive range of products from which to build your floor, enabling a specification to meet your exact requirements. From aluminium and galvanised runners and bearers to fully sustainable composite floor panels, you should find everything you need for a complete flooring system in this section.




**FB1** Wt. 2.44 kg/m


**FB4** Wt. 2.02 kg/m

# >> RUNNERS & BEARERS


[www.aalco.co.uk](http://www.aalco.co.uk)




**LM/RN02** Wt. 4.61 kg/m




**FB58** Wt. 3.03 kg/m



**FB8** Wt. 1.70 kg/m




**FB11** Wt. 2.37 kg/m



**FB2** Wt. 3.44 kg/m

## >> RUNNERS & BEARERS



### Galvanised Steel Lipped Runners/Bearers

Aalco Part No	Description	A	B	C	Length	Weight
GB2-2134	Lipped Channels	75	50	2	2134mm	5.6kg
GB23-2438	Lipped Channels	100	50	2.3	2438mm	8.9kg
GB23-2540	Lipped Channels	100	50	2.3	2540mm	9.0kg
GB23-2550	Lipped Channels	100	50	2.3	2550mm	9.3kg
GB25-2550	Lipped Channels	100	50	2.5	2550mm	10.1kg
GB3-2438	Lipped Channels	100	50	3	2438mm	11.7kg
GB3-2550	Lipped Channels	100	50	3	2550mm	12.1kg
GB3-7620	Lipped Channels	100	50	3	7600mm	36.3kg

### Galvanised Steel Plain Runners - Main Sides

Aalco Part No	Description	A	B	C	Length	Weight
GR3-130-7	Plain Channels	130	50	3	7600mm	36.1kg
GR3-150-7	Plain Channels	150	50	3	7600mm	39.3kg
GR3-150-9	Plain Channels	150	50	3	9144mm	47.1kg
GR5-100-6	Plain Channels	100	50	5	6400mm	45.2kg
GR5-100-7	Plain Channels	100	50	5	7600mm	53.9kg
GR5-100-9	Plain Channels	100	50	5	9144mm	64.6kg
GR5-127-7	Plain Channels	127	50	5	7600mm	61.3kg
GR5-127-9	Plain Channels	127	50	5	9144mm	73.6kg
GR5-150-7	Plain Channels	150	50	5	7600mm	68.8kg
GR5-150-9	Plain Channels	150	50	5	9144mm	82.6kg


**aalco**

# >> FLOOR PLANKS


www.aalco.co.uk




13




**LM/FP01 - AalcoDek**  
Wt. 1.44 kg/m




**FP12 (9" smooth)**  
Wt. 2.38 kg/m




**FP24**  
Wt. 2.14 kg/m




**FP1 (8" smooth)**  
Wt. 2.34 kg/m



**FP2 (8" ribbed)**  
Wt. 2.38 kg/m



**FP4**  
Wt. 2.17 kg/m



**FP15**  
Wt. 1.52 kg/m

## >> PLYWOOD FLOORING

<sup>®</sup>  
aalco



### AalcoMesh

**AalcoMesh** is a top quality, mesh-patterned birch plywood panel that has been most commonly available on the market for many years. With very good slip and wear resistance and a long life, the **AalcoMesh** pattern remains the most popular choice for many RT flooring applications.

Thickness available: 9mm - 30mm

#### Sheet Size (mm)

1220 x 2500

1220 x 3050

1500 x 3000


1525 x 3050

1525 x 2440

1525 x 3300

*Sizes are stocked in the standard dark brown with 220g/m<sup>2</sup>. Other options: cut size, CNC machining, T&G, different film grammages and colours, special construction available on request. Original Aalco Flooring panels can be recognised by the RT logo imprinted on the smooth side of plywood. Plywood without logo is also available on a forward order basis.*






## Aalco HexaGrip

**Aalco HexaGrip** offers an improved slip and wear resistance combined with a decorative appearance of hexa pattern. Quality birch plywood overlaid with 220g/m<sup>2</sup> phenolic film to the face, backed with 120g/m<sup>2</sup> balancer, makes **Aalco HexaGrip** an excellent RT flooring panel.

Thickness available: 9mm - 30mm

Sheet Size (mm)
1220 x 2500
1220 x 3050
1500 x 3000
1525 x 3050
1525 x 2440
1525 x 3300




## AalcoTrans

**AalcoTrans** is a solution for demanding RT flooring applications where anti-slip properties and high wear resistance are the most desired factors. Manufactured in Europe, **AalcoTrans** offers the durability of birch plywood combined with the special, hard wearing thick multi layer film with the imprinted waffle (square) pattern which offer one of the highest Taber Value on the market, over 10,000 rounds (based on independent lab test).

Sheet Size (mm)	Thickness (mm)	Weight per Sheet (kg)
1220 x 2500	18	43
1220 x 2500	24	48

## >> OTHER FLOORING



### EGL Laminate

Edge Glued Laminate that with care can be crosscut and drilled to suit almost any size of floor.

**Outers** - Keruing or Kapur for hardness

**Inners** - Sepetir or mixed red hardwood for rigidity and lighter weight

**Profile** - Machined to half lap pattern with 'crusher bead' to allow expansion without distortion


Width: 305mm face / 319mm overall

Thicknesses: 22mm & 28mm

Lengths: Up to 45ft

Standard lengths (feet): 20, 25, 26, 28, 30, 45

Weight per foot: 22mm – 1.35kg / 28mm 1.9kg



### Keruing Half Lap Planking


- 150mm wide in two thicknesses - 22mm and 28mm
- Available in lengths from 16ft to 26ft
- Weight per linear metre is 3.2kg for the 22mm thick and 4.06kg for the 28mm thick

## >> SCAFFODECK FUSED PANEL (22MM)

[www.aalco.co.uk](http://www.aalco.co.uk)



17




The Scaffodeck Panel is made from **recyclable fibre-reinforced skins** thermally fused to the polypropylene honeycomb core like the fused panel. The Scaffodeck panel has an imprinted, anti-slip surface and comes in an attractive graphite finish. This panel is ideal for flooring and pedestrian walkways, relocatable staging and events applications. Like the fused panel you will come across later in the catalogue, the Scaffodeck is weldable and forms part of the patented welding application technique.

Product	22mm Kg/m <sup>2</sup>	Recyclable
Scaffodeck	5.5	✓


*Scaffodeck is a trade name of Omnia*

# 02 | SIDE RAVES


Also known as 'main sides' by some, this section contains our ever-expanding range of side raves that you can use to cap off your flooring system. These include the increasingly popular v-groove side raves.




**SR56** Wt. 2.10 kg/m




**SR61** Wt. 1.8 kg/m




**SR1P** Wt. 2.26 kg/m



**SR2P** Wt. 1.78 kg/m




**SR4** Wt. 2.07 kg/m




**SR3** Wt. 1.66 kg/m


aalco®




**SR17** Wt. 2.735 kg/m




**LM/SR01** Wt. 1.86 kg/m




**SR11** Wt. 1.98 kg/m



**SR5** Wt. 1.73 kg/m




**SR13** Wt. 2.184 kg/m



**Aluminium v-groove**  
**RSRAV/9** Wt. 3.12 kg/m

*Also available to use:  
Steel v-groove sections  
RSRV125/7 &  
RSRV125/9*



**Aluminium v-groove**  
**RSVAV/9** Wt. 1.937 kg/m

## 03 | SIDE PANELS

Up to now you have your flat bed. If you are going on to build a box then it is time to choose your side panels. We work hard at Aalco to ensure our products are as sustainable as possible, which is why we have introduced a range of 100% recyclable Fused Sandwich Panels! Find out more about these products in this section, along with info on our standard range of plywood GRP panels, and options on load restraints.






## >> FUSED SANDWICH PANELS

www.aalco.co.uk



23



Polypropylene honeycomb panels, sandwiched by glass fibre reinforced face sheets, joined together by a lamination melting process, eliminating the need for adhesives or bonding.

Buying these panels gives you the option for a license to use the techniques in the construction of your product.

Please speak to your local account manager for more details on this.

- Painted - one side painted white (RAL 9010)
- UV skins - off-white PP skins (both sides) providing further impermeability and UV protection, ideal for roofs (increased thermal and security protection, reducing the number of roofsticks required) as well as folding and fabrication for toolboxes, containers etc.

**Max height:** 2650mm (2440mm standard)

**Max length:** 12200mm (6100mm standard)

**Thickness:** 9 - 25mm

#### Tolerances

**Length:** +/- 2mm

**Width:** +/- 2mm

**Thickness:** +/- 0.4mm

As the face sheets' matrix material is polypropylene (PP), it is possible to weld the panel by using a patented welding technique. This is the most efficient and structurally sound method of body assembly as well as for bespoke items requiring shape as well as enhanced structural integrity.

Product	14mm Kg/m <sup>2</sup>	17mm Kg/m <sup>2</sup>	Recyclable
Fused Panel	4.4	4.6	✓

## >> GRP PANELLING

### CPR

Plywood panels coated on both sides with glass fibre reinforced polyester resin.

#### Thicknesses and weights

Thickness mm	6	11	14	17	20	24	27	30
Weight kg/m <sup>2</sup> CPR	5.5	9.0	10.2	12.0	13.5	16.2	18.5	20.5
Weight kg/m <sup>2</sup> CPRFR	-	-	-	12.1	13.6	16.3	-	-
Weight kg/m <sup>2</sup> CPRS	-	-	11.2	12.7	14.3	16.5	-	-
Weight kg/m <sup>2</sup> CPRSR	-	-	11.5	13.3	14.8	17.5	-	-

#### Aalco stock of PANOLIT CPR Panels

Thickness (mm)	Length (mm)	Width (mm)	Weight kg
11	2440	2438	54
11	6096	2440	134
14	2438	2438	65
14	3048	2420	82
14	3657	2420	98
14	4343	2420	116
14	4877	2438	131
14	6096	2438	163
14	7315	2438	196
17	2438	2438	77
17	2743	2438	87
17	3048	2438	97
17	5486	2438	174
17	6096	2438	193
17	6705	2438	213
17	7315	2438	232
17	7925	2438	251
17	8534	2438	270
17	9144	2438	290



#### Applications

Van bodywork, dry freight containers.

#### Types / Glass reinforcement:

**CPR:** 670 g/m<sup>2</sup>

**CPRS:** 930 g/m<sup>2</sup>

**CPRFR:** 750 g/m<sup>2</sup>

**CPRSR:** 1700 g/m<sup>2</sup>

**Standard height:** 2440mm

**Maximum height:** 3150mm

**Standard length:** up to 13550mm

**Special sizes:** On request

*CPH version of high standard panel: on request*

### All GRP Panels

All panels fulfil the specifications of NF Standard NFT 57-950-1:2012

#### Tolerances:

**Length:** 0.1% (minimum 5m)


**Width:** 3mm

**Thickness:** 1mm

**Diagonal difference:** 6mm

## NAPS Range

Lightweight polypropylene honeycomb core coated on both sides with glassfibre reinforced polyester resin.



### Thicknesses and weights

Thickness mm	14	17	20	25	30
Weight kg/m <sup>2</sup> NA45L (lightened issue)	4.2	4.4	4.5	4.8	5.1
Weight kg/m <sup>2</sup> NAPS	5.8	6.0	6.2	6.5	6.8
Weight kg/m <sup>2</sup> NAP6	7.7	7.9	8.1	8.4	8.7
Weight kg/m <sup>2</sup> NAP7	8.3	8.5	8.7	9.0	9.3
Coefficient of insulation w/m <sup>2</sup> /K (NAPS)	5.03	4.37	3.66	2.87	2.37

### Aalco stock of NAPS Panels

Thickness (mm)	Length (mm)	Width (mm)	Weight kg
14	2438	2440	25
14	6096	2440	62.5
17	2438	2420	26
17	6096	2420	65

## GRP Liner Panels

These lightweight gel-coated GRP Liner Panels are used in a range of applications including refrigerated vehicles, camper vans and leisure vehicles.

### Aalco stock of GRP Liner Panels

Thickness (mm)	Length (mm)	Width (mm)	Weight kg
4	6096	2440	95

[www.aalco.co.uk](http://www.aalco.co.uk)



25

### Advantages:

Strong lightweight panel. Excellent resistance to humidity in external uses.

### Types / Glass reinforcement:

**NA45L:** 930g/m<sup>2</sup>

**NAPS:** 930 g/m<sup>2</sup>

**NAP6:** 1230g/m<sup>2</sup>

**NAP7:** 1500 g/m<sup>2</sup>

**Standard height:** 2500mm

**Standard Length:** Approximately 13550mm

**Maximum height:** 3150mm  
(NA45L: Maximum height 2440mm)

**Special sizes:** On request

### Custom-made:

We can provide specific panels according to drawings and also coloured panels. We can also protectively film the panels, make special cuts according to drawing, supply the panels with peel ply, anti-slip flooring.


### Applications:

This lightweight panel is particularly adapted for lightweight vehicle boxes.

## >> GRP PANELLING

### PER range

PET foam coated on both sides with glassfibre polyester resin.



### Thicknesses and weights

Thickness mm	14	17	20	25	30
Weight kg/m <sup>2</sup> PER	4.6	4.8	5.1	5.5	5.9
Coefficient of insulation w/m <sup>2</sup> /k (PER)	3.40	2.70	2.25	1.70	1.44

### Advantages

Good resistance to compression.

### Types / Glass reinforcement:

PER: 925 g/m<sup>2</sup>

**Standard height:** 2440mm

**Maximum height:** 3150mm

**Standard length:** up to 13550mm

**Special sizes:** On request

### Custom-made:


We can paint, protectively film or cut the panels according to your drawings.

### Applications

Lightweight vehicles.

®

# aalco



[www.aalco.co.uk](http://www.aalco.co.uk)



27

**Zinc Plated (ZP) Load Lok Track 1806** Wt. 4.3 kg/10ft length (2.5mm thickness)


Also available in Stainless Steel and Bright Zinc Plated material, in 2.0, 2.3, 2.5 and 3mm gauge

## Timber Tie Rail



### IMTR


Hardwood timber tie rail 5.9m lengths




# 04 | KICK STRIPS

Now you've chosen your nice new side panels, you won't want to be getting them scuffed, which is why we keep a range of kick strips, shown here.






**GRP15** Wt. 0.92 kg/m



**KS456** Wt. 2.23 kg/m




**KS1** Wt. 1.46 kg/m



# 05 | CORNER PILLARS


Once your floor is constructed, with the respective side raves chosen, the only way is up. In this section you will see our comprehensive range of corner pillar profiles.




**CCP14** Wt. 2.13 kg/m

**CCP17** Wt. 2.91 kg/m






**CPFT1 CANT/M'SIDE/CNRPST**  
Wt. 0.93 kg/m




**CPFT2 CANT/M'SIDE/CNRPST**  
Wt. 1.28 kg/m




**CP127** Wt. 2.3 kg/m


<sup>®</sup>  
aalco




**CP150** Wt. 2.04 kg/m




**CP50** Wt. 1.51 kg/m



**CP18** Wt. 0.93 kg/m




**CP75** Wt. 1.65 kg/m




**CP5** Wt. 1.41 kg/m

# 06 | CANT RAILS


You are going to need something to build your roof on...  
so here is a full list of our cant rail profiles.



**CR75** Wt. 1.81 kg/m




**CR31** Wt. 1.96 kg/m




**CCR14** Wt. 1.7 kg/m

**CCR17** Wt. 2.16 kg/m


®  
**caalco**



**CR50** Wt. 1.75 kg/m




**CCR50** Wt. 3.81 kg/m



**CR127** Wt. 2.69 kg/m

*For use with CC127R & CC127S  
(see Aluminium Castings)*



**CR29** Wt. 1.28 kg/m

*For use with CC9 & CC15  
(see Aluminium Castings)*


**Curtain Pelmet 1**

# 07 | TOP HATS

If it's not a full GRP roof that you are looking for then top hats are a must. That is why we keep a diverse range of top hat profiles, details of which are contained within this section.




**TH90** Wt. 2.14 kg/m




**TH16** Wt. 0.42 kg/m

For use with CC35  
(see Aluminium Castings)




**TH5** Wt. 0.56 kg/m






**TH26** Wt. 0.54 kg/m




*For use with CC38  
(see Aluminium Castings)*

**TH61** Wt. 1.51 kg/m




**TH14** Wt. 1.35 kg/m


*For use with CC28  
(see Aluminium Castings)*



**TH13** Wt. 1.38 kg/m



**TH21** Wt. 1.74 kg/m



*For use with CC14 (see Aluminium Castings)*

**TH2** Wt. 0.78 kg/m

# 08 | ROOFING

Now let's finish off your roofing system. We stock the two main variants of roof coil: GRP (Fibreglass) and Aluminium. We understand the importance of a flexible approach with this process so you can buy as little as a single 4.5mtr coil right up to full 60mtr coils. The widths and colours we keep in stock are featured here.

- Cut sheets available from stock
- Coils in a range of widths
- Hand lay-up sheets available
- Fire retardant sheet available

mm	WEIGHT	
	WIDTH	
	Kg/m <sup>2</sup>	Kg/f <sup>2</sup>
1.3	2.15	0.20
1.8	2.98	0.27
2.0	3.31	0.31

# >> FIBREGLASS ROOF SHEETS

[www.aalco.co.uk](http://www.aalco.co.uk)



## Opal

mm	WIDTH	
	Metres	Feet
1.3	2.0	6'6"
1.3	2.14	7'0"
1.3	2.3	7'6"
1.3	2.5	8'2.5"
1.3	2.55	8'4.5"
1.3	3.0	9'9"

## Translucent

mm	WIDTH	
	Metres	Feet
1.3	2.5	8'2.5"
1.3	2.55	8'4.5"
1.8	2.5	8'2.5"
1.8	2.55	8'4.5"

## Dense White

mm	WIDTH	
	Metres	Feet
1.3	2.3	7'6"
1.3	2.55	8'4.5"
2.0	2.55	8'4.5"

## Blue


mm	WIDTH	
	Metres	Feet
1.3	2.55	8'4.5"
1.6	2.55	8'4.5"

## Aluminium



mm	WIDTH	
	Metres	Feet
0.8	2.55	8'4."

# 09 | ALUMINIUM CASTINGS


In this section you can browse our full offering on castings, which you can use to cap off your aluminium box or curtainside body.




CC14 (FOR TH2)




CC27 (FOR 3 x 3 x 1/4" Angle)




**CC26 (FOR 3 x 2 x 1 /4" Angle)**



**CC38 (FOR TH61)**




**CC35 (FOR TH90)**




**CC28 (FOR TH14)**


# acalco<sup>®</sup>




CC31R




CC31S




CC127R




**CC127S**




**CCP14R, CCP17R,  
CC50R, CC75R**



**CCP14S, CCP17S,  
CC50S, CC75S**




**CC80**



**CC36**

# 10 | ZEDS & MOULDINGS


It is the little things that count, and that is why we keep a variety of zeds and mouldings to apply that finishing touch to your truck body. This section offers the available options.




**GZ28** Wt. 0.55 kg/m

**GZ37** Wt. 0.66 kg/m







**M109** Wt. 0.30 kg/m




**FH3** Wt. 0.50 kg/m




**M102** Wt. 0.27 kg/m



**M118** Wt. 0.52 kg/m







**FH70** Wt. 0.27 kg/m




**M116** Wt. 0.22 kg/m


®

aalco


**M103** Wt. 0.2 kg/m**M104** Wt. 0.14 kg/m**HC1** Wt. 0.485 kg/m**M107 (1.5" JMoulding)**  
Wt. 0.19 kg/m




**M101** Wt. 0.43 kg/m




**M106** Wt. 0.14 kg/m



**M200** Wt. 0.44 kg/m




**M150** Wt. 0.33 kg/m



**M105** Wt. 0.21 kg/m


# 11 | DOOR CAPPINGS

See our range of door cappings for your GRP door blanks in this section.




**DC1P11** Wt. 0.62 kg/m

**DC2P11** Wt. 0.47 kg/m




**DC1P17** Wt. 0.68 kg/m

**DC2P17** Wt. 0.51 kg/m



**DC1P14** Wt. 0.65 kg/m

**DC2P14** Wt. 0.49 kg/m



**DC1P22** Wt. 0.66 kg/m

**DC2P22** Wt. 0.53 kg/m

# 12 | GRP SYSTEMS


This section gives you an overview of the individual parts you can use together when building different 'GRP systems'.

# >> 2" GRP BOX SYSTEMS


[www.aalco.co.uk](http://www.aalco.co.uk)




53



CC50R




CCR50




CP50



CR50



CC50S



SR61



SR1P




SR2P




SR56


## >> 3" GRP BOX SYSTEMS




CC31R



CC31S



CP150



CR31



SR61



SR1P



SR2P



SR56




# >> ALTERNATIVE 3" GRP BOX SYSTEMS


[www.aalco.co.uk](http://www.aalco.co.uk)




55




CC75R



CC75



CC75S



CC75S



SR61



SR1P




SR2P



SR56


## >> 2" CAPTIVE GRP BOX SYSTEMS




CCP14R




CCR14



CCP14



CCP14S



SR61



SR1P




SR2P



SR56

# >> 3" CAPTIVE GRP BOX SYSTEMS


[www.aalco.co.uk](http://www.aalco.co.uk)




CCP17R




CCR17



CCP17



CCP17S



SR61



SR1P




SR2P



SR56


## >> 5" GRP SYSTEMS




CC127R



CR127



CP127



CC127S



SR61



SR1P



SR2P




SR56



# 13 | DROPSIDE BODIES

We also offer a full range of products to enable you to construct a lightweight dropside body. From one-piece dropside panels, to corner and centre pillar sets, here is what we keep in stock.


*Both available in 5 metre lengths.*




**BHCP34** Wt. 3.34 kg/m

**DC140**  
(Holl.Pink.Capping)  
Wt. 0.54 kg/m


## >> PIECE-TOGETHER PLANKS




**DSBP200** Wt. 3.22 kg/m



**DSTP200** Wt. 2.53 kg/m




**DSIP100** Wt. 1.38 kg/m




**DSIP200** Wt. 2.61 kg/m


## >> PIECE-TOGETHER PLANKS



**CLIPFIT BOTTOM PLANK**  
Wt. 2.901 kg/m




**CLIPFIT MIDDLE PLANK**  
Wt. 2.859 kg/m




**CLIPFIT TOP PLANK**  
Wt. 2.871 kg/m



# >> ONE PIECE PLANK




**DS400** (1pc 400mm)  
Wt. 2.61 kg/m




**DS400L** (1pc 400mm)  
Wt. 4.8 kg/m

## &gt;&gt; FASTENERS


RL694B Dropside Lock



AL63 Fastening Lug





DH300W Hinge Set



# >> CENTRE PILLARS


Comes as a two part set. Available in two lengths. **CTR7A-400** **CTR7A-600**




## >> END CAPS

Comes as a two part set. Available in two lengths. **EC8A-400 EC8A-600**

Left hand




Right hand



**EC8A** Wt. 1.68 kg/m


# >> CORNER PILLARS

Comes as a two part set. Available in two lengths. **CNR6A-400 CNR6A-600**



**CNR6A** Wt. 3.34 kg/m

**CNR6A Socket** Wt. 3.32 kg/m




Comes as a two part set. Available in two lengths. **CNR7A-400 CNR7A-600**


**CNR7A** Wt. 2.009 kg/m




## &gt;&gt; STEEL PILLARS

aalco<sup>®</sup>


**CTR7 - Steel Centre Pillar**  
16", 24" and 32" available




**CNR6 - Steel Corner Pillar**  
16", 24" and 32" available




**EC8 - Steel End Cap**  
16", 24" and 32" available





# 14 | SIDEGUARDS


We offer all the components you need to build a complete sideguard system. The components can be bought individually, or you can even buy a type approved sideguard 'kit' off us, which takes the pressure off you having your own type approval on your sideguard systems. Speak to your local service centre for more information on this.




Visit our website for Aalco Sideguard Kits Brochure and assembly instructions.








**SG132 (Rail)** Wt. 1.43 kg/m




**SG132L (Rail)** Wt. 1.189 kg/m



**EC-SG132**




**SGP132 (Pillar)** Wt. 1.77 kg/m




**REC-SGP132**

## >> SIDEGUARD PIVOT LEGS



Sideguard Pivot Leg MIS/TK/SGL-500 (also available as MIS/TK/SGL-700)  
Wt. 2.44 kg/m

## >> SINGLE RAIL KIT



### Definitions

Max Drop = Maximum drop to bottom of lowest rail


Max Leg Spacing = Maximum distance between legs, taken from centre of each leg

Max Overhang Front = Maximum distance to front of rail, including pedestrian kit, from centre of nearest leg

Max Overhang Rear = Maximum distance to rear of rail from centre of nearest leg

Kit No.	Leg	Rail	A Max drop (mm)	B Max Overhang Front (mm)	C Max Leg Spacing (mm)	D Max Overhang Back (mm)
1	TAKLER 500 (SGL500)	SG132 'L' (Single)	500	500	2500	200
3	TAKLER 500 (SGL500)	SG132 Single	500	750	3000	300

## >> DOUBLE RAIL KIT



### Definitions

Max Drop = Maximum drop to bottom of lowest rail

Max Leg Spacing = Maximum distance between legs, taken from centre of each leg


Max Overhang Front = Maximum distance to front of rail, including pedestrian kit, from centre of nearest leg

Max Overhang Rear = Maximum distance to rear of rail from centre of nearest leg


Kit No.	Leg	Rail	A Max drop (mm)	B Max Overhang Front (mm)	C Max Leg Spacing (mm)	D Max Overhang Back (mm)
2	TAKLER 700 (SGL700)	SG132 'L' (Double)	700	500	2500	150
4	TAKLER 700 (SGL700)	SG132 (Double)	740	750	3000	150

# 15 | LIVESTOCK

If you are building a ramp for your livestock trailer then we have you covered. See our livestock profiles on the next page.



**CATTLE GATE RAIL** Wt. 1.426 kg/m




**SHB48** Wt. 2.389 kg/m

# 16 | TIPPER


One of the more recent additions to our range, we now offer an array of tipper sections alongside our standard RT products. This section highlights our mix of top rails, bottom rails and U channels.




**AAL0176** Wt. 6.678 kg/m




**LIPPED CHANNEL**  
Wt. 0.685 kg/m



**TS17** Wt. 7.536 kg/m




**TS6** Wt. 5.169 kg/m




**TRS0133** Wt. 6.258 kg/m


<sup>®</sup>  
adaco



**TS4** Wt. 2.744 kg/m



**TS5** Wt. 3.271 kg/m



**TS14** Wt. 3.073 kg/m




## >> TEE SECTIONS

[www.aalco.co.uk](http://www.aalco.co.uk)




79



### SPECIAL TEE SECTION

Wt. 1.272 kg/m

## >> HINGE SECTIONS




**ARM0117** Wt. 6.371 kg/m


# 17 | 30 & 50MM PROFILES

Also part of the Aalco 'Tipper' range, in this section you will find our 30mm and 50mm profiles.


## » 30MM PROFILES



**30mm TOP RAIL**  
Wt. 7.654 kg/m




**30mm BOTTOM RAIL**  
Wt. 6.686 kg/m




**30mm PLANK**  
Wt. 5.428 kg/m


## >> 50MM PROFILES



**50mm TOP RAIL**  
Wt. 7.521 kg/m



**50mm BOTTOM RAIL**  
Wt. 8.5 kg/m



**50mm PLANK**  
Wt. 7.521 kg/m



# 18 | STEEL SECTIONS

We keep a number of steel profiles in stock and can fabricate any of these to the dimensions you require. Speak to your local service centre for further details.



Outer Panel



Inner Panel



Header




Rear Frame Sections




Rear Header Sections

Material  
2.0mm Galvanised  
Mild Steel  
Wt 0.84 kg/m



Curtain Track




G-Section (Steel)  
Wt. 6.91 kg/m

# aalco®




Floor Pan



End Capping



Corner Pillar



Header Panel

Galvanised Steel Back Frames

Customer to supply dimensions

Back Bearer



### Steel Top Hat Roof Sticks

**Material:** 1.2mm Galvanised Mild Steel  
**Weight:** 1.12 kg/metre  
**Availability:** 2500mm long with 25mm rise,  $\pm 5$ mm and is supplied flanges up or down.


### Steel Bowler Hat Roof Sticks

**Material:** 0.9mm Galvanised Mild Steel  
**Weight:** 0.78 kg/metre  
**Availability:** 2500mm long with 25mm rise,  $\pm 5$ mm and is supplied flanges up.


Roofsticks will normally be supplied pre-bowed with legs on inside radius. Can also be supplied pre-bowed with legs on outside of radius



Curtainsider Pillars



BH01 (Steel) Wt. 0.78 kg/m



GRS01 (Steel) Wt. 1.2 kg/m

# 19 | STANDARD PRODUCTS & TIPPER PLATE

On top of all the RT and Tipper products we keep, we also keep a vast range of standard aluminium and stainless steel products. In this section, you will also be able to find our large range of aluminium plates for tippers.



# >> ALUMINIUM EXTRUSIONS



## ROUND BAR

Diameter	Kg/M	Diameter	Kg/M
¼"	0.1	5"	34.2
⅝"	0.1	5¼"	37.7
⅜"	0.2	5½"	41.4
½"	0.3	5¾"	45.2
⅝"	0.5	6"	49.3
¾"	0.8	6½"	57.8
7⁄8"	1.1	7"	67.0
1"	1.4	7¼"	71.9
1⅛"	1.7	7½"	77.0
1¼"	2.1	8"	87.6
1⅜"	2.6	8½"	98.9
1½"	3.1	9"	110.8
1⅝"	3.6	9½"	123.5
1¾"	4.2	10"	136.8
1⅞"	4.8	12"	197.0
2"	5.5	13"	231.2
2⅛"	6.2	14"	268.2
2¼"	6.9	15"	307.8
2⅜"	7.7	16"	350.2
2½"	8.6		
2⅝"	9.4		
2¾"	10.4		
3"	12.3		
3¼"	14.5		
3½"	16.8		
3¾"	19.2		
4"	21.9		
4¼"	24.7		
4½"	27.7		
4¾"	30.9		



## FLAT BAR

Size	Kg/M	Size	Kg/M	Size	Kg/M
¾" x ¼"	0.2	1¼" x ⅝"	1.4	2½" x ¾"	3.3
½" x ⅛"	0.1	1¼" x ¾"	1.6	2½" x 1"	4.4
½" x ¼"	0.2	1¼" x 1"	2.2	2½" x 1½"	6.5
½" x ⅜"	0.2	1½" x ⅛"	0.3	2½" x 2"	8.7
½" x ⅝"	0.3	1½" x ⅜"	0.5	3" x ⅜"	1.0
⅝" x ⅛"	0.1	1½" x ½"	0.7	3" x ⅝"	0.7
⅝" x ¼"	0.2	1½" x ⅝"	1.0	3" x 1"	1.3
⅝" x ⅜"	0.3	1½" x 1"	1.3	3" x 1½"	2.0
⅝" x ½"	0.4	1½" x 1½"	1.6	3" x 2"	2.6
¾" x ⅛"	0.2	1½" x 2"	2.0	3" x 2½"	3.3
¾" x ¼"	0.2	1½" x 2½"	2.6	3" x 3"	5.2
¾" x ⅜"	0.3	1½" x 3"	3.3	3" x 3½"	10.5
¾" x ½"	0.5	1¾" x ¼"	0.8	3½" x ¼"	1.5
¾" x ⅝"	0.7	1¾" x ⅜"	1.1	3½" x ½"	3.1
¾" x 1"	0.8	1¾" x ½"	1.5	4" x ⅛"	0.9
7⁄8" x ⅛"	0.2	1¾" x ¾"	3.1	4" x ⅜"	1.3
1" x ⅛"	0.1	1¾" x 1"	3.8	4" x ½"	1.7
1" x ¼"	0.2	2" x ¼"	0.4	4" x ⅝"	2.6
1" x ⅜"	0.3	2" x ⅜"	0.7	4" x 1"	3.5
1" x ½"	0.4	2" x ½"	0.9	4" x 1½"	4.4
1" x ⅝"	0.5	2" x ¾"	1.3	4" x 2"	5.2
1" x ¾"	0.7	2" x 1"	1.7	4" x 2½"	7.0
1" x 1"	0.9	2" x 1½"	2.2	4" x 3"	8.7
1¼" x ⅛"	0.3	2" x 2"	2.6	4" x 3½"	13.9
1¼" x ¼"	0.4	2" x 2½"	3.5	5" x ½"	4.4
1¼" x ⅜"	0.5	2" x 3"	4.4	5" x 1"	2.2
1¼" x ½"	0.8	2" x 3½"	5.2	6" x ¼"	2.6
1¼" x ¾"	1.1	2½" x ¼"	0.8	6" x ⅜"	3.9
1½" x ¼"	0.3	2½" x ½"	1.1	6" x ½"	5.2
1½" x ⅜"	0.4	2½" x ¾"	1.6	6" x 1"	10.5
1½" x ½"	0.5	2½" x 1"	2.2		

www.aalco.co.uk



## >> ALUMINIUM EXTRUSIONS



### SQUARE BAR

Size	Kg/M
¼" SQUARE	0.1
⅕" SQUARE	0.2
⅜" SQUARE	0.3
½" SQUARE	0.4
⅝" SQUARE	0.7
¾" SQUARE	1.0
⅞" SQUARE	1.3
1" SQUARE	1.7
1¼" SQUARE	2.7
1½" SQUARE	3.9
1¾" SQUARE	5.3
2" SQUARE	7.0
2½" SQUARE	10.9
3" SQUARE	15.8
3½" SQUARE	21.4
4" SQUARE	27.9




### ROUND TUBE

Diameter	Kg/M	Diameter	Kg/M	Diameter	Kg/M
⅜" O/D x 16SWG	0.1	1½" O/D x ¼"	1.7	4½" O/D x ¼"	5.8
½" O/D x 18SWG	0.1	1⅝" O/D x 16SWG	0.5	5" O/D x 10SWG	3.3
½" O/D x 16SWG	0.2	1⅝" O/D x 10SWG	1.0	5" O/D x ¼"	6.5
½" O/D x 10SWG	0.3	1⅝" O/D x ⅜"	1.5	6" O/D x 10SWG	4.0
⅝" O/D x 18SWG	0.2	1¾" O/D x 16SWG	0.6	6" O/D x ¼"	7.9
⅝" O/D x 16SWG	0.2	1¾" O/D x 10SWG	1.1	6½" O/D x ¼"	8.6
⅝" O/D x 10SWG	0.4	1⅞" O/D x 10SWG	1.2		
¾" O/D x 18SWG	0.2	2" O/D x 16SWG	0.7		
¾" O/D x 16SWG	0.2	2" O/D x 10SWG	1.3		
¾" O/D x 10SWG	0.4	2" O/D x ⅜"	1.9		
⅞" O/D x 18SWG	0.2	2" O/D x ¼"	2.4		
⅞" O/D x 16SWG	0.3	2¼" O/D x 16SWG	0.8		
⅞" O/D x 10SWG	0.5	2¼" O/D x 10SWG	1.5		
1" O/D x 18SWG	0.3	2½" O/D x 16SWG	0.9		
1" O/D x 16SWG	0.3	2½" O/D x 10SWG	1.6		
1" O/D x 10SWG	0.6	2½" O/D x ⅜"	2.4		
1" O/D x 10SWG Ldder Rung	0.6	2½" O/D x ¼"	3.1		
1" O/D x ⅜"	0.8	2½" O/D x ⅜"	4.4		
1" O/D x ¼"	1.0	3½" O/D x ¼"	4.5		
1⅞" O/D x 16SWG	0.4	2¾" O/D x 10SWG	1.8		
1⅞" O/D x 10SWG	0.7	3" O/D x 16SWG	1.0		
1¼" O/D x 16SWG	0.4	3" O/D x 10SWG	2.0		
1¼" O/D x ⅜"	1.1	3" O/D x ⅜"	2.9		
1¼" O/D x 18SWG	0.3	3" O/D x ¼"	3.8		
1¼" O/D x 10SWG	0.8	3½" O/D x 16SWG	1.2		
1⅜" O/D x 16SWG	0.5	3½" O/D x 10SWG	2.4		
1⅜" O/D x 10SWG	0.9	3½" x ¼" O/D x 10SWG	??		
1½" O/D x 18SWG	0.4	4" O/D x 16SWG	1.4		
1½" O/D x 16SWG	0.5	4" O/D x 10SWG	2.7		
1½" O/D x 10SWG	1.0	4" O/D x ¼"	5.1		
1½" O/D x ⅜"	1.4	4½" O/D x 10SWG	3.0		



## BOX SECTION - Square

Size	Kg/M
½" SQ x 16SWG	0.2
¾" SQ x 16SWG	0.3
1" SQ x 16SWG	0.4
1" SQ x 10SWG	0.8
1¼" SQ x 16SWG	0.5
1¼" SQ x 10SWG	1.0
1½" x ¾" x ⅛"	0.5
1½" x 1" x 16SWG	0.5
1½" x 1" x 10SWG	1.0
1½" SQ x 16SWG	0.6
1½" SQ x 10SWG	1.2
1¾" SQ x 10SWG	1.5
50mm SQ x 3.0mm	1.5
2" x 1" x 10SWG	1.2
2" x 1½" x 10SWG	1.5
2" SQ x ¼"	3.0
2" SQ x 16SWG	0.9
2" SQ x 10SWG	1.7
2½" SQ x 10SWG	2.1
3" x 1" x 10SWG	1.7
3" x 1½" x 10SWG	1.9
3" x 2" x 10SWG	2.1
3" SQ x 10SWG	2.6
4" x 1" x 10SWG	2.1
4" x 1¾" x 10SWG	2.5
4" x 2" x 10SWG	2.6
4" SQ x 10SWG	3.5
4" SQ x ¼"	6.5
6" x 2" x 10SWG	3.5
6" x 3" x ⅜"	10.8



## BOX SECTION - Rectangular

Size	Kg/M
1½" x ¾" x ⅛"	0.5
1½" x 1" x 16SWG	0.5
1½" x 1" x 10SWG	1.0
50mm x 25mm x 3.0mm	1.2
2" x 1" x 10SWG	1.2
2" x 1½" x 10SWG	1.5
3" x 1" x 10SWG	1.7
3" x 1½" x 10SWG	1.9
3" x 2" x 10SWG	2.1
4" x 1" x 10SWG	2.1
4" x 1¾" x 10SWG	2.5
4" x 2" x 10SWG	2.6
6" x 2" x 10SWG	3.5
6" x 3" x ⅜"	10.8



## TEE SECTION

Size	Kg/M
2" x 1" x ⅛"	0.6
2" x 2" x ⅜"	1.3
2" x 2" x ⅛"	0.9
2" x 2" x ¼"	1.6
3" x 3" x ¼"	2.5
¾" x ¾" x ⅛"	0.3
1" x 1" x ⅛"	0.4
1¼" x 1¼" x ⅛"	0.5
1½" x 1½" x ⅜"	0.9
1½" x 1½" x ¼"	1.2
1½" x 1½" x ⅛"	0.6



## CHANNEL

Size	Kg/M
⅜" x ⅜" x ⅛" x ⅛"	0.1
½" x ½" x ⅛" x ⅛"	0.2
½" x ½" x ⅛" x ⅛"	0.3
⅝" x ⅝" x ⅛" x ⅛"	0.2
⅝" x ⅝" x ⅛" x ⅛"	0.4
¾" x ¾" x ⅛" x ⅛"	0.2
¾" x ¾" x ⅛" x ⅛"	0.4
⅞" x ⅞" x ⅛" x ⅛"	0.5
1" x ½" x ⅛" x ⅛"	0.4
1" x ¾" x ⅛" x ⅛"	0.5
1" x 1" x ⅛" x ⅛"	0.3
1" x 1" x ⅛" x ⅛"	0.6
1¼" x ¾" x ⅛" x ⅛"	0.6
1¼" x 1" x ⅛" x ⅛"	0.7
1¼" x 1¼" x ⅛" x ⅛"	0.8
1½" x ½" x ⅛" x ⅛"	0.5
1½" x ¾" x ⅛" x ⅛"	0.6
1½" x 1" x ⅛" x ⅛"	0.7
1½" x 1½" x ⅛" x ⅛"	0.9
1½" x 1½" x ⅜" x ⅜"	1.4
1½" x 1½" x ¼" x ¼"	1.7
1¾" x 1" x ⅛" x ⅛"	0.8
2" x ½" x ⅛" x ⅛"	0.6
2" x ¾" x ⅛" x ⅛"	0.7
2" x 1" x ⅛" x ⅛"	0.8
2" x 1" x ⅜" x ⅜"	1.2
2" x 1" x ¼" x ¼"	1.5
2" x 1½" x ⅛" x ⅛"	1.0
2" x 1½" x ¼" x ¼"	2.0
2" x 2" x ⅛" x ⅛"	1.3
2" x 2" x ⅜" x ⅜"	1.9
2" x 2" x ¼" x ¼"	2.4

Size	Kg/M
2¼" x 1¼" x ⅜" x ⅜"	1.4
2½" x 1" x ⅛" x ⅛"	0.9
2½" x 1¼" x ⅜" x ⅜"	1.5
3" x 1" x ⅛" x ⅛"	1.0
3" x 1½" x ⅛" x ⅛"	1.3
3" x 1½" x ⅜" x ⅜"	1.8
3" x 1½" x ¼" x ¼"	2.7
3" x 2" x ⅛" x ⅛"	1.8
3" x 2" x ⅜" x ⅜"	2.2
3" x 2" x ¼" x ¼"	2.8
3½" x 1½" x ¼" x ¼"	3.0
4" x 2" x ⅛" x ⅛"	1.7
4" x 2" x ¼" x ¼"	3.7
5" x 2" x ¼" x ¼"	4.0
6" x 2" x ¼" x ¼"	4.5
6" x 3" x ¼" x ⅜"	6.2
6" x 3" x ⅜" x ½"	8.5
8" x 3" x ⅜" x ½"	9.8
10" x 3" x ⅜" x ½"	11.1

## >> ALUMINIUM EXTRUSIONS



### EQUAL ANGLES

Size	Kg/M
1/2" x 1/2" x 1/16"	0.1
1/2" x 1/2" x 1/8"	0.2
5/8" x 5/8" x 1/16"	0.1
5/8" x 5/8" x 1/8"	0.3
3/4" x 3/4" x 1/16"	0.2
3/4" x 3/4" x 1/8"	0.3
7/8" x 7/8" x 1/8"	0.4
25mm X 25mm X 3.0mm	0.4
1" x 1" x 1/16"	0.2
1" x 1" x 1/8"	0.4
1" x 1" x 3/16"	0.6
1" x 1" x 1/4"	0.8
1 1/4" x 1 1/4" x 1/16"	0.3
1 1/4" x 1 1/4" x 1/8"	0.5
1 1/4" x 1 1/4" x 3/16"	0.8
1 1/4" x 1 1/4" x 1/4"	1.0
1 1/2" x 1 1/2" x 1/16"	0.3
1 1/2" x 1 1/2" x 1/8"	0.6
1 1/2" x 1 1/2" x 3/16"	0.9
1 1/2" x 1 1/2" x 1/4"	1.2
1 1/2" x 1 1/2" x 1/4" x 1/4"	1.7
1 3/4" x 1 3/4" x 1/8"	0.7
50mm x 50mm x 3.0mm	0.8
1 3/4" x 1 3/4" x 3/16"	1.0
1 3/4" x 1 3/4" x 1/4"	1.4
2" x 2" x 1/16"	0.4
2" x 2" x 1/8"	0.9
2" x 2" x 3/16"	1.2
2" x 2" x 1/4"	1.6
2" x 2" x 3/8"	2.4
2 1/2" x 2 1/2" x 1/8"	1.0
2 1/2" x 2 1/2" x 3/16"	1.6

Size	Kg/M
2 1/2" x 2 1/2" x 1/4"	2.0
3" x 3" x 1/8"	1.3
3" x 3" x 3/16"	1.9
3" x 3" x 1/4"	2.5
3" x 3" x 3/8"	3.7
4" x 4" x 1/4"	3.4
4" x 4" x 3/8"	5.0
6" x 6" x 1/2"	10.0




### UNEQUAL ANGLES

Size	Kg/M
3/4" x 1/2" x 1/16"	0.1
3/4" x 1/2" x 1/8"	0.3
1" x 1/2" x 1/16"	0.2
1" x 1/2" x 1/8"	0.3
1" x 5/8" x 1/8"	0.3
1" x 3/4" x 1/16"	0.2
1" x 3/4" x 1/8"	0.4
1 1/4" x 1/2" x 1/8"	0.4
1 1/4" x 3/4" x 1/8"	0.4
1 1/4" x 1" x 1/8"	0.5
1 1/2" x 3/4" x 1/8"	0.5
1 1/2" x 1" x 1/8"	0.5
1 3/4" x 1" x 1/8"	0.6
2" x 1/2" x 1/8"	0.5
2" x 3/4" x 1/8"	0.6
50mm x 25mm x 3.0mm	0.6
2" x 1" x 1/8"	0.6
2" x 1" x 3/16"	0.9
2" x 1" x 1/4"	1.2
2" x 1 1/2" x 1/8"	0.7
2" x 1 1/2" x 3/16"	1.1
2" x 1 1/2" x 1/4"	1.4
2 1/2" x 1" x 1/8"	0.7
2 1/2" x 1 1/2" x 3/16"	1.2
2 1/2" x 1 1/2" x 1/4"	1.6
3" x 1" x 1/8"	0.9
3" x 1" x 1/4"	1.6
3" x 1 1/2" x 1/8"	1.0
3" x 1 1/2" x 3/16"	1.4
3" x 1 1/2" x 1/4"	1.9
3" x 2" x 1/8"	1.0
3" x 2" x 3/16"	1.6

Size	Kg/M
3" x 2" x 1/4"	2.0
3 1/2" x 2" x 1/2"	4.5
4" x 1" x 1/8"	1.1
4" x 2" x 1/8"	1.3
4" x 2" x 1/4"	2.5
4" x 3" x 1/4"	2.9
6" x 3" x 3/8"	5.6

# >> ALUMINIUM ROLLED PRODUCTS



RT CHANNEL

Size	Kg/M
4" x 2" x 1/4" x 5/16"	3.8
5" x 2" x 1/4" x 5/16"	4.2
5" x 2 1/2" x 1/4" x 3/8"	5.3
6" x 3" x 1/4" x 3/8"	6.4
6" x 3" x 3/8" x 1/2"	8.7
8" x 3" x 3/8" x 1/2"	9.8
10" x 3" x 3/8" x 1/2"	11.1




SHEET

Size	Kg/Sheet
2000mm x 1000mm x 3.0mm	16.3
2500mm x 1000mm x 3.0mm	20.6
2500mm x 1250mm x 3.0mm	25.5
3000mm x 1250mm x 3.0mm	31.0
3100mm x 1250mm x 3.0mm	32.0
3250mm x 1250mm x 3.0mm	33.4
3500mm x 1250mm x 3.0mm	36.0
3658mm x 1250mm x 3.0mm	37.4
3750mm x 1250mm x 3.0mm	38.5
3000mm x 1400mm x 3.0mm	34.5
4000mm x 1400mm x 3.0mm	46.0
2500mm x 1500mm x 3.0mm	30.8
3000mm x 1500mm x 3.0mm	36.7
3100mm x 1500mm x 3.0mm	38.2
3250mm x 1500mm x 3.0mm	39.5
3500mm x 1500mm x 3.0mm	43.2
3658mm x 1500mm x 3.0mm	44.9
3750mm x 1500mm x 3.0mm	46.2
2500mm x 1600mm x 3.0mm	32.9
3000mm x 1600mm x 3.0mm	39.4
4000mm x 1600mm x 3.0mm	52.6
2500mm x 1750mm x 3.0mm	35.9
3000mm x 1750mm x 3.0mm	43.1
4000mm x 1750mm x 3.0mm	57.5
3000mm x 2000mm x 3.0mm	49.3
2438mm x 1219mm x 2.9mm	23.5
2500mm X 1250mm x 2.9mm	24.7
3100mm x 1250mm x 2.9mm	30.7
3000mm x 1500mm x 2.9mm	36.9
4000mm x 2000mm x 2.9mm	63.3
2000mm x 1000mm x 2.5mm	13.6
2500mm x 1250mm x 2.5mm	21.2
2438mm x 1219mm x 2.48mm	20.1


Size	Kg/Sheet
2500mm x 1000mm x 2.0mm	13.7
3100mm x 1250mm x 2.0mm	21.2
3250mm x 1250mm x 2.0mm	22.3
3500mm x 1250mm x 2.0mm	24.0
3658mm x 1250mm x 2.0mm	25.0
3750mm x 1250mm x 2.0mm	25.7
3000mm x 1400mm x 2.0mm	23.0
4000mm x 1400mm x 2.0mm	30.7
2500mm x 1500mm x 2.0mm	20.6
2000mm x 1000mm x 2.5mm	13.6
2500mm x 1250mm x 2.5mm	21.2
2000mm x 1000mm x 2.0mm	10.9
2500mm x 1250mm x 2.0mm	17.0
3000mm x 1500mm x 2.0mm	24.5
3250mm x 1500mm x 2.0mm	26.7
3500mm x 1500mm x 2.0mm	28.8
3658mm x 1500mm x 2.0mm	30.0
3750mm x 1500mm x 2.0mm	30.8
4000mm x 1500mm x 2.0mm	32.9
2500mm x 1600mm x 2.0mm	21.9
3000mm x 1600mm x 2.0mm	26.3
4000mm x 1600mm x 2.0mm	35.0
2500mm x 1750mm x 2.0mm	24.0
3000mm x 1750mm x 2.0mm	28.7
4000mm x 1750mm x 2.0mm	38.3
3000mm x 2000mm x 2.0mm	32.9
2438mm x 1219mm x 1.9mm	15.4
2500mm x 1250mm x 1.9mm	16.2
3100mm x 1250mm x 1.9mm	20.1
3000mm x 1500mm x 1.9mm	23.3
4000mm x 2000mm x 1.9mm	41.5
2000mm x 1000mm x 1.5mm	8.15
2500mm x 1000mm x 1.5mm	10.3

Size	Kg/Sheet
3000mm x 1000mm x 1.5mm	12.3
3100mm x 1000mm x 1.5mm	12.7
2500mm x 1250mm x 1.5mm	12.7
3250mm x 1250mm x 1.5mm	16.7
3500mm x 1250mm x 1.5mm	18.0
3658mm x 1250mm x 1.5mm	18.7
3750mm x 1250mm x 1.5mm	19.3
4000mm x 1250mm x 1.5mm	20.6
2500mm x 1500mm x 1.5mm	15.4
3000mm x 1500mm x 1.5mm	18.3
3658mm x 1500mm x 1.5mm	22.5
4000mm x 1500mm x 1.5mm	24.7
2500mm x 1250mm x 1.2mm	10.2
3658mm x 1250mm x 1.2mm	15.0
3658mm x 1500mm x 1.2mm	18.0
2438mm x 1219mm x 1.2mm	9.7
2000mm x 1000mm x 1.2mm	6.5
2000mm x 1000mm x 1.0mm	5.4
2500mm x 1250mm x 1.0mm	8.5
2438mm x 1219mm x 0.9mm	7.3



STUCCO SHEET

Size	Kg/Sheet
2000mm x 1000mm x 0.5mm	2.7
2500mm x 1250mm x 0.5mm	4.3
2000mm x 1000mm x 0.6mm	3.3
2500mm x 1250mm x 0.6mm	5.1
2000mm x 1000mm x 0.7mm	3.8
2500mm x 1250mm x 0.7mm	6.0
2000mm x 1000mm x 0.8mm	4.4
2500mm x 1250mm x 0.8mm	6.8
3000mm x 1250mm x 0.9mm	9.2
3000mm x 1500mm x 0.9mm	11.1
2500mm x 1250mm x 1.0mm	8.6
2500mm x 1250mm x 1.2mm	10.3
3000mm x 1250mm x 1.2mm	12.3
3000mm x 1500mm x 1.2mm	14.8



PLATE

Size	Kg/Sheet
2500mm x 1250mm x 10.0mm	85
2500mm x 1250mm x 12.0mm	102
2500mm x 1250mm x 15.0mm	127
2500mm x 1250mm x 20.0mm	170
2500mm x 1250mm x 25.0mm	212

## >> ALUMINIUM ROLLED PRODUCTS



SHATE

Size	Kg/Sheet
2000mm x 1000mm x 4.0mm	21.7
2515mm x 1829mm x 6mm (8ft 3in x 6ft)	71
2489mm x 1524mm x 6.2mm (8ft 2in x 5ft)	64
2489mm x 1524mm x 6.2mm (8ft 2in x 5ft)	64
2500mm x 1250mm x 4.0mm	34.0
2595mm x 1874mm x 6.0mm	79
3000mm x 1500mm x 4.0mm	48.9
2000mm x 1000mm x 5.0mm	27.2
2500mm x 1250mm x 5.0mm	42.5
3000mm x 1500mm x 5.0mm	61.1
2000mm x 1000mm x 6.0mm	32.6
2500mm x 1250mm x 6.0mm	50.9
2500mm x 1250mm x 8.0mm	68.2
3000mm x 1500mm x 6.0mm	73.4
3048mm x 2032mm x 4.76mm (10ft x 6ft 8in)	80
3600mm x 2000mm x 4.76mm	93



WHITE PAINTED SHEET

Size	Kg/Sheet
2000mm x 1000mm x 0.5mm	2.8
2500mm x 1250mm x 0.5mm	4.3
2000mm x 1000mm x 0.6mm	3.3
2500mm x 1250mm x 0.6mm	5.2
2500mm x 1250mm x 0.9mm	7.6
2500mm x 1250mm x 1.2mm	10.2
2500mm x 1250mm x 1.5mm	12.8
2500mm x 1250mm x 2.0mm	15.5



TIPPER PLATE

Size	Kg/Sheet
6602mm x 2164mm X 6.0mm ENDURAL	229
6100mm x 2164mm x 6.0mm ENDURAL	212
8'3" x 6' X 6.0mm	73.8
8' x 4' x 4.76mm	37.8
8' x 6' X 4.0mm	47.7
8'3" x 6'0" x 8.0mm	98.4
6700mm x 2500mm x 8.0mm	358.2
2595mm x 2308mm x 8.0mm	128.1
2595mm x 2308mm x 6.0mm	96.1
2540mm x 2000mm x 6.2mm	84.2
8'4" x 6'9" x 6.0mm	83.8
8'2" x 5' x 6.2mm	60.9
8'4" x 6'8" x 8.0mm	110.4
8'2" x 5' x 8.0mm	81.2
10' x 1580mm x 4.2mm	54.1
8'2" x 5' x 4.76mm	48.3
8'2" x 4' x 4.0mm	32.5
22'6" x 5' x 6.2mm	173.2
8'7" x 2000mm x 4.76mm	66.6
8'7" x 2000mm x 4.0mm	55.9
8'2" x 5' x 8.0mm	81.2
21' x 5' x 6.2mm	161.7
8'2" x 5' x 4.0mm	40.6
8'2" x 4' x 4.76mm	38.6
8'2" x 5'6" x 4.76mm	53.1
8'2" x 6'8" x 10SWG	40.6
8'2" x 5' x 6.2mm	62.9
8'4" x 5'6" x 6.0mm	68.3
8'3" x 2000mm x 4.76mm	64
10' x 2100mm x 4.2mm	71.9

Size	Kg/Sheet
6000mm x 2000mm x 8.0mm	256.7
6000mm x 2000mm x 5.0mm	160.4
4000mm x 2000mm x 6.0mm	128.3
4000mm x 2000mm x 4.0mm	85.6
4000mm x 2000mm x 5.0mm	106.9
4000mm x 2000mm x 8.0mm	171.1
6000mm x 2000mm x 6.0mm	192.5
6000mm x 2000mm x 4.0mm	128.3
3500mm x 2000mm x 6.0mm	112.3
4000mm x 2000mm x 10.0mm	213.9




TRIPLEGRIP TREADPLATE

Size	Kg/Sheet
2500mm x 1250mm x 1.5mm	13.9
2500mm x 1250mm x 2.0mm	18.1
2500mm x 1250mm x 3.0mm	26.6



DIAMOND BRIGHT

Size	Kg/Sheet
2500mm x 1250mm x 1.5mm	15.5
3000mm x 1500mm x 3.0mm	40.0



5 BAR TREADPLATE


Size	Kg/Sheet
2438mm x 1219mm x 1.95mm	16.5
2438mm x 1219mm x 2.0mm	17.8
2500mm x 1250mm x 2.0mm	18.7
3000mm x 1500mm x 2.0mm	26.8
2438mm x 1219mm x 2.95mm	24.9
2000mm x 1000mm x 3.0mm	17.3
2438mm x 1219mm x 3.0mm	25.7
2500mm x 1250mm x 3.0mm	27.0
3000mm x 1500mm x 3.0mm	38.9
2438mm x 1219mm x 4.4mm	37.2
2000mm x 1000mm x 4.5mm	25.0
2438mm x 1219mm x 4.5mm	37.2
2500mm x 1250mm x 4.5mm	39.2
3000mm x 1500mm x 4.5mm	56.3
2438mm x 1219mm x 6.0mm	49.2
2500mm x 1250mm x 6.0mm	51.7
3000mm x 1500mm x 6.0mm	74.3

# STAINLESS STEEL ROLLED PRODUCTS



PLATE

Size	Kg/Sheet
2000mm x 1000mm x 3.0mm	48
2500mm x 1250mm x 3.0mm	75
3000mm x 1500mm x 3.0mm	108
2000mm x 1000mm x 4.0mm	64
2500mm x 1250mm x 4.0mm	100
3000mm x 1500mm x 4.0mm	144
2000mm x 1000mm x 5.0mm	80
2500mm x 1250mm x 5.0mm	125
2500mm x 1250mm x 6.0mm	150
3000mm x 1500mm x 6.0mm	216
2500mm x 1250mm x 8.0mm	200
3000mm x 1500mm x 8.0mm	288
2500mm x 1250mm x 10.0mm	250
3000mm x 1500mm x 10.0mm	360
2500mm x 1250mm x 12.0mm	300
3000mm x 1500mm x 12.0mm	432
2500mm x 1250mm x 1.0mm	25.0
2000mm x 1000mm x 1.2mm	19.2
2500mm x 1250mm x 1.2mm	30.0
2000mm x 1000mm x 1.5mm	24.0
2500mm x 1250mm x 1.5mm	37.5
3000mm x 1500mm x 1.5mm	54.0
2000mm x 1000mm x 2.0mm	32.0
2500mm x 1250mm x 2.0mm	50.0
3000mm x 1500mm x 2.0mm	72.0
2500mm x 1250mm x 2.5mm	62.5
2000mm x 1000mm x 3.0mm (HR)	48.0
2500mm x 1250mm x 3.0mm (HR)	75.0
3000mm x 1500mm x 3.0mm (HR)	108.0



TREADPLATE

Size	Kg/Sheet
3000mm x 1000mm x 3.0mm	78
3000mm x 1250mm x 3.0mm	98
3000mm x 1250mm x 4.5mm	143
3000mm x 1250mm x 6.0mm	180




SHEET - Grit & bright polished

Size	Kg/Sheet
2000mm x 1000mm x 0.7mm	11.5
2500mm x 1250mm x 0.7mm	17.9
2000mm x 1000mm x 0.9mm	14.7
2500mm x 1250mm x 0.9mm	23.0
3000mm x 1500mm x 0.9mm	33.2
2000mm x 1000mm x 1.0mm	16.4
2500mm x 1250mm x 1.0mm	25.6
2000mm x 1000mm x 1.2mm	19.6
2500mm x 1250mm x 1.2mm	30.7
3000mm x 1500mm x 1.2mm	44.2
2000mm x 1000mm x 1.5mm	24.6
2500mm x 1250mm x 1.5mm	38.4
3000mm x 1500mm x 1.5mm	55.3
2000mm x 1000mm x 2.0mm	32.7
2500mm x 1250mm x 2.0mm	51.2
3000mm x 1500mm x 2.0mm	73.7
2000mm x 1000mm x 2.5mm	40.9
2500mm x 1250mm x 2.5mm	63.9
3000mm x 1500mm x 2.5mm	92.1
2000mm x 1000mm x 3.0mm	49.6
2500mm x 1250mm x 3.0mm	77.5
3000mm x 1500mm x 3.0mm	111.6



ROUND DECORATIVE / STRUCTURAL TUBE

Size	Kg/M
½" OD x 1.5mm	0.4
¾" OD x 1.2mm	0.4
¾" OD x 1.5mm	0.5
¾" OD x 1.8SWG	0.5
¾" OD x 1.5mm	0.7
7/8" OD x 1.2mm	0.6
7/8" OD x 1.5mm	0.8
7/8" OD x 2.0mm	1.0
19mm OD x 1.2mm	0.5
1" OD x 1.2mm	0.7
1" OD x 1.5mm	0.9
1" OD x 2.0mm	1.2
25mm OD x 1.5mm	0.9
25mm OD x 2.0mm	1.1
1¼" OD x 1.2mm	0.9
1¼" OD x 1.5mm	1.1
1½" OD x 1.2mm	1.1
1½" OD x 1.5mm	1.4
1½" OD x 2.0mm	1.8
1½" OD x 3.0mm	2.6
1¾" OD x 1.5mm	1.6
2" OD x 1.2mm	1.5
2" OD x 1.5mm	1.8
2" OD x 2.0mm	2.4
2" OD x 3.0mm	3.6
2½" OD x 1.5mm	2.3
3" OD x 1.5mm	2.8
3" OD x 3.0mm	5.5
4" OD x 3.0mm	7.3



CIRCLE POLISHED SHEET

Size	Kg/Sheet
2500mm x 1250mm x 0.9mm	23.0
2500mm x 1250mm x 1.2mm	30.7
2500mm x 1250mm x 1.5mm	38.4
2500mm x 1250mm x 2.0mm	51.2

## >> ALUMINIUM ROLLED PRODUCTS



### SQUARE TUBE - Grade 304 & 316 - Dull Polished

Size	Kg/M	Size	Kg/M	Size	Kg/M
12.7mm x 12.7mm x 1.2mm	0.5	50mm x 25mm x 3.0mm	3.5	100mm x 50mm x 2.0mm	4.7
12.7mm x 12.7mm x 1.5mm	0.6	50mm x 30mm x 1.5mm	1.9	100mm x 50mm x 3.0mm	7.0
15mm x 15mm x 1.2mm	0.5	50mm x 30mm x 2.0mm	2.5	100mm x 50mm x 4.0mm	9.0
15mm x 15mm x 1.5mm	0.7	50mm x 30mm x 3.0mm	3.8	100mm x 50mm x 5.0mm	11.2
20mm x 10mm x 1.5mm	0.7	50mm x 50mm x 1.5mm	2.3	100mm x 100mm x 2.0mm	6.4
20mm x 20mm x 1.2mm	0.7	50mm x 50mm x 2.0mm	3.0	100mm x 100mm x 3.0mm	9.5
20mm x 20mm x 1.5mm	0.9	50mm x 50mm x 3.0mm	4.7	100mm x 100mm x 4.0mm	12.4
20mm x 20mm x 2.0mm	1.20	50mm x 50mm x 4.0mm	6.0	100mm x 100mm x 5.0mm	15.4
25mm x 25mm x 1.2mm	0.9	50mm x 50mm x 5.0mm	7.4	100mm x 100mm x 6.0mm	17.5
25mm x 25mm x 1.5mm	1.2	60mm x 20mm x 1.5mm	1.9	100mm x 100mm x 8.0mm	23.3
25mm x 25mm x 2.0mm	1.5	60mm x 30mm x 1.5mm	2.1	120mm x 60mm x 3.0mm	8.4
25mm x 25mm x 3.0mm	2.2	60mm x 30mm x 2.0mm	2.8	120mm x 60mm x 4.0mm	11.1
30mm x 10mm x 1.2mm	0.7	60mm x 30mm x 3.0mm	4.1	120mm x 60mm x 5.0mm	13.8
30mm x 10mm x 1.5mm	0.9	60mm x 40mm x 1.5mm	2.3	120mm x 80mm x 3.0mm	9.5
30mm x 15mm x 1.5mm	1.0	60mm x 40mm x 2.0mm	3.0	120mm x 80mm x 4.0mm	12.4
30mm x 20mm x 1.5mm	1.2	60mm x 40mm x 3.0mm	4.7	120mm x 80mm x 5.0mm	15.4
30mm x 30mm x 1.2mm	1.1	60mm x 60mm x 2.0mm	3.7	120mm x 120mm x 3.0mm	11.8
30mm x 30mm x 1.5mm	1.4	60mm x 60mm x 3.0mm	5.5	120mm x 120mm x 4.0mm	15.0
30mm x 30mm x 2.0mm	1.8	60mm x 60mm x 4.0mm	7.2	120mm x 120mm x 5.0mm	18.7
30mm x 30mm x 3.0mm	2.7	60mm x 60mm x 5.0mm	8.9	100mm x 40mm x 3.0mm	6.53
40mm x 15mm x 1.5mm	1.3	70mm x 70mm x 3.0mm	6.5	100mm x 50mm x 2.0mm	4.7
40mm x 20mm x 1.2mm	1.1	80mm x 40mm x 1.5mm	2.8	100mm x 50mm x 3.0mm	7.0
40mm x 20mm x 1.5mm	1.4	80mm x 40mm x 2.0mm	3.7	100mm x 50mm x 4.0mm	9.0
40mm x 20mm x 2.0mm	1.8	80mm x 40mm x 3.0mm	5.5	100mm x 50mm x 5.0mm	11.2
40mm x 40mm x 1.2mm	1.5	80mm x 40mm x 4.0mm	7.2	100mm x 100mm x 2.0mm	6.4
40mm x 40mm x 1.5mm	1.9	80mm x 40mm x 5.0mm	8.9	100mm x 100mm x 3.0mm	9.5
40mm x 40mm x 2.0mm	2.5	80mm x 60mm x 3.0mm	6.5	100mm x 100mm x 4.0mm	12.4
40mm x 40mm x 3.0mm	3.8	80mm x 80mm x 2.0mm	5.0	100mm x 100mm x 5.0mm	15.4
40mm x 40mm x 4.0mm	4.8	80mm x 80mm x 3.0mm	7.5	100mm x 100mm x 6.0mm	17.5
50mm x 25mm x 1.2mm	1.4	80mm x 80mm x 4.0mm	9.8	100mm x 100mm x 8.0mm	23.3
50mm x 25mm x 1.5mm	1.8	80mm x 80mm x 5.0mm	12.4		
50mm x 25mm x 2.0mm	2.3	100mm x 40mm x 3.0mm	6.5		










## RECTANGULAR TUBE - Grade 304 & 316 - Dull Polished

Size	Kg/M
120mm x 60mm x 3.0mm	8.4
120mm x 60mm x 4.0mm	11.1
120mm x 60mm x 5.0mm	13.8
120mm x 80mm x 3.0mm	9.5
120mm x 80mm x 4.0mm	12.4
120mm x 80mm x 5.0mm	15.4
120mm x 120mm x 3.0mm	11.8
120mm x 120mm x 4.0mm	15.0
120mm x 120mm x 5.0mm	18.7
120mm x 120mm x 6.0mm	21.2
150mm x 50mm x 3.0mm	9.5
150mm x 50mm x 5.0mm	15.4
150mm x 100mm x 3.0mm	11.7
150mm x 100mm x 4.0mm	15.4
150mm x 100mm x 5.0mm	18.8
150mm x 100mm x 6.0mm	22.6
150mm x 100mm x 8.0mm	27.9
150mm x 150mm x 3.0mm	14.0
150mm x 150mm x 4.0mm	18.6
150mm x 150mm x 5.0mm	22.4
150mm x 150mm x 6.0mm	27.4
150mm x 150mm x 8.0mm	34.3
150mm x 150mm x 10.0mm	41.7
200mm x 100mm x 3.0mm	14.1
200mm x 100mm x 4.0mm	18.6
200mm x 100mm x 5.0mm	23.1
200mm x 100mm x 6.0mm	27.5
200mm x 100mm x 8.0mm	34.3
200mm x 100mm x 10.0mm	41.6
200mm x 200mm x 3.0mm	18.6
200mm x 200mm x 5.0mm	30.4
200mm x 200mm x 6.0mm	36.1

Size	Kg/M
200mm x 200mm x 8.0mm	47.1
200mm x 200mm x 10.0mm	57.6
250mm x 150mm x 6.0mm	36.8
250mm x 150mm x 8.0mm	47.3

[www.aalco.co.uk](http://www.aalco.co.uk)





# aalco®

[www.aalco.co.uk](http://www.aalco.co.uk)

## ABERDEEN

Tel 01224 854810  
Fax 01224 871982  
e-mail [aberdeen@aalco.co.uk](mailto:aberdeen@aalco.co.uk)

## AYLESBURY

Tel 01296 461700  
Fax 01296 339923  
e-mail [aylesbury@aalco.co.uk](mailto:aylesbury@aalco.co.uk)

## BELFAST

Tel 02890 838838  
Fax 02890 837837  
e-mail [belfast@aalco.co.uk](mailto:belfast@aalco.co.uk)

## BIRMINGHAM

Tel 0121 5853600  
Fax 0121 5856864  
e-mail [birmingham@aalco.co.uk](mailto:birmingham@aalco.co.uk)

## CHEPSTOW

Tel 01291 638638  
Fax 01291 638600  
e-mail [chepstow@aalco.co.uk](mailto:chepstow@aalco.co.uk)

## DYFED

Tel 01269 842044  
Fax 01269 845276  
e-mail [dyfed@aalco.co.uk](mailto:dyfed@aalco.co.uk)

## ESSEX

Tel 01268 884200  
Fax 01268 884220  
e-mail [essex@aalco.co.uk](mailto:essex@aalco.co.uk)

## GLASGOW

Tel 0141 6463200  
Fax 0141 6463260  
e-mail [glasgow@aalco.co.uk](mailto:glasgow@aalco.co.uk)

## HULL

Tel 01482 626262  
Fax 01482 626263  
e-mail [hull@aalco.co.uk](mailto:hull@aalco.co.uk)

## LEEDS

Tel 0113 2763300  
Fax 0113 2760382  
e-mail [leeds@aalco.co.uk](mailto:leeds@aalco.co.uk)

## LIVERPOOL

Tel 0151 2073551  
Fax 0151 2072657  
e-mail [liverpool@aalco.co.uk](mailto:liverpool@aalco.co.uk)

## MANCHESTER

Tel 01204 863456  
Fax 01204 863430  
e-mail [manchester@aalco.co.uk](mailto:manchester@aalco.co.uk)

## NEWCASTLE

Tel 0191 4911133  
Fax 0191 4911177  
e-mail [newcastle@aalco.co.uk](mailto:newcastle@aalco.co.uk)

## NORWICH

Tel 01603 787878  
Fax 01603 789999  
e-mail [norwich@aalco.co.uk](mailto:norwich@aalco.co.uk)

## NOTTINGHAM

Tel 0115 9882600  
Fax 0115 9882636  
e-mail [nottingham@aalco.co.uk](mailto:nottingham@aalco.co.uk)

## SOUTHAMPTON

Tel 023 8087 5200  
Fax 023 8087 5275  
e-mail [southampton@aalco.co.uk](mailto:southampton@aalco.co.uk)

## STOKE

Tel 01782 375700  
Fax 01782 375701  
e-mail [stoke@aalco.co.uk](mailto:stoke@aalco.co.uk)

## SWANLEY

Tel 01322 610900  
Fax 01322 610910  
e-mail [swanley@aalco.co.uk](mailto:swanley@aalco.co.uk)