

Please see attached manufacturers' data

## CONTACT

<b>Address:</b>	Please make contact directly with your local service centre, which can be found via the Locations page of our web site
<b>Web:</b>	<a href="http://www.aalco.co.uk">www.aalco.co.uk</a>

## REVISION HISTORY

<b>Datasheet Updated</b>	10 January 2019
--------------------------	-----------------

## DISCLAIMER

This Data is indicative only and as such is not to be relied upon in place of the full specification. In particular, mechanical property requirements vary widely with temper, product and product dimensions. All information is based on our present knowledge and is given in good faith. No liability will be accepted by the Company in respect of any action taken by any third party in reliance thereon.

Please note that the 'Datasheet Update' date shown above is no guarantee of accuracy or whether the datasheet is up to date.

The information provided in this datasheet has been drawn from various recognised sources, including EN Standards, recognised industry references (printed & online) and manufacturers' data. No guarantee is given that the information is from the latest issue of those sources or about the accuracy of those sources.

Material supplied by the Company may vary significantly from this data, but will conform to all relevant and applicable standards.

As the products detailed may be used for a wide variety of purposes and as the Company has no control over their use; the Company specifically excludes all conditions or warranties expressed or implied by statute or otherwise as to dimensions, properties and/or fitness for any particular purpose, whether expressed or implied.

Advice given by the Company to any third party is given for that party's assistance only and without liability on the part of the Company. All transactions are subject to the Company's current Conditions of Sale. The extent of the Company's liabilities to any customer is clearly set out in those Conditions; a copy of which is available on request.



**SAFETY DATA SHEET**  
**Innoshtne B570**  
according to Regulation (EC) No 1907/2006

**SECTION 1: Identification of the mixture and of the company / undertaking**

**1.1. Product identifier**

Product name: Innoshtne B570

**1.2. Relevant identified uses of the mixture and uses advised against**

Product use : Ready-to-use cleaner for stainless steel and other non-ferrous metals, for use according to the user instructions.

Use against which is recommended: This product must not be used for other applications then that which are recommend without seeking advice of the supplier.

Process categories (explanations see section 16):

- PROC 10

**1.3. Details of the supplier of the safety data sheet**

**Manufacturer/Supplier:** ACEROS Metal Treatment  
Twentepoort Oost 15  
7609 RG Almelo  
The Netherlands

Slachthuisakade 40  
7602 CV Almelo  
The Netherlands

Phone.: +31(0)88 546 6040

E-mail: [info@acerosmetal.com](mailto:info@acerosmetal.com)

Web: [www.acerosmetal.com](http://www.acerosmetal.com)

**1.4. Emergency telephone number**

Phone.: +31(0)88 546 6040

**SECTION 2: Hazards identification**

**2.1. Classification of the mixture**

**Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Hazard categories:

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

Causes serious eye damage.



**SAFETY DATA SHEET**  
**Innosshine B570**  
according to Regulation (EC) No 1907/2006

**2.2. Label elements**

**Hazardous components which must be listed on the label**

Fatty alcohol polyethoxylate

Signal word: Danger

Pictogram: GHS05



**Hazard statements**

H318 Causes serious eye damage

**Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+ IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

P338 present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

**2.3. Other hazards**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**SECTION 3: Composition and information on ingredients**

**3.2 Mixtures**

**Hazardous components**

EC No	Chemical name	Quantity
CAS No		
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
REACH No		
307-055-2	sodium alkyl sulfonate	5 - < 10 %
97489-15-1		
	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1; H302 H315 H318	
01-2119489924-20		
	fatty alcohol ethoxylate	1 - < 5 %
68439-46-3		
	Eye Dam. 1, Aquatic Chronic 3; H318 H412	
226-218-8	sulfamic acid, sulphamic acid, sulphamidic acid	1 - < 5 %
5329-14-6		
016-026-00-0	Skin Irrit. 2, Eye Irrit. 2, Aquatic Chronic 3; H315 H319 H412	
01-2119488633-28		

Full text of H- and EUH-phrases: see section 16.

**Labelling for contents according to Regulation (EC) No 648/2004**

5 % - 15 % anionic surfactants, < 5 % non-ionic surfactants, perfumes (Limonene, Hexyl cinnamal, Butylphenyl methylpropional, Benzyl salicylate), preservation agents (Benzisothiazolinone, Methylisothiazolinone).



**SAFETY DATA SHEET**  
**Innoshtine B570**  
according to Regulation (EC) No 1907/2006

---

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

**Inhalation:**

No inhalation exposure is to be expected if the product is used as intended.

**Skin contact:**

Wash affected areas with soap and water and rinse well.  
Immediately take off all contaminated clothing.

**Eye contact:**

Rinse opened eyes several minutes under running water and call medical attention.

**Ingestion:**

Wash out mouth with water and drink plenty of water.  
Do not induce vomiting, instantly call medical attention.

**4.2. Most important symptoms and effects, both acute and delayed**

No information available.

**4.3. Indication of any immediate medical attention and special treatment needed**

Symptomatic treatment.

---

**SECTION 5: Firefighting measures**

**5.1. Extinguishing media**

Suitable: water jet, alcohol-resistant foam, carbon dioxide, extinguishing powder.  
Not suitable: Heavy jet of water.

**5.2. Special hazards arising from the substance or mixture**

Hazardous combustion products: carbon dioxide, carbon monoxide.

**5.3. Advice for firefighters**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

---

**SECTION 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

Avoid contact with eyes, skin and clothes.  
Wear personal protection equipment (see section 8).

**6.2. Environmental precautions:**

Do not allow to enter into surface water or drains.  
Do not allow to enter into soil/subsoil.

**6.3. Methods and materials for containment and cleaning up**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).  
Treat the recovered material as prescribed in the section on waste disposal.

**6.4. Reference to other sections**

Personal protection equipment: see section 8  
Disposal: see section 13



**SAFETY DATA SHEET**  
**Innoshine B570**  
according to Regulation (EC) No 1907/2006

**SECTIE 7: Handling and storage**

**7.1. Precautions for safe handling**

**Advice on safe handling**

- Avoid contact with skin and eyes.
- Do not mix with other products.
- Wear personal protection equipment (see section 8).
- Do not eat, drink and smoke in work areas.

**Advice on protection against fire and explosion**

No special fire protection measures are necessary.

**7.2. Conditions for safe storage, including any incompatibilities**

**Requirements for storage rooms and vessels**

Keep container tightly closed.

**Advice on storage compatibility**

No special measures are necessary.

**7.3. Specific end uses**

**SECTIE 8: Exposure controls/personal protection**

**8.1. Control parameters**

**DNEL/DMEL values**

CAS No	Substance	Exposure route	Effect	Value
97489-15-1	sodium alkyl sulfonate			
Worker DNEL, long-term		dermal	systemic	5 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	35 mg/m <sup>3</sup>
Worker DNEL, acute		dermal	local	2,8 mg/cm <sup>2</sup>
Worker DNEL, long-term		dermal	local	2,8 mg/cm <sup>2</sup>
Consumer DNEL, acute		dermal	local	2,8 mg/cm <sup>2</sup>
Consumer DNEL, long-term		dermal	systemic	3,57 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	12,4 mg/m <sup>3</sup>
Consumer DNEL, long-term		oral	systemic	7,1 mg/kg bw/day
Consumer DNEL, long-term		dermal	local	2,8 mg/cm <sup>2</sup>

**PNEC values**

CAS No	Substance	Value
97489-15-1	sodium alkyl sulfonate	
Freshwater		0,04 mg/l
Marine water		0,004 mg/l
Freshwater sediment		9,4 mg/kg
Marine sediment		0,94 mg/kg
Soil		9,4 mg/kg
Microorganisms in sewage treatment plants (STP)		600 mg/l
68439-46-3	fatty alcohol ethoxylate	



**SAFETY DATA SHEET**  
**Innoshtine B570**  
according to Regulation (EC) No 1907/2006

**8.2. Exposure controls**

**Protective and hygiene measures**

Take off contaminated clothing.  
Wash hands before breaks and after work.  
When using do not eat, drink or smoke.

**Eye/face protection**

Wear eye/face protection.

**Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. Suitable material: NBR (Nitrile rubber). Breakthrough time (maximum wearing time) >480 min. A survey of suitable brands with detailed information on breakthrough times is available upon request.

**Skin protection**

Wear suitable protective clothing.

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

Physical state: Liquid.  
Colour: White.  
Odour: Perfumes, fragrances.

pH-Value 2.8 – 3.4

**Changes in the physical state**

Melting point: ca. 0 °C  
Initial boiling point and boiling range: ca. 100 °C  
Flash point: Not applicable

**Flammability**

Solid: Not applicable  
Gas: Not applicable  
Lower explosion limits: Not applicable  
Upper explosion limits: Not applicable

**Auto-ignition temperature**

Solid: Not applicable  
Gas: Not applicable  
Decomposition temperature: Not determined

**Oxidizing properties**

Not oxidizing.  
Vapour pressure: Not determined  
Density (at 25°C): 1.17 g/cm<sup>3</sup>  
Water solubility: partially soluble

**Solubility in other solvents**

Not determined  
Partition coefficient: Not determined  
Viscosity/dynamic (at 25°C): <1000 mPas





**SAFETY DATA SHEET**  
**Innoshtne B570**  
according to Regulation (EC) No 1907/2006

Vapour density: Not determined  
Evaporation rate: Not determined

**9.2. Other information**

Solid content: Not determined

**SECTION 10: Stability and reactivity**

**10.1. Reactivity**

No hazardous reaction when handled and stored according to provisions.

**10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

**10.3. Possibility of hazardous reactions**

No hazardous reaction when handled and stored according to provisions.

**10.4. Conditions to avoid**

None known.

**10.5. Incompatible materials**

No hazardous incompatibilities known.

**10.6. Hazardous decomposition products**

No hazardous decomposition known.

**SECTION 11: Toxicological information**

**11.1. Information on toxicological effects**

**Acute toxicity**

CAS No	Chemical name	Exposures routes	Method	Dose	Species	Source
97489-15-1	Sodium alkyl sulfonate					
	Oral	LD50	>2000 mg/kg	Rat	OECD 401	
	Dermal	LD50	>2000 mg/kg	Mouse		
	Inhalative aerosol	LC50	>5 mg/l	Rat	ATE	
68439-46-3	Fatty alcohol ethoxylate					
	Oral	LD50	>2000 mg/kg	Rat		
	Dermal	LD50	>2000 mg/kg	Rabbit		
	Inhalative aerosol	LC50	>5 mg/l	Rat	ATE	
5329-14-6	Sulfamic acid, sulphamic acid, sulphamidic acid					
	Oral	LD50	>2000 mg/kg	Rat	ATE	
	Dermal	LD50	>2000 mg/kg	Rat	ATE	
	Inhalative aerosol	LC50	>5 mg/l	rat	ATE	



**SAFETY DATA SHEET**  
**Innoshine B570**  
according to Regulation (EC) No 1907/2006

**SECTION 12: Ecological information**

**12.1. Toxicity**

CAS No	Chemical name	Method	Dose	[h] [d]	Species	Source
97489-15-1	Sodium alkyl sulfonate					
	Acute fish toxicity	LC50	1-10 mg/l	96 h	Brachydanio rerio (zebra-fish)	OECD 203
	Acute algae toxicity	ErC50	>61 mg/l	72 h	Scenedesmus subspicatus	OECS 201
	Acute crustacea toxicity	EC50	9,81 mg/l	48 h	Daphnia magna (Big water flea)	OECD 202
68439-46-3	Fatty alcohol ethoxylate					
	Acute fish toxicity	LC50	>1-10 mg/l	96 h	Cyprinus carpio (Common Carp)	OECD 203
	Acute algae toxicity	ErC50	>1-10 mg/l	72 h	Scenedesmus subspicatus	OECS 201
	Acute crustacea toxicity	EC50	>1-10 mg/l	48 h	Daphnia magna (Big water flea)	OECD 202
	Crustacea toxicity	NOEC	0,37 mg/l	21 h	Daphnia magna (Big water flea)	
	Acute bacteria toxicity	(140 mg/l)		0 h	Activated sludge	
5329-14-6	Sulfamic acid, sulphamic acid, sulphamidic acid					
	Acute fish toxicity	LC50	70,3 mg/l	96 h	Pimephales promelas (fathead minnow)	

**12.2. Persistence and degradability**

The surfactants contained in this product comply with the biodegradability criteria as laid down in regulation 648/2004/EC on detergents.

CAS No	Chemical name	Method	Value	D	Source
		Evaluation			
97489-15-1	Sodium alkyl sulfonate				
	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C	78%		28	
	Readily biodegradable (according to OECD criteria).				
	OECD 301E/ EEC 92/69/V, C.4-B	89		28	
	Readily biodegradable (according to OECD criteria).				
	OECD 303/ EEC 92/69/V, C10	96.2		34	
	Readily biodegradable (according to OECD criteria).				
68439-46-3	Fatty alcohol ethoxylate				
	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C	>60%		28	
	Readily biodegradable (according to OECD criteria).				

**12.3. Bioaccumulative potential**

No indication of bioaccumulation potential.

**12.4. Mobility in soil**

The product has not been tested.





**SAFETY DATA SHEET**  
**Innoshtine B570**  
according to Regulation (EC) No 1907/2006

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**12.6. Other adverse effects**

No information available.

**SECTION 13: Disposal considerations**

---

**13.1 Waste treatment methods**

**Advice on disposal**

Dispose of waste according to applicable legislation.  
Delivery to an approved waste disposal company.

**Waste disposal number of waste from residues/unused products**

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors  
Classified as hazardous waste.

**Waste disposal number of contaminated packaging**

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

**Contaminated packaging**

Non-contaminated packages may be recycled.

**SECTION 14: Transport information**

---

**14.1 Land transport (ADR/RID)**

UN number: No dangerous good in sense of these transport regulations.

**14.2 Inland waterways transport (ADN)**

UN number: No dangerous good in sense of these transport regulations.

**14.3 Marine transport (IMDG)**

UN number: No dangerous good in sense of these transport regulations.

**14.4 Air transport (ICAO)**

UN number: No dangerous good in sense of these transport regulations.

**14.5 Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: no

**SECTION 15: Regulatory information**

---

**15.1. Safety, health and environmental regulations / legislation specific for the mixture or substance**

**EU regulatory information**

2010/75/EU (VOC): <30%

**Additional information**

Regulation (EC) No. 648/2004 (Detergents regulation)

**National regulatory information**

Water contaminating class (D): 2 - water contaminating

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.



**SAFETY DATA SHEET**  
**Innosshine B570**  
according to Regulation (EC) No 1907/2006

**SECTION 16: Other information**

**Abbreviations and acronyms**

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road )

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Process categories according to ECHA guidance on information requirements and chemical safety assessment, chapter R.12:

PROC 1: Use in closed processes.

PROC 8 (Transfer): Dilution of concentrated products, application of drain cleaners, dosage of textile washing agents.

PROC 10 (Roller application or brushing): Processing without large-scale spraying.

PROC 11 (Spraying outside industrial settings): Processing with large-scale spraying (e. g. high pressure cleaning, foam gun).

PROC 19 (Hand-mixing with intimate contact): Hand cleaning and disinfection.

**Relevant H- and EUH-phrases (Number and full text)**

H 302 Harmful if swallowed.

H 315 Causes skin irritation.

H 318 Causes serious eye damage.

H 319 Causes serious eye irritation.

H 412 Harmful to aquatic life with long lasting effects.

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safetydata sheet.)*

**SAFETY DATA SHEET**  
**Innocare B580**  
according to REGULATION (EC) No 1907/2006



**SECTION 1: Identification of the mixture and of the company / undertaking**

**1.1. Product identifier**

Product name: Innocare B580

**1.2. Relevant identified uses of the mixture and uses advised against**

Product use : Water-dilutable surface cleaner for use according to the user instructions.

Use against which is recommended: This product must not be used for other applications then that which are recommend without seeking advice of the supplier.

Process categories:

- PROC 8
- PROC 10
- PROC 11

**1.3. Details of the supplier of the safety data sheet**

**Manufacturer/Supplier:** Aceros Metal Treatment  
Twentepoort Oost 15  
7609 RG Almelo  
The Netherlands

Slachthuisakade 40  
7602 CV Almelo  
The Netherlands

Phone.: +31(088) 546 6040

E-mail: [info@acerosmetal.com](mailto:info@acerosmetal.com)

Web: [www.acerosmetal.com](http://www.acerosmetal.com)

**1.4. Emergency telephone number**

Phone.: +31(088) 546 6040

**SECTION 2: Hazards identification**

**2.1. Classification of the mixture**

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP].  
The product does not support combustion. It therefore needs not to be classified as flammable despite a flash point below 60 °C.

**2.2. Label elements**

**Regulation (EC) No. 1272/2008**

**Special labelling of certain mixtures**

EUH210 Safety data sheet available on request.

**2.3. Other hazards**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.  
The inhalation of dust/mist or aerosols causes irritation of the respiratory tract.

**SAFETY DATA SHEET**  
**Innocare B580**

according to REGULATION (EC) No 1907/2006



**SECTION 3: Composition and information on ingredients**

**Hazardous components**

EC no	Chemical name	Quantity
CAS no		
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
REACH No		
200-578-6	Ethanol, ethyl alcohol	1-<5%
64-17-5		
603-002-00-5	Flam. Liq. 2, Eye Irrit. 2; H225 H319	
01-2119457610-43		
	Sodium laureth sulfate	1-<5%
68891-38-3		
	Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 3; H315 H318 H412	
01-2119488639-16		

The full text of H- and EUH-phrases: see section 16.

**Labelling for contents according to Regulation (EC) No 648/2004**

< 5 % polycarboxylates, < 5 % anionic surfactants, perfumes (Limonene, Butylphenyl methylpropional, Geraniol), preservation agents (Benzisothiazolinone, Methylisothiazolinone, Methylchloroisothiazolinone).

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

**Inhalation:**

Supply fresh air.

**Skin contact:**

Wash affected areas with soap and water and rinse well.  
Take off all contaminated clothing and wash it before reuse.

**Eye contact:**

Rinse immediately carefully and thoroughly with eye-bath or water.

**Ingestion:**

Wash out mouth with water and drink plenty of water.  
Do not induce vomiting.

**4.2. Most important symptoms and effects, both acute and delayed**

No information available.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures**

**5.1. Extinguishing media**

**Suitable extinguishing media**

Suitable: water jet, alcohol-resistant foam, carbon dioxide, extinguishing powder.

**Unsuitable extinguishing media**

Full water jet

**SAFETY DATA SHEET**  
**Innocare B580**

according to REGULATION (EC) No 1907/2006



**5.2. Special hazards arising from the substance or mixture**  
Hazardous combustion products: carbon dioxide, carbon monoxide.

**5.3. Advice for firefighters**  
Co-ordinate fire-fighting measures to the fire surroundings.

**Additional information**  
Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

---

**SECTION 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

Wear personal protection equipment (see chapter 8).  
Avoid contact with skin, eyes and clothes.

**6.2. Environmental precautions:**

Do not allow to enter into surface water or drains.  
Do not allow to enter into soil/subsoil.

**6.3. Methods and materials for containment and cleaning up**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).  
Treat the recovered material as prescribed in the section on waste disposal.

**6.4. Reference to other sections**

Personal protection equipment: see section 8  
Disposal: see section 13

---

**SECTION 7: Handling and storage**

**7.1. Precautions for safe handling**

**Advice on safe handling**

- Avoid contact with skin, eyes and clothes.
- Do not mix with other chemicals.
- Wear personal protection equipment (see chapter 8).
- When using do not eat, drink or smoke.
- Do not breathe gas/fumes/vapour/spray.
- Use only in well-ventilated areas.

**Advice on protection against fire and explosion**

No special fire protection measures are necessary.

**7.2. Conditions for safe storage, including any incompatibilities**

**Requirements for storage rooms and vessels**

Keep container tightly closed.

**Advice on storage compatibility**

No special measures are necessary.

**7.3. Specific end uses**



**SAFETY DATA SHEET**  
**Innocare B580**

according to REGULATION (EC) No 1907/2006



**SECTION 8: Exposure controls and personal protection**

**8.1. Control parameters**

**Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL
		-	-		STEL (15min)	WEL

**8.2. Exposure controls**

**Protective and hygiene measures**

Take off contaminated clothing.  
Wash hands before breaks and after work.  
When using do not eat, drink or smoke.

**Eye/face protection**

Eye protection: not required.

**Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.  
Suitable material: NBR (Nitrile rubber).  
Breakthrough time (maximum wearing time) >480 min.  
A survey of suitable brands with detailed information on breakthrough times is available upon request.

**Skin protection**

Wear suitable protective clothing.

**Respiratory protection**

If extensively sprayed or used with high pressure equipment: combination filter A1/P2.

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

Physical state: liquid  
Colour: blue  
Odour: Perfumes, fragrances

pH-Value (at 20°C) 6,0 – 7,0

**Test method**

**Changes in the physical state**

Melting point: ca. 0 °C  
Initial boiling point and boiling range: ca. 100 °C  
Flash point: 54 °C

**Flammability**

Solid: not applicable  
Gas: not applicable

Lower explosion limits: not determined  
Upper explosion limits: not determined

**SAFETY DATA SHEET**  
**Innocare B580**

according to REGULATION (EC) No 1907/2006



**Auto-ignition temperature**

Solid:	not applicable
Gas:	not applicable
Decomposition temperature:	not determined

**Oxidizing properties**

Not oxidizing.	
Vapour pressure:	not determined
Density (at 25 °C):	1,02 g/cm <sup>3</sup>
Water solubility:	completely miscible

**Solubility in other solvents**

Not determined	
Partition coefficient:	not determined
Viscosity / dynamic(at 25 °C):	<10 mPa·s
Vapour density:	not determined
Evaporation rate:	not determined

**9.2. Other information**

Solid content:	not determined
----------------	----------------

**SECTION 10: Stability and reactivity**

**10.1. Reactivity**

No hazardous reaction when handled and stored according to provisions.

**10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

**10.3. Possibility of hazardous reactions**

No hazardous reaction when handled and stored according to provisions.

**10.4. Conditions to avoid**

The product is stable under storage at normal ambient temperatures.

**10.5. Incompatible materials**

No information available.

**10.6. Hazardous decomposition products**

No known hazardous decomposition products.

**SAFETY DATA SHEET**

**Innocare B580**

according to REGULATION (EC) No 1907/2006



**SECTION 11: Toxicological information**

**11.1. Information on toxicological effects**

**Acute toxicity**

CAS No	Chemical name	Exposure routes	Method	Dose	Species	Source
64-17-5	Ethanol, ethyl alcohol	Oral	LD50	>2000 mg/kg	Rat	ATE
		Dermal	LD50	>2000 mg/kg	Rat	ATE
		Inhalative vapour	LC50	>20 mg/l	Rat	ATE
68891-38-3	Sodium laureth sulfate	Oral	LD50	>2000 mg/kg	Rat	
		Dermal	LD50	>2000 mg/kg	Rat	
		Inhalative aerosol	LC50	>5 mg/l	Rat	

**SECTION 12: Ecological information**

**12.1. Toxicity**

CAS No	Chemical name	Aquatic toxicity	Method	Dose	[h] [d]	Species	Source
64-17-5	Ethanol, ethyl alcohol	Acute fish toxicity	LC50	>1000 mg/l	96 h		
		Acute algae toxicity	ErC50	>100 mg/l			
		Acute crustacea toxicity	ErC50	>1000 mg/l	48 h		
68891-38-3	Sodium laureth sulfate	Acute fish toxicity	LC50	7,1 mg/l	96 h		OECD 203
		Acute algae toxicity	ErC50	27,7 mg/l	72 h		OECD 201
		Acute crustacea toxicity	ErC50	7,4 mg/l	48 h	Daphnia magna (Big water flea)	OECD 202
		Fish toxicity	NOEC	1 mg/l	45d		OECD 203
		Algae toxicity	NOEC	0,95 mg/l	3 d		OECD 201

**12.2. Persistence and degradability**

The surfactants contained in this product comply with the biodegradability criteria as laid down in regulation 648/2004/EC on detergents.

CAS No	Chemical name	Method	Value	d	Source
64-17-5	Ethanol, ethyl alcohol	OECD 301	>60 %	28	
		Readily biodegradable (according to OECD criteria).			
68891-38-3	Sodium laureth sulfate	OECD 301	>60 %	28	
		Readily biodegradable (according to OECD criteria).			

**12.3. Bioaccumulative potential**

No indication of bioaccumulation potential.

**Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
68891-38-3	Sodium laureth sulfate	0,95-3,90

**SAFETY DATA SHEET**  
**Innocare B580**

according to REGULATION (EC) No 1907/2006



**12.4. Mobility in soil**

The product has not been tested.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**12.6. Other adverse effects**

No information available.

**SECTION 13: Disposal considerations**

---

**13.1 Waste treatment methods**

**Advice on disposal**

Dispose of waste according to applicable legislation.  
Delivery to an approved waste disposal company.

**Waste disposal number of waste from residues/unused products**

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

**Waste disposal number of contaminated packaging**

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging.

**Contaminated packaging**

Non-contaminated packages may be recycled.

**SECTION 14: Transport information**

---

**14.1 Land transport (ADR/RID)**

UN number: No dangerous good in sense of these transport regulations.

**14.2 Inland waterways transport (ADN)**

UN number: No dangerous good in sense of these transport regulations.

**14.3 Marine transport (IMDG)**

UN number: No dangerous good in sense of these transport regulations.

**14.4 Air transport (ICAO)**

UN number: No dangerous good in sense of these transport regulations.

**14.5 Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: no

**SECTION 15: Regulatory information**

---

**15.1. Safety, health and environmental regulations / legislation specific for the mixture**

**EU regulatory information**

2010/75/EU (VOC): <30%

**Additional information**

Regulation (EC) No. 648/2004 (Detergents regulation)

**SAFETY DATA SHEET**  
**Innocare B580**

according to REGULATION (EC) No 1907/2006



**National regulatory information**

Water contaminating class (D): 1 - slightly water contaminating

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information**

---

**Abbreviations and acronyms**

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road )  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service  
LC50: Lethal concentration, 50%  
LD50: Lethal dose, 50%

Process categories according to ECHA guidance on information requirements and chemical safety assessment, chapter R.12:

PROC 1: Use in closed processes.

PROC 8 (Transfer): Dilution of concentrated products, application of drain cleaners, dosage of textile washing agents.

PROC 10 (Roller application or brushing): Processing without large-scale spraying.

PROC 11 (Spraying outside industrial settings): Processing with large-scale spraying (e. g. high pressure cleaning, foam gun).

PROC 19 (Hand-mixing with intimate contact): Hand cleaning and disinfection.

**Relevant H- and EUH-phrases (Number and full text)**

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*



