



***aalco***<sup>®</sup>

Standard Stock Range



The UK's largest independent  
multi-metals stockholder

[www.aalco.co.uk](http://www.aalco.co.uk)



Aalco is the UK's largest independent multi-metals stockholder, with an extensive inventory of aluminium, stainless steel, copper, brass and bronze in all semi-finished forms. Aalco's stock covers a wide range of grades/alloys, shapes and sizes - both industry standards and special or bespoke items for particular applications or individual customers.

Aalco provides customers with a cost-effective single source for all their metals requirements, together with a comprehensive processing service for bespoke sizes and special finishes. No order is too large or too small and Aalco offers a responsive and competitive service supplying anything from single item orders to major JIT contracts, tailoring this service to the individual needs of every customer from small local businesses to major multinational corporations.

With 18 service centres nationwide, Aalco delivers on-time to every corner of the UK. Every Aalco service centre holds stocks to meet the immediate needs of customers in their local area, backed up by bulk stocks held at a central warehouse.

Whatever your requirement, in whatever quantity, your local Aalco service centre is ready and willing to satisfy your needs.

If you don't see what you want within these pages, give us a call - our range is continually expanding!

[www.aalco.co.uk](http://www.aalco.co.uk)

September 2017 - Issue 16

#### Disclaimer

The information contained herein is based on our present knowledge and experience and is given in good faith. However no liability will be accepted by the Company in respect of any action taken by any third party in reliance thereon.

As the products used herein may be used for a wide variety of purposes and as the Company has no control over their use, the Company specifically excludes all conditions and warranties expressed or implied by statute or otherwise as to dimensions, properties and/or their fitness for any particular purpose. Any advice given by the Company to any third party is given for that party's assistance only and without any liability on the part of the Company.

Any contract between the Company and a customer will be subject to the Company's Conditions of Sale. The extent of the Company's liabilities to any customer is clearly set out in these Conditions; a copy of which is available on request.

#### Weights

All weights shown in this publication are for guidance only. They are calculated using nominal dimensions and scientifically recognised densities. Please note that in practice, the actual weight can vary significantly from theoretical weight due to variations in manufacturing tolerances and compositions.

Aalco is a registered trade mark of Aalco Metals Ltd

©2017 Aalco Metals Ltd

#### Metals Main Index

|                 |    |
|-----------------|----|
| Aluminium       | 04 |
| Stainless Steel | 15 |
| Brass           | 32 |
| Copper          | 34 |
| Bronze          | 35 |



**18 Service Centres** bring flexible local service to every corner of the UK

**20,000+ Stock Items** at local Service Centres and bulk central stock

Cut to size available at every Service Centre



**120 Delivery Vehicles** cover **6 million** miles every year

**420,000+** deliveries per annum

**140,000+** live customers



Comprehensive technical information and data available on web site at [www.aalco.co.uk](http://www.aalco.co.uk)





## Metals Main Index

|                 |    |
|-----------------|----|
| Aluminium       | 04 |
| Stainless Steel | 15 |
| Brass           | 32 |
| Copper          | 34 |
| Bronze          | 35 |

## Aluminium Products

|                                |    |
|--------------------------------|----|
| Sheet.....                     | 5  |
| Shate.....                     | 6  |
| Plate.....                     | 6  |
| Treadplate .....               | 6  |
| Aalcopanel .....               | 6  |
| Stucco Sheet .....             | 6  |
| Painted Sheet .....            | 6  |
| Round Bar .....                | 7  |
| Flat Bar.....                  | 7  |
| Square Bar.....                | 8  |
| Channel.....                   | 8  |
| Equal Angle.....               | 9  |
| Unequal Angle .....            | 9  |
| Tee Section .....              | 9  |
| Round Tube.....                | 10 |
| Scaffold Tube .....            | 10 |
| Box Section - Square .....     | 10 |
| Box Section - Rectangular..... | 10 |
| Mouldings.....                 | 11 |
| Road Transport Products .....  | 12 |

# Aluminium

## Sheet



Aluminium Sheet Alloy 1050A H14/H24

| Size                     | KG/Sheet |
|--------------------------|----------|
| 2000mm X 1000mm X 0.5mm  | 2.74     |
| 2500mm X 1250mm X 0.5mm  | 4.28     |
| 2000mm X 1000mm X 0.6mm  | 3.28     |
| 2500mm X 1250mm X 0.6mm  | 5.13     |
| 2000mm X 1000mm X 0.7mm  | 3.83     |
| 2500mm X 1250mm X 0.7mm  | 5.99     |
| 2000mm X 1000mm X 0.8mm  | 4.38     |
| 2500mm X 1250mm X 0.8mm  | 6.84     |
| 2438mm X 1219mm X 0.9mm  | 7.32     |
| 2000mm X 1000mm X 1.0mm  | 5.47     |
| 3000mm X 1000mm X 1.0mm  | 8.13     |
| 2500mm X 1250mm X 1.0mm  | 8.55     |
| 3000mm X 1250mm X 1.0mm  | 10.26    |
| 2000mm X 1000mm X 1.2mm  | 6.57     |
| 3000mm X 1000mm X 1.2mm  | 9.76     |
| 2438mm X 1219mm X 1.2mm  | 9.76     |
| 2500mm X 1250mm X 1.2mm  | 10.26    |
| 3000mm X 1250mm X 1.2mm  | 12.32    |
| 3658mm X 1250mm X 1.2mm  | 15.00    |
| 3000mm X 1500mm X 1.2mm  | 14.78    |
| 3658mm X 1500mm X 1.2mm  | 18.00    |
| 2000mm X 1000mm X 1.5mm  | 8.21     |
| 2500mm X 1000mm X 1.5mm  | 10.26    |
| 3000mm X 1000mm X 1.5mm  | 12.32    |
| 3100mm X 1000mm X 1.5mm  | 12.73    |
| 2500mm X 1250mm X 1.5mm  | 12.83    |
| 3000mm X 1250mm X 1.5mm  | 15.40    |
| 3250mm X 1250mm X 1.5mm  | 16.68    |
| 3500mm X 1250mm X 1.5mm  | 17.96    |
| 3658mm X 1250mm X 1.5mm  | 18.70    |
| 3750mm X 1250mm X 1.5mm  | 19.25    |
| 4000mm X 1250mm X 1.5mm  | 20.53    |
| 2500mm X 1500mm X 1.5mm  | 15.40    |
| 3000mm X 1500mm X 1.5mm  | 18.48    |
| 3658mm X 1500mm X 1.5mm  | 22.50    |
| 4000mm X 1500mm X 1.5mm  | 24.63    |
| 2438mm x 1219mm x 1.9mm  | 15.46    |
| 2500mm x 1250mm x 1.9mm  | 16.25    |
| 3100mm x 1250mm x 1.9mm  | 20.15    |
| 3000mm x 1500mm x 1.9mm  | 23.40    |
| 4000mm x 2000mm x 1.9mm  | 41.20    |
| 2000mm X 1000mm X 2.0mm  | 10.95    |
| 2500mm X 1000mm X 2.0mm  | 13.69    |
| 3000mm X 1000mm X 2.0mm  | 16.42    |
| 4000mm X 1000mm X 2.0mm  | 21.90    |
| 2500mm X 1250mm X 2.0mm  | 17.11    |
| 3000mm X 1250mm X 2.0mm  | 20.53    |
| 3100mm X 1250mm X 2.0mm  | 21.21    |
| 3250mm X 1250mm X 2.0mm  | 22.24    |
| 3500mm X 1250mm X 2.0mm  | 23.95    |
| 3658mm X 1250mm X 2.0mm  | 25.00    |
| 3750mm X 1250mm X 2.0mm  | 25.66    |
| 4000mm X 1250mm X 2.0mm  | 27.37    |
| 3000mm X 1400mm X 2.0mm  | 22.99    |
| 4000mm X 1400mm X 2.0mm  | 30.66    |
| 2500mm X 1500mm X 2.0mm  | 20.53    |
| 3000mm X 1500mm X 2.0mm  | 24.63    |
| 3100mm X 1500mm X 2.0mm  | 25.46    |
| 3250mm X 1500mm X 2.0mm  | 26.69    |
| 3500mm X 1500mm X 2.0mm  | 28.74    |
| 3658mm X 1500mm X 2.0mm  | 30.00    |
| 3750mm X 1500mm X 2.0mm  | 30.79    |
| 4000mm X 1500mm X 2.0mm  | 32.85    |
| 4000mm X 2000mm X 2.0mm  | 43.79    |
| 2438mm x 1219mm x 2.48mm | 20.17    |

continued...

## Sheet



Aluminium Sheet Alloy 1050A H14/H24

| Size                     | KG/Sheet |
|--------------------------|----------|
| 2000mm X 1000mm X 2.5mm  | 13.69    |
| 3000mm X 1000mm X 2.5mm  | 20.33    |
| 2500mm X 1250mm X 2.5mm  | 21.38    |
| 3000mm X 1500mm X 2.5mm  | 30.79    |
| 2438mm x 1219mm x 2.79mm | 22.70    |
| 2438mm x 1219mm x 2.9mm  | 23.59    |
| 2500mm x 1250mm x 2.9mm  | 24.80    |
| 3100mm x 1250mm x 2.9mm  | 30.76    |
| 3000mm x 1500mm x 2.9mm  | 35.72    |
| 4000mm x 2000mm x 2.9mm  | 63.50    |
| 2000mm X 1000mm X 3.0mm  | 16.42    |
| 2500mm X 1000mm X 3.0mm  | 20.53    |
| 3000mm X 1000mm X 3.0mm  | 24.63    |
| 2500mm X 1250mm X 3.0mm  | 25.66    |
| 3000mm X 1250mm X 3.0mm  | 30.79    |
| 3100mm X 1250mm X 3.0mm  | 31.82    |
| 3250mm X 1250mm X 3.0mm  | 33.36    |
| 3500mm X 1250mm X 3.0mm  | 35.92    |
| 3658mm X 1250mm X 3.0mm  | 37.50    |
| 3750mm X 1250mm X 3.0mm  | 38.49    |
| 4000mm X 1250mm X 3.0mm  | 41.06    |
| 3000mm X 1400mm X 3.0mm  | 34.49    |
| 4000mm X 1400mm X 3.0mm  | 45.98    |
| 2500mm X 1500mm X 3.0mm  | 30.79    |
| 3250mm X 1500mm X 3.0mm  | 40.03    |
| 3000mm X 1500mm X 3.0mm  | 36.95    |
| 3100mm X 1500mm X 3.0mm  | 38.18    |
| 3500mm X 1500mm X 3.0mm  | 43.11    |
| 3658mm X 1500mm X 3.0mm  | 44.90    |
| 3750mm X 1500mm X 3.0mm  | 46.19    |
| 4000mm X 2000mm X 3.0mm  | 65.69    |

Aluminium Sheet Alloy 5251 H22

| Size                    | KG/Sheet |
|-------------------------|----------|
| 2000mm X 1000mm X 1.0mm | 5.43     |
| 2500mm X 1250mm X 1.0mm | 8.49     |
| 2000mm X 1000mm X 1.2mm | 6.52     |
| 2500mm X 1250mm X 1.2mm | 10.19    |
| 2000mm X 1000mm X 1.5mm | 8.15     |
| 2500mm X 1250mm X 1.5mm | 12.74    |
| 3000mm X 1500mm X 1.5mm | 18.34    |
| 2000mm X 1000mm X 2.0mm | 10.87    |
| 2500mm X 1250mm X 2.0mm | 16.98    |
| 3000mm X 1500mm X 2.0mm | 24.45    |
| 2000mm X 1000mm X 2.5mm | 13.58    |
| 2500mm X 1250mm X 2.5mm | 21.23    |
| 2000mm X 1000mm X 3.0mm | 16.30    |
| 2500mm X 1250mm X 3.0mm | 25.47    |
| 3000mm X 1500mm X 3.0mm | 36.68    |

Aluminium Sheet Alloy 3103 H14

| Size                    | KG/Sheet |
|-------------------------|----------|
| 2500mm X 1250mm X 1.5mm | 12.92    |
| 2500mm X 1250mm X 2.0mm | 17.23    |
| 2500mm X 1250mm X 3.0mm | 25.85    |
| 3000mm X 1250mm X 3.0mm | 31.02    |

Aluminium Sheet Alloy 5083 H111

| Size                    | KG/Sheet |
|-------------------------|----------|
| 2500mm X 1250mm X 1.5mm | 12.64    |
| 2500mm X 1250mm X 2.0mm | 16.85    |
| 2000mm X 1000mm X 3.0mm | 16.30    |
| 2500mm X 1250mm X 3.0mm | 25.28    |
| 3000mm X 1500mm X 3.0mm | 36.60    |

## Sheet



Aluminium Architectural Sheet Alloy 1050A H14/H24  
PVC Coated one side

| Size                     | KG/Sheet |
|--------------------------|----------|
| 2500mm X 1000mm X 2.0mm  | 13.70    |
| 2500mm X 1600mm X 2.0mm  | 21.90    |
| 2500mm X 1750mm X 2.0mm  | 23.95    |
| 3000mm X 1400mm X 2.0mm  | 23.0     |
| 3000mm X 1600mm X 2.0mm  | 26.28    |
| 3000mm X 1750mm X 2.0mm  | 28.74    |
| 3000mm X 2000mm X 2.0mm  | 32.85    |
| 3100mm X 1250mm X 2.0mm  | 21.20    |
| 3250mm X 1250mm X 2.0mm  | 22.30    |
| 3500mm X 1250mm X 2.0mm  | 24.00    |
| 3658mm X 1250mm X 2.0mm  | 25.00    |
| 3750mm X 1250mm X 2.0mm  | 25.70    |
| 4000mm X 1400mm X 2.0mm  | 30.70    |
| 4000mm X 1600mm X 2.0mm  | 35.03    |
| 4000mm X 1750mm X 2.0mm  | 38.32    |
| 2438mm X 1219mm X 2.48mm | 20.10    |
| 2438mm X 1219mm X 2.9mm  | 23.50    |
| 2500mm X 1250mm X 2.9mm  | 24.70    |
| 3100mm X 1250mm X 2.9mm  | 30.70    |
| 3000mm X 1500mm X 2.9mm  | 36.90    |
| 4000mm X 2000mm X 2.9mm  | 63.30    |
| 2500mm X 1000mm X 3.0mm  | 20.60    |
| 2500mm X 1500mm X 3.0mm  | 30.80    |
| 2500mm X 1600mm X 3.0mm  | 32.90    |
| 2500mm X 1750mm X 3.0mm  | 35.90    |
| 3000mm X 1400mm X 3.0mm  | 34.50    |
| 3000mm X 1600mm X 3.0mm  | 39.40    |
| 3000mm X 1750mm X 3.0mm  | 43.10    |
| 3000mm X 2000mm X 3.0mm  | 49.30    |
| 3100mm X 1250mm X 3.0mm  | 31.90    |
| 3100mm X 1500mm X 3.0mm  | 38.20    |
| 3250mm X 1250mm X 3.0mm  | 33.40    |
| 3250mm X 1500mm X 3.0mm  | 39.50    |
| 3500mm X 1250mm X 3.0mm  | 36.00    |
| 3500mm X 1500mm X 3.0mm  | 43.20    |
| 3658mm X 1250mm X 3.0mm  | 37.40    |
| 3658mm X 1500mm X 3.0mm  | 44.90    |
| 3750mm X 1250mm X 3.0mm  | 38.50    |
| 3750mm X 1500mm X 3.0mm  | 46.20    |
| 4000mm X 1400mm X 3.0mm  | 46.00    |
| 4000mm X 1600mm X 3.0mm  | 52.60    |
| 4000mm X 1750mm X 3.0mm  | 57.50    |

Aluminium Sheet Alloy 6082 T6

| Size                    | KG/Sheet |
|-------------------------|----------|
| 2500mm X 1250mm X 2.0mm | 17.04    |
| 2500mm X 1250mm X 3.0mm | 25.57    |

# Aluminium Shate



Aluminium Shate Alloy 1050A H14

| Size                    | KG/Sheet |
|-------------------------|----------|
| 2000mm X 1000mm X 4.0mm | 21.60    |
| 3000mm X 1000mm X 4.0mm | 32.52    |
| 2500mm X 1250mm X 4.0mm | 34.21    |
| 3000mm X 1250mm X 4.0mm | 40.65    |
| 2000mm X 1000mm X 5.0mm | 27.00    |
| 2500mm X 1250mm X 5.0mm | 42.77    |
| 2500mm X 1250mm X 6.0mm | 51.32    |
| 2000mm X 1000mm X 6.0mm | 32.85    |

Aluminium Shate Alloy 5083 O/H111

| Size                     | KG/Sheet |
|--------------------------|----------|
| 2500mm X 1250mm X 4.0mm  | 33.71    |
| 3000mm X 1500mm X 4.0mm  | 48.60    |
| 2500mm X 1250mm X 5.0mm  | 42.14    |
| 3000mm X 1500mm X 5.0mm  | 60.70    |
| 2500mm X 1250mm X 6.0mm  | 50.56    |
| 3000mm X 1500mm X 6.0mm  | 72.90    |
| 2500mm X 1250mm X 8.0mm  | 67.42    |
| 3000mm X 1500mm X 8.0mm  | 97.56    |
| 3000mm X 1500mm X 10.0mm | 121.90   |

Aluminium Shate Alloy 5251 H22

| Size                    | KG/Sheet |
|-------------------------|----------|
| 2000mm X 1000mm X 4.0mm | 21.7     |
| 2500mm X 1250mm X 4.0mm | 34.0     |
| 3000mm X 1500mm X 4.0mm | 48.9     |
| 2000mm X 1000mm X 5.0mm | 27.2     |
| 2500mm X 1250mm X 5.0mm | 42.5     |
| 3000mm X 1500mm X 5.0mm | 61.1     |
| 2000mm X 1000mm X 6.0mm | 32.6     |
| 2500mm X 1250mm X 6.0mm | 50.9     |
| 3000mm X 1500mm X 6.0mm | 73.4     |

Aluminium Shate Alloy 6082 T6/T651

| Size                    | KG/Sheet |
|-------------------------|----------|
| 2500mm X 1250mm X 4.0mm | 34.09    |
| 2500mm X 1250mm X 5.0mm | 42.61    |
| 2500mm X 1250mm X 6.0mm | 51.13    |
| 2500mm X 1250mm X 8.0mm | 68.18    |

Aluminium Shate Alloy 5454

| Size/Temper                               | KG/Sheet |
|-------------------------------------------|----------|
| 3048mm X 2032mm X 4.76mm (10ft X 6ft 8in) | 0 80     |
| 3600mm X 2000mm X 4.76mm                  | H34 93   |
| 2515mm X 1829mm X 6mm (8ft 3in X 6ft)     | H111 71  |
| 2595mm X 1874mm X 6mm                     | H24 79   |
| 2489mm X 1524mm X 6.2mm (8ft 2in X 5ft)   | H22 64   |
| 2489mm X 1524mm X 6.2mm (8ft 2in X 5ft)   | H34 64   |

## Plate



Aluminium Plate Alloy 5083 O/H111

| Size                     | KG/Plate |
|--------------------------|----------|
| 2500mm X 1250mm X 10.0mm | 85       |
| 2500mm X 1250mm X 12.0mm | 102      |
| 2500mm X 1250mm X 15.0mm | 127      |
| 2500mm X 1250mm X 20.0mm | 170      |
| 2500mm X 1250mm X 25.0mm | 212      |

## Plate



Aluminium Plate Alloy 6082 T651

| Size                     | KG/Plate |
|--------------------------|----------|
| 2500mm X 1250mm X 10.0mm | 85       |
| 2500mm X 1250mm X 12.0mm | 102      |

## Treadplate




Aluminium 5-Bar Treadplate Alloy 5754 H114

| Size                     | KG/Plate |
|--------------------------|----------|
| 2438mm x 1219mm x 1.95mm | 16.5     |
| 2438mm X 1219mm X 2.0mm  | 17.8     |
| 2500mm X 1250mm X 2.0mm  | 18.7     |
| 3000mm X 1500mm X 2.0mm  | 26.8     |
| 2438mm x 1219mm x 2.95mm | 24.9     |
| 2000mm X 1000mm X 3.0mm  | 17.3     |
| 2438mm X 1219mm X 3.0mm  | 25.7     |
| 2500mm X 1250mm X 3.0mm  | 27.0     |
| 3000mm X 1500mm X 3.0mm  | 38.9     |
| 2438mm x 1219mm x 4.4mm  | 37.2     |
| 2000mm X 1000mm X 4.5mm  | 25.0     |
| 2438mm X 1219mm X 4.5mm  | 37.2     |
| 2500mm X 1250mm X 4.5mm  | 39.2     |
| 3000mm X 1500mm X 4.5mm  | 56.3     |
| 2438mm X 1219mm X 6.0mm  | 49.2     |
| 2500mm X 1250mm X 6.0mm  | 51.7     |
| 3000mm X 1500mm X 6.0mm  | 74.3     |

Aalco TripleGrip Aluminium Treadplate Alloy 5052 H32

| Size                | KG/Plate |
|---------------------|----------|
| 2500 X 1250 X 1.5mm | 13.9     |
| 2500 X 1250 X 2.0mm | 18.1     |
| 2500 X 1250 X 3.0mm | 26.6     |


## Stucco Sheet



Aluminium Stucco Sheet Alloy 1050A H14

| Size                    | KG/Sheet |
|-------------------------|----------|
| 2000mm X 1000mm X 0.5mm | 2.74     |
| 2500mm X 1250mm X 0.5mm | 4.28     |
| 2000mm X 1000mm X 0.6mm | 3.29     |
| 2500mm X 1250mm X 0.6mm | 5.13     |
| 2000mm X 1000mm X 0.7mm | 3.83     |
| 2500mm X 1250mm X 0.7mm | 5.99     |
| 2000mm X 1000mm X 0.8mm | 4.38     |
| 2500mm X 1250mm X 0.8mm | 6.84     |
| 3000mm X 1250mm X 0.9mm | 9.24     |
| 3000mm X 1500mm X 0.9mm | 11.1     |
| 2500mm X 1250mm X 1.0mm | 8.55     |
| 2500mm X 1250mm X 1.2mm | 10.3     |
| 3000mm X 1250mm X 1.2mm | 12.3     |
| 3000mm X 1500mm X 1.2mm | 14.8     |

## Painted Sheet



Aluminium Painted Sheet, Alloy 3105/3003 H44 VC1 - White Painted and Vinyl Coated One Side

| Size                    | KG/Sheet |
|-------------------------|----------|
| 2000mm X 1000mm X 0.5mm | 2.80     |
| 2500mm X 1250mm X 0.5mm | 4.30     |
| 2000mm X 1000mm X 0.6mm | 3.30     |
| 2500mm X 1250mm X 0.6mm | 5.20     |
| 2500mm X 1250mm X 0.9mm | 7.62     |
| 2500mm X 1250mm X 1.2mm | 10.20    |
| 2500mm X 1250mm X 1.5mm | 12.80    |
| 2500mm X 1250mm X 2.0mm | 15.50    |

## Aalcopanel Aluminium Composite Panels



All panels are 3mm thick overall comprising a PE Thermoplastic Core and two Skins of Aluminium Alloy 1100  
The Aluminium Skins are finished with Polyester Paint  
Both painted Skins are PVC Coated with Hi-Tack 50 micron film  
These panels are for INDOOR USE ONLY

| Size            | Aluminium Skin Thickness (mm) | Paint Colour (RAL) | Gloss Level Front* | Gloss Level reverse* | Weight per sheet (kg) |
|-----------------|-------------------------------|--------------------|--------------------|----------------------|-----------------------|
| 2440 x 1220 x 3 | 0.3                           | White - 9016       | 85%                | 45%                  | 11.40                 |
| 3050 x 1500 x 3 | 0.3                           | White - 9016       | 85%                | 45%                  | 17.40                 |
| 2440 x 1220 x 3 | 0.3                           | Black - 9005       | 85%                | 45%                  | 11.40                 |
| 3050 x 1500 x 3 | 0.3                           | Black - 9005       | 85%                | 45%                  | 17.40                 |
| 2440 x 1220 x 3 | 0.3                           | Silver - 9006      | Brushed            | 45%                  | 11.40                 |
| 3050 x 1500 x 3 | 0.3                           | Silver - 9006      | Brushed            | 45%                  | 17.40                 |

RAL colours are also available

\*KEY  
85% = High Gloss  
45% = Matt

### Hoarding Board

All panels are 3mm thick overall comprising a PE Thermoplastic Core and two Skins of Aluminium Alloy 1100  
This Item has only one side painted, in Matt White, with the reverse being mill finish aluminium  
Both Skins are PVC Coated with Hi-Tack 50 micron film

| Size            | Aluminium Skin Thickness (mm) | Paint Colour (RAL) | Gloss Level Front | Gloss Level reverse   | Weight per sheet (kg) |
|-----------------|-------------------------------|--------------------|-------------------|-----------------------|-----------------------|
| 2440 x 1220 x 3 | 0.21                          | White - 9016       | Matt              | Mill Finish Aluminium | 10.00                 |



# Aluminium

## Round Bar



Aluminium Round Bar Alloy 6026 T9

| Size                 | KG/Metre |
|----------------------|----------|
| 3/8" DIA (9.525mm)   | 0.19     |
| 7/16" DIA (11.112mm) | 0.26     |
| 1/2" DIA (12.7mm)    | 0.34     |
| 16mm DIA             | 0.54     |
| 3/4" DIA (19.05mm)   | 0.77     |
| 20mm DIA             | 0.85     |
| 7/8" DIA (22.225mm)  | 1.05     |
| 1" DIA (25.4mm)      | 1.37     |
| 1 1/8" DIA (28.58mm) | 1.73     |
| 1 1/4" DIA (31.75mm) | 2.14     |
| 35mm DIA             | 2.60     |
| 1 1/2" DIA (38.1mm)  | 3.08     |
| 40mm DIA             | 3.52     |
| 1 5/8" DIA (41.28mm) | 3.61     |
| 1 3/4" DIA (44.45mm) | 4.19     |
| 2" DIA (50.8mm)      | 5.47     |
| 2 1/4" DIA (57.15mm) | 6.93     |
| 2 3/8" DIA (60.33)   | 7.72     |
| 2 1/2" DIA (63.5mm)  | 8.55     |
| 3" DIA (76.2mm)      | 12.31    |
| 3 1/2" DIA (88.9mm)  | 16.76    |
| 4" DIA (101.6mm)     | 21.89    |

Aluminium Round Bar Alloy 2011 T3

| Size                   | KG/Metre |
|------------------------|----------|
| 7/16" DIA (11.112mm)   | 0.28     |
| 1/2" DIA (12.7mm)      | 0.36     |
| 9/16" DIA (14.287mm)   | 0.46     |
| 5/8" DIA (15.875mm)    | 0.56     |
| 3/4" DIA (19.05mm)     | 0.81     |
| 7/8" DIA (22.225mm)    | 1.10     |
| 1 1/16" DIA (17.462mm) | 0.68     |
| 1 3/16" DIA (20.637mm) | 0.95     |
| 1" DIA (25.4mm)        | 1.44     |
| 1 1/8" DIA (28.58mm)   | 1.82     |
| 1 1/4" DIA (31.75mm)   | 2.25     |
| 1 5/16" DIA (33.337mm) | 2.48     |
| 1 3/8" DIA (34.93mm)   | 2.72     |
| 1 1/2" DIA (38.1mm)    | 3.24     |
| 1 5/8" DIA (41.28mm)   | 3.80     |
| 1 3/4" DIA (44.45mm)   | 4.41     |
| 1 7/8" DIA (47.65mm)   | 5.06     |
| 2" DIA (50.8mm)        | 5.76     |
| 2 1/4" DIA (57.15mm)   | 7.29     |
| 2 1/2" DIA (63.5mm)    | 8.99     |
| 2 5/8" DIA (66.67mm)   | 9.92     |
| 2 3/4" DIA (69.85mm)   | 10.88    |
| 3" DIA (76.2mm)        | 12.95    |
| 3 1/4" DIA (82.55mm)   | 15.20    |
| 3 1/2" DIA (88.9mm)    | 17.63    |
| 4" DIA (101.6mm)       | 23.02    |
| 4 1/2" DIA (114.3mm)   | 29.14    |

## Round Bar



Aluminium Round Bar Alloy 6082 T6

| Size                  | KG/Metre |
|-----------------------|----------|
| 1/4" DIA (6.35mm)     | 0.09     |
| 5/16" DIA (7.937mm)   | 0.13     |
| 3/8" DIA (9.525mm)    | 0.19     |
| 1/2" DIA (12.7mm)     | 0.34     |
| 5/8" DIA (15.875mm)   | 0.53     |
| 3/4" DIA (19.05mm)    | 0.77     |
| 7/8" DIA (22.225mm)   | 1.05     |
| 1" DIA (25.4mm)       | 1.37     |
| 1 1/8" DIA (28.58mm)  | 1.73     |
| 1 1/4" DIA (31.75mm)  | 2.14     |
| 1 3/8" DIA (34.93mm)  | 2.59     |
| 1 1/2" DIA (38.1mm)   | 3.08     |
| 1 5/8" DIA (41.28mm)  | 3.61     |
| 1 3/4" DIA (44.45mm)  | 4.19     |
| 1 7/8" DIA (47.65mm)  | 4.81     |
| 2" DIA (50.8mm)       | 5.47     |
| 2 1/8" DIA (53.975mm) | 6.18     |
| 2 1/4" DIA (57.15mm)  | 6.93     |
| 2 3/8" DIA (60.33mm)  | 7.72     |
| 2 1/2" DIA (63.5mm)   | 8.55     |
| 2 5/8" DIA (66.67mm)  | 9.43     |
| 2 3/4" DIA (69.85mm)  | 10.35    |
| 3" DIA (76.2mm)       | 12.31    |
| 3 1/4" DIA (82.55mm)  | 14.45    |
| 3 1/2" DIA (88.9mm)   | 16.76    |
| 3 3/4" DIA (95.25mm)  | 19.24    |
| 4" DIA (101.6mm)      | 21.89    |
| 4 1/4" DIA (107.95mm) | 24.71    |
| 4 1/2" DIA (114.3mm)  | 27.70    |
| 4 3/4" DIA (120.65mm) | 30.87    |
| 5" DIA (127.0mm)      | 34.20    |
| 5 1/4" DIA (133.35mm) | 37.71    |
| 5 1/2" DIA (139.7mm)  | 41.39    |
| 5 3/4" DIA (146.05mm) | 45.23    |
| 6" DIA (152.4mm)      | 49.25    |
| 6 1/2" DIA (165.1mm)  | 57.80    |
| 7" DIA (177.8mm)      | 67.04    |
| 7 1/4" DIA (184.15mm) | 71.91    |
| 7 1/2" DIA (190.5mm)  | 76.96    |
| 8" DIA (203.2mm)      | 87.56    |
| 8 1/2" DIA (215.9mm)  | 98.85    |
| 9" DIA (228.6mm)      | 110.82   |
| 9 1/2" DIA (241.3mm)  | 123.47   |
| 10" DIA (254.0mm)     | 136.81   |
| 12" DIA (304.8mm)     | 197.01   |
| 13" DIA (330.20mm)    | 231.21   |
| 14" DIA (355.60mm)    | 268.15   |
| 15" DIA (381.0mm)     | 307.83   |
| 16" DIA (406.40mm)    | 350.24   |

## Flat Bar



Aluminium Flat Bar Alloy 6082 T6

| Size            | KG/Metre |
|-----------------|----------|
| 3/8" X 1/4"     | 0.16     |
| 1/2" X 1/4"     | 0.22     |
| 1/2" X 3/8"     | 0.33     |
| 5/8" X 1/8"     | 0.14     |
| 5/8" X 3/16"    | 0.20     |
| 5/8" X 1/4"     | 0.27     |
| 5/8" X 3/8"     | 0.41     |
| 5/8" X 1/2"     | 0.54     |
| 3/4" x 1/16"    | 0.08     |
| 3/4" X 1/8"     | 0.16     |
| 3/4" X 3/16"    | 0.24     |
| 3/4" X 1/4"     | 0.33     |
| 3/4" X 3/8"     | 0.49     |
| 3/4" X 1/2"     | 0.65     |
| 3/4" X 5/8"     | 0.82     |
| 1" X 1/8"       | 0.22     |
| 1" X 3/16"      | 0.33     |
| 1" X 1/4"       | 0.44     |
| 1" X 5/16"      | 0.54     |
| 1" X 3/8"       | 0.65     |
| 1" X 1/2"       | 0.87     |
| 1" X 5/8"       | 1.09     |
| 1" X 3/4"       | 1.31     |
| 1 1/4" X 1/8"   | 0.27     |
| 1 1/4" X 3/16"  | 0.41     |
| 1 1/4" x 1/16"  | 0.68     |
| 1 1/4" X 1/4"   | 0.54     |
| 1 1/4" X 3/8"   | 0.82     |
| 1 1/4" X 1/2"   | 1.09     |
| 1 1/4" X 5/8"   | 1.36     |
| 1 1/4" X 3/4"   | 1.63     |
| 1 1/4" X 1"     | 2.18     |
| 1 1/2" X 1/8"   | 0.33     |
| 1 1/2" X 3/16"  | 0.49     |
| 1 1/2" X 1/4"   | 0.65     |
| 1 1/2" x 5/16"  | 0.82     |
| 1 1/2" X 3/8"   | 0.98     |
| 1 1/2" X 1/2"   | 1.31     |
| 1 1/2" X 5/8"   | 1.63     |
| 1 1/2" X 3/4"   | 1.96     |
| 1 1/2" X 1"     | 2.61     |
| 1 1/2" X 1 1/4" | 3.27     |
| 1 3/4" x 1/8"   | 0.38     |
| 1 3/4" X 1/4"   | 0.76     |
| 1 3/4" X 3/8"   | 1.14     |
| 1 3/4" X 1/2"   | 1.52     |
| 1 3/4" X 3/4"   | 2.29     |
| 1 3/4" X 1"     | 3.05     |
| 1 3/4" X 1 1/4" | 3.81     |
| 1 3/4" x 1 1/2" | 4.57     |
| 2" X 1/8"       | 0.44     |
| 2" X 3/16"      | 0.65     |
| 2" X 1/4"       | 0.87     |
| 2" x 5/16"      | 1.09     |
| 2" X 3/8"       | 1.31     |
| 2" X 1/2"       | 1.74     |
| 2" X 5/8"       | 2.18     |
| 2" X 3/4"       | 2.61     |
| 2" X 1"         | 3.48     |
| 2" X 1 1/4"     | 4.35     |
| 2" X 1 1/2"     | 5.23     |
| 2" x 1 3/4"     | 6.10     |
| 2 1/4" x 1/4"   | 0.98     |
| 2 1/4" x 1/2"   | 1.96     |

# Aluminium

## Flat Bar



Aluminium Flat Bar Alloy 6082 T6 (continued)

| Size        | KG/Metre |
|-------------|----------|
| 2¼" x 1¼"   | 4.90     |
| 2½" X ¾"    | 0.82     |
| 2½" x ½"    | 0.54     |
| 2½" X ¼"    | 1.09     |
| 2½" X ⅜"    | 1.63     |
| 2½" X ½"    | 2.18     |
| 2½" x ⅝"    | 2.72     |
| 2½" X ¾"    | 3.27     |
| 2½" X 1"    | 4.35     |
| 2 1½" x 1¼" | 5.44     |
| 2½" X 1½"   | 6.53     |
| 2½" x 1¾"   | 7.62     |
| 2½" X 2"    | 8.71     |
| 3" X ⅜"     | 0.98     |
| 3" X ¼"     | 1.31     |
| 3" X ⅝"     | 1.96     |
| 3" X ½"     | 2.61     |
| 3" X ⅝"     | 3.27     |
| 3" X 1"     | 5.23     |
| 3" x 1¼"    | 6.53     |
| 3" x 1½"    | 7.84     |
| 3" x 1¾"    | 9.15     |
| 3" X 2"     | 10.45    |
| 3" x 2½"    | 13.06    |
| 3½" X ¼"    | 1.52     |
| 3½" x ⅝"    | 3.81     |
| 3½" X ½"    | 3.05     |
| 3½" x ¾"    | 4.57     |
| 3½" x 1"    | 6.10     |
| 3½" x 1¼"   | 7.62     |
| 3½" x 1½"   | 9.15     |
| 4" X ⅙"     | 0.87     |
| 4" X ⅜"     | 1.31     |
| 4" X ¼"     | 1.74     |
| 4" X ⅝"     | 2.61     |
| 4" X ½"     | 3.48     |
| 4" X ⅝"     | 4.36     |
| 4" X ¾"     | 5.23     |
| 4" X 1"     | 6.97     |
| 4" X 1¼"    | 8.71     |
| 4" x 1½"    | 10.45    |
| 4" x 1¾"    | 12.19    |
| 4" X 2"     | 13.94    |
| 5" X 1¼"    | 2.18     |
| 5" x ⅝"     | 3.27     |
| 5" X ½"     | 4.35     |
| 5" x ¾"     | 6.53     |
| 5" x 1"     | 8.71     |
| 5" x 2"     | 17.42    |
| 6" x ⅙"     | 1.31     |
| 6" X ¼"     | 2.61     |
| 6" X ⅝"     | 3.92     |
| 6" X ½"     | 5.23     |
| 6" x ⅝"     | 6.53     |
| 6" x ¾"     | 7.84     |
| 6" X 1"     | 10.45    |
| 6" x 1½"    | 15.68    |
| 6"x 2"      | 20.90    |
| 8" x ¼"     | 3.48     |
| 8" x ½"     | 6.97     |

## Flat Bar



Aluminium Flat Bar Alloy 6082 T6 (metric)

| Size         | KG/Metre |
|--------------|----------|
| 20mm x 10mm  | 0.54     |
| 30mm x 10mm  | 0.81     |
| 30mm x 12mm  | 0.97     |
| 40mm x 5mm   | 0.54     |
| 40mm x 10mm  | 1.08     |
| 50mm x 8mm   | 1.08     |
| 50mm x 10mm  | 1.35     |
| 60mm x 10mm  | 1.62     |
| 60mm x 30mm  | 4.86     |
| 60mm x 40mm  | 6.48     |
| 70mm x 20mm  | 3.78     |
| 80mm x 12mm  | 2.59     |
| 100mm x 5mm  | 1.35     |
| 100mm x 6mm  | 1.62     |
| 100mm x 8mm  | 2.16     |
| 100mm x 20mm | 5.40     |
| 120mm x 10mm | 3.24     |
| 120mm x 20mm | 6.48     |
| 150mm x 8mm  | 3.24     |
| 200mm x 6mm  | 3.24     |
| 200mm x 8mm  | 4.32     |
| 200mm x 10mm | 5.40     |

Aluminium Flat Bar Alloy 6063A T6

| Size     | KG/Metre |
|----------|----------|
| ½" X ⅙"  | 0.11     |
| ½" X ⅜"  | 0.16     |
| ⅝" X ⅙"  | 0.19     |
| 1" X ⅙"  | 0.11     |
| 1" X ⅙"  | 0.22     |
| 1" X ⅜"  | 0.33     |
| 1½" X ⅙" | 0.33     |
| 2" X ⅙"  | 0.44     |
| 3" X ⅙"  | 0.65     |
| 4" X ⅙"  | 0.87     |

## Square Bar



Aluminium Square Bar Alloy 6082 T6

| Size       | KG/Metre |
|------------|----------|
| ¼" SQUARE  | 0.11     |
| ⅙" SQUARE  | 0.17     |
| ⅜" SQUARE  | 0.25     |
| ½" SQUARE  | 0.44     |
| ⅝" SQUARE  | 0.68     |
| ¾" SQUARE  | 0.98     |
| ⅞" SQUARE  | 1.34     |
| 1" SQUARE  | 1.74     |
| 1¼" SQUARE | 2.72     |
| 1½" SQUARE | 3.92     |
| 1¾" SQUARE | 5.34     |
| 2" SQUARE  | 6.97     |
| 2½" SQUARE | 10.90    |
| 3" SQUARE  | 15.80    |
| 3½" SQUARE | 21.40    |
| 4" SQUARE  | 27.90    |

## Channel



Aluminium Channel Alloy 6063/6063A T6

| Size                | KG/Metre |
|---------------------|----------|
| ⅜" X ⅜" X ⅙" X ⅙"   | 0.11     |
| ½" X ½" X ⅙" X ⅙"   | 0.15     |
| ½" X ½" X ⅙" X ⅙"   | 0.27     |
| ⅝" X ⅝" X ⅙" X ⅙"   | 0.19     |
| ⅝" X ⅝" X ⅙" X ⅙"   | 0.35     |
| ¾" X ¾" X ⅙" X ⅙"   | 0.23     |
| ¾" X ¾" X ⅙" X ⅙"   | 0.44     |
| ⅞" X ⅞" X ⅙" X ⅙"   | 0.52     |
| 1" X ½" X ⅙" X ⅙"   | 0.38     |
| 1" X ¾" X ⅙" X ⅙"   | 0.49     |
| 1" X 1" X ⅙" X ⅙"   | 0.31     |
| 1" X 1" X ⅙" X ⅙"   | 0.60     |
| 1¼" X ¾" X ⅙" X ⅙"  | 0.55     |
| 1¼" X 1" X ⅙" X ⅙"  | 0.65     |
| 1¼" X 1¼" X ⅙" X ⅙" | 0.76     |
| 1½" X ¾" X ⅙" X ⅙"  | 0.60     |
| 1½" X 1½" X ⅙" X ⅙" | 0.93     |
| 1¾" X 1" X ⅙" X ⅙"  | 0.76     |
| 2" X ½" X ⅙" X ⅙"   | 0.60     |
| 2" X ¾" X ⅙" X ⅙"   | 0.71     |
| 2" X 1" X ⅙" X ⅙"   | 0.82     |
| 2" X 1" X ⅜" X ⅙"   | 1.18     |
| 2" X 1½" X ⅙" X ⅙"  | 1.04     |
| 2" X 2" X ⅙" X ⅙"   | 1.25     |
| 2½" X 1" X ⅙" X ⅙"  | 0.93     |
| 4" X 2" X ⅙" X ⅙"   | 1.69     |

Aluminium Channel Alloy 6082 T6

| Size                | KG/Metre |
|---------------------|----------|
| 1¼" X 1¼" X ⅙" X ⅙" | 0.76     |
| 1½" X ½" X ⅙" X ⅙"  | 0.49     |
| 1½" X 1" X ⅙" X ⅙"  | 0.71     |
| 1½" X 1½" X ⅙" X ⅙" | 0.93     |
| 1½" X 1½" X ⅜" X ⅙" | 1.35     |
| 1½" X 1½" X ¼" X ¼" | 1.74     |
| 2" X 1" X ⅙" X ⅙"   | 0.82     |
| 2" X 1" X ¼" X ¼"   | 1.52     |
| 2" X 1½" X ¼" X ¼"  | 1.96     |
| 2" X 2" X ⅜" X ⅙"   | 1.84     |
| 2" X 2" X ¼" X ¼"   | 2.40     |
| 2¼" X 1¼" X ⅜" X ⅙" | 1.43     |
| 2½" X 1¼" X ⅜" X ⅙" | 1.51     |
| 3" X 1" X ⅙" X ⅙"   | 1.04     |
| 3" X 1½" X ⅙" X ⅙"  | 1.25     |
| 3" X 1½" X ⅜" X ⅙"  | 1.84     |
| 3" X ½" X ¼" X ¼"   | 2.67     |
| 3" X 2" X ⅙" X ⅙"   | 1.47     |
| 3" X 2" X ⅜" X ⅙"   | 2.16     |
| 3" X 2" X ¼" X ¼"   | 2.83     |
| 3½" X 1½" X ¼" X ¼" | 2.95     |
| 4" X 2" X ¼" X ¼"   | 3.65     |
| 5" X 2" X ¼" X ¼"   | 4.08     |
| 6" X 2" X ¼" X ¼"   | 4.52     |
| 6" X 3" X ¼" X ⅜"   | 6.21     |
| 6" X 3" X ⅜" X ½"   | 8.49     |
| 8" X 3" X ⅜" X ½"   | 9.80     |
| 10" X 3" X ⅜" X ½"  | 11.10    |



# Aluminium

## Equal Angle



Aluminium Equal Angle Alloy 6082 T6

| Size           | KG/Metre |
|----------------|----------|
| ½" X ½" X ⅛"   | 0.19     |
| ¾" X ¾" X ⅛"   | 0.30     |
| 1" X 1" X ⅛"   | 0.41     |
| 1" X 1" X ⅜"   | 0.59     |
| 1" X 1" X ¼"   | 0.76     |
| 1¼" X 1¼" X ⅛" | 0.52     |
| 1¼" X 1¼" X ⅜" | 0.75     |
| 1¼" X 1¼" X ¼" | 0.98     |
| 1½" X 1½" X ⅛" | 0.63     |
| 1½" X 1½" X ⅜" | 0.92     |
| 1½" X 1½" X ¼" | 1.20     |
| 1¾" X 1¾" X ⅜" | 1.08     |
| 1¾" X 1¾" X ¼" | 1.42     |
| 2" X 2" X ⅛"   | 0.85     |
| 2" X 2" X ⅜"   | 1.24     |
| 2" X 2" X ¼"   | 1.63     |
| 2" X 2" X ⅝"   | 2.37     |
| 2½" X 2½" X ⅜" | 1.57     |
| 2½" X 2½" X ¼" | 2.07     |
| 3" X 3" X ⅛"   | 1.28     |
| 3" X 3" X ⅜"   | 1.90     |
| 3" X 3" X ¼"   | 2.50     |
| 3" X 3" X ⅝"   | 3.68     |
| 4" X 4" X ¼"   | 3.37     |
| 4" X 4" X ⅝"   | 4.98     |
| 6" X 6" X ½"   | 10.02    |

Aluminium Equal Angle Alloy 6063A T6

| Size              | KG/Metre |
|-------------------|----------|
| ½" X ½" X ⅛"      | 0.10     |
| ⅝" X ⅝" X ⅛"      | 0.13     |
| ⅝" X ⅝" X ⅜"      | 0.25     |
| ¾" X ¾" X ⅛"      | 0.16     |
| ¾" X ¾" X ⅜"      | 0.30     |
| ⅞" X ⅞" X ⅛"      | 0.35     |
| 25mm X 25mm X 3mm | 0.38     |
| 1" X 1" X ⅛"      | 0.21     |
| 1" X 1" X ⅜"      | 0.41     |
| 1¼" X 1¼" X ⅛"    | 0.27     |
| 1¼" X 1¼" X ⅜"    | 0.52     |
| 1½" X 1½" X ⅛"    | 0.32     |
| 1½" X 1½" X ⅜"    | 0.63     |
| 1¾" X 1¾" X ⅜"    | 0.74     |
| 50mm X 50mm X 3mm | 0.79     |
| 2" X 2" X ⅛"      | 0.43     |
| 2" X 2" X ⅜"      | 0.85     |
| 2" X 2" X ⅝"      | 1.24     |
| 2½" X 2½" X ⅜"    | 1.06     |

## Unequal Angle



Aluminium UN-Equal Angle Alloy 6063A T6

| Size                | KG/Metre |
|---------------------|----------|
| ¾" X ½" X ⅛"        | 0.13     |
| ¾" X ½" X ⅜"        | 0.25     |
| 1" X ½" X ⅛"        | 0.16     |
| 1" X ½" X ⅜"        | 0.30     |
| 1" X ⅝" X ⅜"        | 0.33     |
| 1" X ¾" X ⅜"        | 0.18     |
| 1" X ¾" X ⅝"        | 0.35     |
| 1¼" X ½" X ⅜"       | 0.35     |
| 1¼" X ¾" X ⅜"       | 0.41     |
| 1¼" X 1" X ⅜"       | 0.46     |
| 1½" X ¾" X ⅜"       | 0.46     |
| 1½" X 1" X ⅜"       | 0.52     |
| 1¾" X 1" X ⅜"       | 0.57     |
| 2" X ½" X ⅜"        | 0.52     |
| 2" X ¾" X ⅜"        | 0.57     |
| 50mm X 25mm X 3.0mm | 0.58     |
| 2" X 1" X ⅜"        | 0.63     |
| 2" X 1½" X ⅜"       | 0.74     |
| 2½" X 1" X ⅜"       | 0.74     |
| 3" X 2" X ⅜"        | 1.06     |
| 4" X 1" X ⅜"        | 1.06     |
| 4" X 2" X ⅜"        | 1.28     |

Aluminium UN-Equal Angle Alloy 6082 T6

| Size           | KG/Metre |
|----------------|----------|
| 1½" X 1" X ⅜"  | 0.52     |
| 2" X 1" X ⅜"   | 0.63     |
| 2" X 1" X ⅝"   | 0.92     |
| 2" X 1" X ¼"   | 1.20     |
| 2" X 1½" X ⅜"  | 0.74     |
| 2" X 1½" X ⅝"  | 1.08     |
| 2" X 1½" X ¼"  | 1.41     |
| 2½" X 1½" X ⅝" | 1.24     |
| 2½" X 1½" X ¼" | 1.63     |
| 3" X 1" X ⅜"   | 0.85     |
| 3" X 1" X ¼"   | 1.64     |
| 3" X 1½" X ⅜"  | 0.95     |
| 3" X 1½" X ⅝"  | 1.41     |
| 3" X 1½" X ¼"  | 1.85     |
| 3" X 2" X ⅜"   | 1.06     |
| 3" X 2" X ⅝"   | 1.57     |
| 3" X 2" X ¼"   | 2.07     |
| 4" X 2" X ¼"   | 2.50     |
| 4" X 3" X ¼"   | 2.94     |
| 6" X 3" X ⅝"   | 5.64     |

## Tee Section



Aluminium Tee Alloy 6063A T6

| Size           | KG/Metre |
|----------------|----------|
| ¾" X ¾" X ⅛"   | 0.30     |
| 1" X 1" X ⅛"   | 0.41     |
| 1¼" X 1¼" X ⅛" | 0.52     |
| 1½" X 1½" X ⅜" | 0.63     |
| 2" X 1" X ⅜"   | 0.63     |
| 2" X 2" X ⅜"   | 0.85     |

Aluminium Tee Alloy 6082 T6

| Size           | KG/Metre |
|----------------|----------|
| 1½" X 1½" X ⅝" | 0.92     |
| 1½" X 1½" X ¼" | 1.20     |
| 2" X 2" X ⅝"   | 1.25     |
| 2" X 2" X ¼"   | 1.63     |
| 3" X 3" X ¼"   | 2.51     |

# Aluminium

## Round Tube



Aluminium Tube Alloy 6082 T6

| Size             | KG/Metre |
|------------------|----------|
| ½" O/D X 10SWG   | 0.26     |
| ¾" O/D X 10SWG   | 0.35     |
| ¾" O/D X 10SWG   | 0.44     |
| 7⁄8" O/D X 10SWG | 0.52     |
| 1" O/D X 16SWG   | 0.33     |
| 1" O/D X 10SWG   | 0.61     |
| 1" O/D X ¾"      | 0.83     |
| 1" O/D X ¼"      | 1.03     |
| 1½" O/D X 10SWG  | 0.70     |
| 1¼" O/D X 16SWG  | 0.40     |
| 1¼" O/D X ¾"     | 1.10     |
| 1¼" O/D X 10SWG  | 0.80     |
| 1¾" O/D X 10SWG  | 0.87     |
| 1½" O/D X 10SWG  | 0.96     |
| 1½" O/D X ¾"     | 1.35     |
| 1½" O/D X ¼"     | 1.71     |
| 1¾" O/D X 10SWG  | 1.00     |
| 1¾" O/D X ¾"     | 1.50     |
| 1¾" O/D X 16SWG  | 0.59     |
| 1¾" O/D X 10SWG  | 1.14     |
| 1¾" O/D X 10SWG  | 1.22     |
| 2" O/D X 16SWG   | 0.70     |
| 2" O/D X 10SWG   | 1.30     |
| 2" O/D X ¾"      | 1.90     |
| 2" O/D X ¼"      | 2.40     |
| 2¼" O/D X 16SWG  | 0.77     |
| 2¼" O/D X 10SWG  | 1.49     |
| 2½" O/D X 16SWG  | 0.90     |
| 2½" O/D X 10SWG  | 1.60     |
| 2½" O/D X ¾"     | 2.40     |
| 2½" O/D X ¼"     | 3.10     |
| 2½" O/D X ¾"     | 4.40     |
| 3½" O/D X ¼"     | 4.45     |
| 2¾" O/D X 10SWG  | 1.80     |
| 3" O/D X 16SWG   | 1.00     |
| 3" O/D X 10SWG   | 2.00     |
| 3" O/D X ¾"      | 2.90     |
| 3" O/D X ¼"      | 3.80     |
| 3½" O/D X 16SWG  | 1.21     |
| 3½" O/D X 10SWG  | 2.36     |
| 4" O/D X 10SWG   | 2.71     |
| 4" O/D X ¼"      | 5.13     |
| 4½" O/D X 10SWG  | 3.00     |
| 4½" O/D X ¼"     | 5.80     |
| 5" O/D X 10SWG   | 3.30     |
| 5" O/D X ¼"      | 6.50     |
| 6" O/D X 10SWG   | 4.03     |
| 6" O/D X ¼"      | 7.90     |
| 6½" O/D X ¼"     | 8.55     |

## Round Tube



Aluminium Tube Alloy 6063 T6

| Size             | KG/Metre |
|------------------|----------|
| ¾" O/D X 16SWG   | 0.11     |
| ½" O/D X 18SWG   | 0.12     |
| ½" O/D X 16SWG   | 0.15     |
| ¾" O/D X 18SWG   | 0.15     |
| ¾" O/D X 16SWG   | 0.20     |
| ¾" O/D X 18SWG   | 0.18     |
| ¾" O/D X 16SWG   | 0.24     |
| ¾" O/D X 10SWG   | 0.44     |
| 7⁄8" O/D X 18SWG | 0.22     |
| 7⁄8" O/D X 16SWG | 0.28     |
| 7⁄8" O/D X 10SWG | 0.52     |
| 1" O/D X 18SWG   | 0.25     |
| 1" O/D X 10SWG   | 0.61     |
| 1½" O/D X 16SWG  | 0.37     |
| 1¼" O/D X 18SWG  | 0.32     |
| 1¼" O/D X 16SWG  | 0.40     |
| 1¼" O/D X 10SWG  | 0.80     |
| 1¾" O/D X 16SWG  | 0.46     |
| 1½" O/D X 18SWG  | 0.38     |
| 1½" O/D X 16SWG  | 0.50     |
| 1½" O/D X 10SWG  | 0.96     |
| 1¾" O/D X 16SWG  | 0.50     |
| 2" O/D X 16SWG   | 0.70     |
| 2" O/D X 10SWG   | 1.30     |
| 2¼" O/D X 10SWG  | 1.49     |
| 3" O/D X 10SWG   | 2.00     |
| 4" O/D X 16SWG   | 1.38     |
| 4" O/D X 16SWG   | 1.38     |

## Round Tube - for rainwater handling

Aluminium Tube Alloy 6082 T6 (BS1474)

| Size             | KG/Metre |
|------------------|----------|
| 1¾" OD X 10SWG   | 1.14     |
| 2" OD X ¼"       | 2.39     |
| 2" OD X ¾"       | 1.86     |
| 2" OD X 1.5mm    | 0.63     |
| 3" OD X 1.5mm    | 0.95     |
| 3 ½" OD X ¼"     | 4.45     |
| 4" OD X 16SWG    | 1.38     |
| 4" OD X 1.5mm    | 1.27     |
| 100mm OD X 2mm   | 1.66     |
| 150mm OD X 2mm   | 2.51     |
| 152mm OD X 2.5mm | 3.17     |
| 2" OD X 3.0mm    | 1.22     |
| 3" OD X 3.0mm    | 1.87     |
| 3½" OD X ¼"      | 4.45     |
| 4" OD X 3.0mm    | 2.51     |

## Scaffold Tube

Scaffold tube is drift tested to BS 1139

| Size                                                       | KG/Metre |
|------------------------------------------------------------|----------|
| 1 <sup>29</sup> / <sub>32</sub> o/d x 7swg (0.176"/4.47mm) | 1.53     |

## Box Section - Square



Aluminium Square Tube Alloy 6082 T6

| Size           | KG/Metre |
|----------------|----------|
| ½" SQ X 16SWG  | 0.20     |
| ¾" SQ X 16SWG  | 0.31     |
| 1" SQ X 16SWG  | 0.42     |
| 1" SQ X 10SWG  | 0.78     |
| 1¼" SQ X 16SWG | 0.53     |
| 1¼" SQ X 10SWG | 1.00     |
| 1½" SQ X 16SWG | 0.64     |
| 1½" SQ X 10SWG | 1.22     |
| 1¾" SQ X 10SWG | 1.45     |
| 2" SQ X 16SWG  | 0.87     |
| 2" SQ X 10SWG  | 1.67     |
| 2½" SQ X 10SWG | 2.12     |
| 3" SQ X 10SWG  | 2.56     |

Aluminium Square Tube Alloy 6082 T6

| Size                  | KG/Metre |
|-----------------------|----------|
| 50mm X 50mm X 1.5mm   | 0.79     |
| 50mm X 50mm X 3.0mm   | 1.52     |
| 75mm X 75mm X 1.5mm   | 1.19     |
| 100mm X 100mm X 1.5mm | 1.60     |
| 100mm X 100mm X 2.0mm | 2.12     |
| 150mm X 150mm X 3.0mm | 4.76     |

Aluminium Square Tube Alloy 6063 T6

| Size           | KG/Metre |
|----------------|----------|
| 1" SQ X 10SWG  | 0.78     |
| 1¼" SQ X 16SWG | 0.53     |
| 1½" SQ X 10SWG | 1.22     |
| 2" SQ X 10SWG  | 1.67     |
| 2" SQ. X ¼"    | 3.05     |
| 4" SQ X 10SWG  | 3.45     |
| 4" SQ X ¼"     | 6.53     |



## Box Section - Rectangular

Aluminium Rectangular Tube Alloy 6063 T6


| Size                | KG/Metre |
|---------------------|----------|
| 1½" X ¾" X ¼"       | 0.46     |
| 1½" X 1" X 16SWG    | 0.53     |
| 1½" X 1" X 10SWG    | 1.00     |
| 50mm X 25mm X 3.0mm | 1.18     |
| 2" X 1" X 10SWG     | 1.22     |
| 2" X 1½" X 10SWG    | 1.45     |
| 3" X 1" X 10SWG     | 1.67     |
| 3" X 1½" X 10SWG    | 1.89     |
| 3" X 2" X 10SWG     | 2.11     |
| 4" X 1" X 10SWG     | 2.11     |
| 4" X 1¾" X 10SWG    | 2.45     |
| 4" X 2" X 10SWG     | 2.56     |
| 6" X 2" X 10SWG     | 3.45     |
| 6" X 3" X ¾"        | 10.80    |

# Aluminium

## Mouldings



These are a selection of the many shapes available and may not be shown at actual size



# Aluminium


## Road Transport Products



The Aalco stock of products for the Road Transport Industry is expanding rapidly, making Aalco the fastest growing supplier to this sector. Whatever you require: a single length of aluminium extrusion; flooring in aluminium, stainless, wood or laminate; GRP sheet; Dropside systems, through to complete body kits – Aalco can supply quickly and efficiently. Please call your local service centre for information, advice, prices and delivery times.

A full range of products for RT Bodies including:

- Flooring - See next page
- Roofing - Aluminium & GRP Roof Coil, Radius & Square Castings, Aluminium & Galvanised Steel Roofsticks
- Runners & Bearers
- Side Raves
- Pedestrian Side Guard Kits - VCA approved in single rail and double rail design
- Corner Pillars - Including GRP Captive Pillars
- Cant Rails
- Top Hats
- Dropside Body Components
- Door Cappings
- Corner Castings
- GRP Panels
- GRP Box System Components
- Mouldings - See page 11
- Load-Lok Track
- Accessories including Adhesives & Tapes
- Steel sections - Runners, Bearers, Corner Pillars, Inner/Outer Panels, Rear Frames & Headers, End Caps, Curtain Track



Aalco stocks an extensive range of products for the RT sector, covered in a separate catalogue available from your local Service Centre



# Aluminium

## Road Transport Products - Flooring



### AalcoMesh

AalcoMesh is a top quality, mesh-patterned birch plywood panel that has been most commonly available on the market for many years. With very good slip and wear resistance and a long life the AalcoMesh pattern remains the most popular choice for many RT flooring applications.

Thickness available: 9mm – 30mm

| Sheet Size (mm) |
|-----------------|
| 1220mm X 2500mm |
| 1220mm X 3050mm |
| 1500mm X 3000mm |
| 1525mm X 3050mm |
| 1525mm X 2440mm |
| 1525mm X 3300mm |



### Aalco Hexagrip

Aalco HexaGrip offers an improved slip and wear resistance combined with a decorative appearance of hexa pattern. Quality birch plywood overlayed with 220g/m2 phenolic film to the face, backed with 120g/m2 balancer, makes Aalco HexaGrip an excellent RT flooring panel.

Thickness available: 9mm – 30mm

| Sheet Size (mm) |
|-----------------|
| 1220mm X 2500mm |
| 1220mm X 3050mm |
| 1500mm X 3000mm |
| 1525mm X 3050mm |
| 1525mm X 2440mm |
| 1525mm X 3300mm |



### AalcoTrans

AalcoTrans is a solution for demanding RT flooring applications where anti-slip properties and high wear resistance are the most desired factors. Manufactured in Europe, AalcoTrans offers the durability of birch plywood combined with the special, hard wearing thick multi layer film with the imprinted waffle (square) pattern which offer one of the highest Taber Value on the market, over 10,000 rounds (based on independent lab test).


| Sheet Size (mm) | Thickness (mm) | Weight/Sheet (kg) |
|-----------------|----------------|-------------------|
| 1220 X 2500     | 18             | 43                |
| 1220 X 3050     | 24             | 48                |



Aalco stocks a full range of products for flooring construction including runners, bearers and flooring materials. Detailed here is the range of Plywood Base Phenolic Coated Mesh Flooring.

Other types of flooring material available from stock include:

- Aluminium Floor Planks
- EGL Laminate
- Keruing Half Lap Planking
- Aluminium Treadplate (see page 6)




# Aluminium

## Road Transport Products

Aalco stocks an extensive range of products for the RT sector, covered in a separate catalogue available from your local Service Centre




### Aalco GRP Box Products



#### Aalco GRP Box Products:

- GRP Panels
- Runners & Bearers - Aluminium & Steel
- Flooring
- Captive Corner Pillars & Castings
- Roofing Coil - Aluminium & GRP


### Aalco Curtainside Products



#### Aalco Curtainside Products:

- Runners & Bearers - Aluminium & Steel
- Flooring
- Corner Pillars & Castings
- Roofing Coil - Aluminium & GRP
- Cant Rails
- Headers
- Cappings
- Curtain Track

### Aalco Dropside Products



#### Aalco Dropside Products: Standard and Lightweight Systems including:


- Runners & Bearers - Aluminium & Steel
- Flooring
- Side Planks - One piece or Sets
- Hinges
- Anti-Luce fastening Lugs
- Corner & Centre Pillars - Aluminium and Steel
- End Caps - Aluminium and Steel

# Stainless Steel Products

|                                                  |    |
|--------------------------------------------------|----|
| Sheet.....                                       | 16 |
| Plate.....                                       | 17 |
| Circle Polished Sheet .....                      | 17 |
| Treadplate .....                                 | 17 |
| Equal Angle.....                                 | 17 |
| Square Bar.....                                  | 17 |
| Hexagon Bar.....                                 | 17 |
| Round Bar .....                                  | 18 |
| Flat Bar - Rolled Edge .....                     | 19 |
| Structural & Decorative Tube - Round .....       | 20 |
| Slotted Tube System and fittings.....            | 20 |
| Handrail Tube and Fittings.....                  | 21 |
| Glass U .....                                    | 22 |
| Accessories - Adhesive & Cleaners .....          | 22 |
| Structural & Decorative Tube - Square.....       | 23 |
| Structural & Decorative Tube - Rectangular. .... | 24 |
| Pipe .....                                       | 25 |
| Butt Weld Fittings .....                         | 25 |
| Flanges.....                                     | 27 |
| High Pressure Fittings - Threaded .....          | 28 |
| High Pressure Fittings - Socket Weld .....       | 28 |
| Seamless Tube .....                              | 29 |
| Metric Tube and Fittings.....                    | 29 |
| BSP Fittings .....                               | 30 |
| Hygenic Tube and Fittings .....                  | 30 |

## Metals Main Index

|                 |    |
|-----------------|----|
| Aluminium       | 04 |
| Stainless Steel | 15 |
| Brass           | 32 |
| Copper          | 34 |
| Bronze          | 35 |



# Stainless Steel

## Sheet



Stainless Steel Sheet Grade 1.4301 (304) - 2B

| Size                    | KG/Sheet |
|-------------------------|----------|
| 2000mm X 1000mm X 0.5mm | 8.2      |
| 2500mm X 1250mm X 0.5mm | 12.8     |
| 2000mm X 1000mm X 0.7mm | 11.5     |
| 2500mm X 1250mm X 0.7mm | 17.9     |
| 2500mm X 1250mm X 0.8mm | 20.5     |
| 2000mm X 1000mm X 0.9mm | 14.7     |
| 2500mm X 1250mm X 0.9mm | 23.0     |
| 3000mm X 1500mm X 0.9mm | 33.2     |
| 2000mm X 1000mm X 1.0mm | 16.4     |
| 2500mm X 1250mm X 1.0mm | 25.6     |
| 2000mm X 1000mm X 1.2mm | 19.6     |
| 2500mm X 1250mm X 1.2mm | 30.7     |
| 3000mm X 1500mm X 1.2mm | 44.2     |
| 2000mm X 1000mm X 1.5mm | 24.6     |
| 2500mm X 1250mm X 1.5mm | 38.4     |
| 3000mm X 1500mm X 1.5mm | 55.3     |
| 2000mm X 1000mm X 2.0mm | 32.7     |
| 2500mm X 1250mm X 2.0mm | 51.2     |
| 3000mm X 1500mm X 2.0mm | 73.7     |
| 4000mm X 2000mm X 2.0mm | 128.0    |
| 2000mm X 1000mm X 2.5mm | 40.9     |
| 2500mm X 1250mm X 2.5mm | 63.9     |
| 3000mm X 1500mm X 2.5mm | 92.1     |
| 2000mm X 1000mm X 3.0mm | 49.6     |
| 2500mm X 1250mm X 3.0mm | 77.5     |
| 3000mm X 1500mm X 3.0mm | 111.6    |
| 4000mm X 2000mm X 3.0mm | 192.0    |

Stainless Steel Sheet Grade 1.4404 (316L) - 2B

| Size                    | KG/Sheet |
|-------------------------|----------|
| 2000mm X 1000mm X 0.7mm | 11.5     |
| 2500mm X 1250mm X 0.7mm | 17.9     |
| 2000mm X 1000mm X 0.9mm | 14.7     |
| 2500mm X 1250mm X 0.9mm | 23.0     |
| 2000mm X 1000mm X 1.2mm | 19.6     |
| 2500mm X 1250mm X 1.2mm | 30.7     |
| 3000mm X 1500mm X 1.2mm | 44.2     |
| 2000mm X 1000mm X 1.5mm | 24.6     |
| 2500mm X 1250mm X 1.5mm | 38.4     |
| 3000mm X 1500mm X 1.5mm | 55.3     |
| 2000mm X 1000mm X 2.0mm | 32.7     |
| 2500mm X 1250mm X 2.0mm | 51.2     |
| 3000mm X 1500mm X 2.0mm | 73.7     |
| 4000mm X 2000mm X 2.0mm | 128.0    |
| 2000mm X 1000mm X 2.5mm | 40.9     |
| 2500mm X 1250mm X 2.5mm | 63.9     |
| 3000mm X 1500mm X 2.5mm | 92.1     |
| 2000mm X 1000mm X 3.0mm | 49.6     |
| 2500mm X 1250mm X 3.0mm | 77.5     |
| 3000mm X 1500mm X 3.0mm | 111.6    |
| 4000mm X 2000mm X 3.0mm | 192.0    |

## Sheet



Stainless Steel Sheet Grade 1.4016 (430) - Bright Annealed

| Size                    | KG/Sheet |
|-------------------------|----------|
| 2000mm X 1000mm X 0.5mm | 8.2      |
| 2500mm X 1250mm X 0.5mm | 12.8     |
| 2000mm X 1000mm X 0.7mm | 11.5     |
| 2500mm X 1250mm X 0.7mm | 17.9     |
| 2000mm X 1000mm X 0.9mm | 14.7     |
| 2500mm X 1250mm X 0.9mm | 23.0     |
| 2000mm X 1000mm X 1.0mm | 16.4     |
| 2500mm X 1250mm X 1.0mm | 25.6     |
| 2000mm X 1000mm X 1.2mm | 19.6     |
| 2500mm X 1250mm X 1.2mm | 30.7     |
| 2000mm X 1000mm X 1.5mm | 24.6     |
| 2500mm X 1250mm X 1.5mm | 38.4     |
| 2000mm X 1000mm X 2.0mm | 32.7     |
| 2500mm X 1250mm X 2.0mm | 51.2     |

Stainless Steel Sheet Grade 1.4301 (304) - Bright Annealed

| Size                    | KG/Sheet |
|-------------------------|----------|
| 2500mm X 1250mm X 0.5mm | 12.8     |
| 2000mm X 1000mm X 0.5mm | 8.2      |
| 2000mm X 1000mm X 0.6mm | 9.8      |
| 2500mm X 1250mm X 0.6mm | 15.3     |
| 2000mm X 1000mm X 0.7mm | 11.5     |
| 2500mm X 1250mm X 0.7mm | 17.9     |
| 2500mm X 1250mm X 0.8mm | 20.5     |
| 2000mm X 1000mm X 0.9mm | 14.7     |
| 2500mm X 1250mm X 0.9mm | 23.0     |
| 2000mm X 1000mm X 1.0mm | 16.4     |
| 2500mm X 1250mm X 1.0mm | 25.6     |
| 2000mm X 1000mm X 1.2mm | 19.6     |
| 2500mm X 1250mm X 1.2mm | 30.7     |
| 2000mm X 1000mm X 1.5mm | 24.6     |
| 2500mm X 1250mm X 1.5mm | 38.4     |
| 2000mm X 1000mm X 2.0mm | 32.7     |
| 2500mm X 1250mm X 2.0mm | 51.2     |

Stainless Steel Sheet Grade 1.4301 (304) - OPTISHEEN™ Polished and PVC Coated 1 Side

| Size                    | KG/Sheet |
|-------------------------|----------|
| 2000mm X 1000mm X 0.9mm | 14.7     |
| 2500mm X 1250mm X 0.9mm | 23.0     |
| 2000mm X 1000mm X 1.2mm | 19.6     |
| 2500mm X 1250mm X 1.2mm | 30.7     |
| 2000mm X 1000mm X 1.5mm | 24.6     |
| 2500mm X 1250mm X 1.5mm | 38.4     |
| 3000mm X 1500mm X 1.5mm | 55.3     |
| 2500mm X 1250mm X 2.0mm | 51.2     |

Stainless Steel Sheet Grade 1.4301 (304) - 240 Grit Silicon Polished and PVC Coated 1 Side

| Size                    | KG/Sheet |
|-------------------------|----------|
| 2000mm X 1000mm X 0.9mm | 14.7     |
| 2500mm X 1250mm X 0.9mm | 23.0     |
| 2000mm X 1000mm X 1.2mm | 19.6     |
| 2500mm X 1250mm X 1.2mm | 30.7     |
| 2000mm X 1000mm X 1.5mm | 24.6     |
| 2500mm X 1250mm X 1.5mm | 38.4     |
| 2000mm X 1000mm X 2.0mm | 32.7     |
| 2500mm X 1250mm X 2.0mm | 51.2     |

## Sheet



Stainless Steel Sheet Grade 1.4016 (430) - Polished 240 Grit and PVC Coated 1 Side

| Size                    | KG/Sheet |
|-------------------------|----------|
| 2500mm X 1250mm X 0.7mm | 17.9     |
| 2000mm X 1000mm X 0.9mm | 14.7     |
| 2500mm X 1250mm X 0.9mm | 23.0     |
| 2000mm X 1000mm X 1.2mm | 19.6     |
| 2500mm X 1250mm X 1.2mm | 30.7     |
| 2000mm X 1000mm X 1.5mm | 24.6     |
| 2500mm X 1250mm X 1.5mm | 38.4     |

Stainless Steel Sheet Grade 1.4404 (316L) - Polished 240 Grit and PVC Coated 1 Side

| Size                    | KG/Sheet |
|-------------------------|----------|
| 2500mm X 1250mm X 0.9mm | 23.0     |
| 2500mm X 1250mm X 1.2mm | 31.2     |
| 2500mm X 1250mm X 1.5mm | 38.4     |
| 3000mm X 1500mm X 1.5mm | 55.3     |
| 2500mm X 1250mm X 2.0mm | 51.2     |
| 2500mm X 1250mm X 3.0mm | 77.5     |

Stainless Steel Sheet Grade 1.4301 (304) - Polished 240 Grit and PVC Coated 1 Side

| Size                    | KG/Sheet |
|-------------------------|----------|
| 2000mm X 1000mm X 0.7mm | 11.5     |
| 2500mm X 1250mm X 0.7mm | 17.9     |
| 2000mm X 1000mm X 0.9mm | 14.7     |
| 2500mm X 1250mm X 0.9mm | 23.0     |
| 3000mm X 1500mm X 0.9mm | 33.2     |
| 2000mm X 1000mm X 1.0mm | 16.4     |
| 2500mm X 1250mm X 1.0mm | 25.6     |
| 2000mm X 1000mm X 1.2mm | 19.6     |
| 2500mm X 1250mm X 1.2mm | 30.7     |
| 3000mm X 1500mm X 1.2mm | 44.2     |
| 2000mm X 1000mm X 1.5mm | 24.6     |
| 2500mm X 1250mm X 1.5mm | 38.4     |
| 3000mm X 1500mm X 1.5mm | 55.3     |
| 2000mm X 1000mm X 2.0mm | 32.7     |
| 2500mm X 1250mm X 2.0mm | 51.2     |
| 3000mm X 1500mm X 2.0mm | 73.7     |
| 2000mm X 1000mm X 2.5mm | 40.9     |
| 2500mm X 1250mm X 2.5mm | 63.9     |
| 3000mm X 1500mm X 2.5mm | 92.1     |
| 2000mm X 1000mm X 3.0mm | 49.6     |
| 2500mm X 1250mm X 3.0mm | 77.5     |
| 3000mm X 1500mm X 3.0mm | 111.6    |

Stainless Steel Sheet Grade 1.4003 - Cold Rolled except where shown

| Size                         | KG/Sheet |
|------------------------------|----------|
| 2500mm X 1250mm X 1.0mm      | 25.0     |
| 2000mm X 1000mm X 1.2mm      | 19.2     |
| 2500mm X 1250mm X 1.2mm      | 30.0     |
| 2000mm X 1000mm X 1.5mm      | 24.0     |
| 2500mm X 1250mm X 1.5mm      | 37.5     |
| 3000mm X 1500mm X 1.5mm      | 54.0     |
| 2000mm X 1000mm X 2.0mm      | 32.0     |
| 2500mm X 1250mm X 2.0mm      | 50.0     |
| 3000mm X 1500mm X 2.0mm      | 72.0     |
| 2500mm X 1250mm X 2.5mm      | 62.5     |
|                              |          |
| 2000mm X 1000mm X 3.0mm (HR) | 48.0     |
| 2500mm X 1250mm X 3.0mm (HR) | 75.0     |
| 3000mm X 1500mm X 3.0mm (HR) | 108.0    |



# Stainless Steel

## Plate



Stainless Steel Hot Rolled Plate Grade 1.4003

| Size                     | KG/Plate |
|--------------------------|----------|
| 2000mm X 1000mm X 3.0mm  | 48       |
| 2500mm X 1250mm X 3.0mm  | 75       |
| 3000mm X 1500mm X 3.0mm  | 108      |
| 2000mm X 1000mm X 4.0mm  | 64       |
| 2500mm X 1250mm X 4.0mm  | 100      |
| 3000mm X 1500mm X 4.0mm  | 144      |
| 2000mm X 1000mm X 5.0mm  | 80       |
| 2500mm X 1250mm X 5.0mm  | 125      |
| 2500mm X 1250mm X 6.0mm  | 150      |
| 3000mm X 1500mm X 6.0mm  | 216      |
| 2500mm X 1250mm X 8.0mm  | 200      |
| 3000mm X 1500mm X 8.0mm  | 288      |
| 2500mm X 1250mm X 10.0mm | 250      |
| 3000mm X 1500mm X 10.0mm | 360      |
| 2500mm X 1250mm X 12.0mm | 300      |
| 3000mm X 1500mm X 12.0mm | 432      |

Stainless Steel Cold Rolled Plate Grades 1.4307 (304L) & 1.4404 (361L) PVC Coated 1 Side

| Size                    | KG/Plate |
|-------------------------|----------|
| 4000mm X 2000mm X 4.0mm | 256      |
| 4000mm X 2000mm X 5.0mm | 320      |
| 4000mm X 2000mm X 6.0mm | 384      |

Stainless Steel Hot Rolled Plate Grades 1.4307 (304L) & 1.4404 (316L)

| Size                     | KG/Plate |
|--------------------------|----------|
| 2000mm X 1000mm X 3.0mm  | 48       |
| 2500mm X 1250mm X 3.0mm  | 75       |
| 3000mm X 1500mm X 3.0mm  | 108      |
| 2000mm X 1000mm X 4.0mm  | 64       |
| 2500mm X 1250mm X 4.0mm  | 100      |
| 3000mm X 1500mm X 4.0mm  | 144      |
| 2000mm X 1000mm X 5.0mm  | 80       |
| 2500mm X 1250mm X 5.0mm  | 125      |
| 3000mm X 1500mm X 5.0mm  | 180      |
| 4000mm X 2000mm X 5.0mm  | 320      |
| 2000mm X 1000mm X 6.0mm  | 96       |
| 2500mm X 1250mm X 6.0mm  | 150      |
| 3000mm X 1500mm X 6.0mm  | 216      |
| 4000mm X 2000mm X 6.0mm  | 384      |
| 6000mm X 2000mm X 6.0mm  | 576      |
| 2000mm X 1000mm X 8.0mm  | 128      |
| 2500mm X 1250mm X 8.0mm  | 200      |
| 3000mm X 1500mm X 8.0mm  | 288      |
| 4000mm X 2000mm X 8.0mm  | 512      |
| 2000mm X 1000mm X 10.0mm | 160      |
| 2500mm X 1250mm X 10.0mm | 250      |
| 3000mm X 1500mm X 10.0mm | 360      |
| 4000mm X 2000mm X 10.0mm | 640      |
| 6000mm X 2000mm X 10.0mm | 960      |
| 2500mm X 1250mm X 12.0mm | 300      |
| 3000mm X 1500mm X 12.0mm | 432      |
| 4000mm X 2000mm X 12.0mm | 768      |
| 2500mm X 1250mm X 15.0mm | 375      |
| 3000mm X 1500mm X 15.0mm | 557      |
| 2500mm X 1250mm X 20.0mm | 500      |
| 3000mm X 1500mm X 20.0mm | 720      |
| 2500mm X 1250mm X 25mm   | 625      |
| 3000mm X 1500mm X 25mm   | 900      |
| 2500mm X 1250mm X 30mm   | 750      |
| 3000mm X 1500mm X 30mm   | 1080     |

## Plate



Stainless Steel Cold Rolled Plate Grades 1.4307 (304L) & 1.4404 (316L)

| Size                    | KG/Plate |
|-------------------------|----------|
| 2000mm X 1000mm X 4.0mm | 64       |
| 2500mm X 1250mm X 4.0mm | 100      |
| 3000mm X 1500mm X 4.0mm | 144      |
| 2000mm X 1000mm X 5.0mm | 80       |
| 2500mm X 1250mm X 5.0mm | 125      |
| 3000mm X 1500mm X 5.0mm | 180      |
| 2000mm X 1000mm X 6.0mm | 96       |
| 2500mm X 1250mm X 6.0mm | 150      |
| 3000mm X 1500mm X 6.0mm | 216      |

## Circle Polished Sheet



Circle Polished Stainless Steel Sheet Grade 1.4301 (304) - 50mm Circles

| Size                    | KG/Sheet |
|-------------------------|----------|
| 2500mm x 1250mm x 0.9mm | 23.0     |
| 2500mm x 1250mm x 1.2mm | 30.7     |
| 2500mm x 1250mm x 1.5mm | 38.4     |
| 2500mm x 1250mm x 2.0mm | 51.2     |

Circle Polished Stainless Steel Sheet Grade 1.4016 (430) - 50mm Circles

| Size                    | KG/Sheet |
|-------------------------|----------|
| 2500mm x 1250mm x 0.9mm | 23.0     |

## Treadplate



Stainless Steel Treadplate BSEN 10088: Part 3 / ASTM A793 / DIN 59220 (T) Pattern 1 Grade AISI 304

| Size                    | KG/Plate |
|-------------------------|----------|
| 3000mm X 1000mm X 3.0mm | 78       |
| 3000mm X 1250mm X 3.0mm | 98       |
| 3000mm X 1250mm X 4.5mm | 143      |
| 3000mm X 1250mm X 6.0mm | 180      |

## Equal Angle



Stainless Steel Angle Grades 1.4307 (304L) & 1.4404 (316L)

| Size                     | KG/Metre |
|--------------------------|----------|
| 20.0mm X 20.0mm X 3.0mm  | 0.95     |
| 25.0mm X 25.0mm X 3.0mm  | 1.20     |
| 25.0mm X 25.0mm X 5.0mm  | 1.92     |
| 25.0mm X 25.0mm X 6.0mm  | 2.25     |
| 30.0mm X 30.0mm X 3.0mm  | 1.46     |
| 30.0mm X 30.0mm X 5.0mm  | 2.35     |
| 30.0mm X 30.0mm X 6.0mm  | 2.76     |
| 40.0mm X 40.0mm X 3.0mm  | 1.97     |
| 40.0mm X 40.0mm X 5.0mm  | 3.20     |
| 40.0mm X 40.0mm X 6.0mm  | 3.79     |
| 50.0mm X 50.0mm X 3.0mm  | 2.48     |
| 50.0mm X 50.0mm X 5.0mm  | 4.05     |
| 50.0mm X 50.0mm X 6.0mm  | 4.81     |
| 50.0mm X 50.0mm X 10.0mm | 7.68     |
| 60.0mm X 60.0mm X 5.0mm  | 4.91     |
| 60.0mm X 60.0mm X 6.0mm  | 5.84     |
| 60.0mm X 60.0mm X10.0mm  | 9.39     |
| 70.0mm X 70.0mm X 6.0mm  | 6.86     |
| 70.0mm X 70.0mm X 10.0mm | 11.10    |
| 75.0mm X 75.0mm X 6.0mm  | 7.37     |
| 75.0mm X 75.0mm X 10.0mm | 11.95    |
| 80.0mm X 80.0mm X 6.0mm  | 7.88     |
| 80.0mm X 80.0mm X 10.0mm | 12.80    |
| 100.0mmX100.0mm X 6.0mm  | 9.93     |
| 100.0mmX100.0mm X 10.0mm | 16.21    |

## Square Bar



Stainless Steel Hot Rolled Square Bar Grade 1.4307/304L

| Size      | KG/Metre |
|-----------|----------|
| 12.0mm SQ | 1.14     |
| 16.0mm SQ | 2.02     |
| 20.0mm SQ | 3.16     |
| 25.0mm SQ | 4.94     |
| 30.0mm SQ | 7.11     |
| 40.0mm SQ | 12.64    |
| 50.0mm SQ | 19.75    |

Stainless Steel Hot Rolled Square Bar Grade 1.4404/316L

| Size      | KG/Metre |
|-----------|----------|
| 12.0mm SQ | 1.15     |
| 16.0mm SQ | 2.04     |
| 20.0mm SQ | 3.18     |
| 25.0mm SQ | 4.98     |
| 30.0mm SQ | 7.16     |
| 1½" SQ    | 11.55    |
| 40.0mm SQ | 12.74    |
| 50.0mm SQ | 19.90    |

## Hexagon Bar



Stainless Steel Hexagon Bar Grade 1.4305 (303)

| Size        | KG/Metre |
|-------------|----------|
| 0.3125" A/F | 0.43     |
| 0.437" A/F  | 0.84     |
| 0.500" A/F  | 1.10     |
| 0.562" A/F  | 1.39     |
| 0.625" A/F  | 1.73     |
| 0.750" A/F  | 2.48     |
| 0.820" A/F  | 2.97     |
| 0.875" A/F  | 3.38     |
| 0.937" A/F  | 3.88     |
| 1.010" A/F  | 4.50     |
| 1.125" A/F  | 5.59     |
| 1.250" A/F  | 6.90     |

Stainless Steel Hexagon Bar Grade 1.4404 (316L)

| Size       | KG/Metre |
|------------|----------|
| 0.500" A/F | 1.11     |
| 0.562" A/F | 1.40     |
| 0.625" A/F | 1.74     |
| 17.0mm A/F | 1.99     |
| 0.750" A/F | 2.50     |
| 0.820" A/F | 2.99     |
| 0.875" A/F | 3.41     |
| 0.920" A/F | 3.76     |
| 1.010" A/F | 4.54     |
| 1.101" A/F | 5.39     |
| 1.125" A/F | 5.63     |
| 1.200" A/F | 6.40     |
| 1.250" A/F | 6.95     |
| 1.300" A/F | 7.52     |
| 1.375" A/F | 8.41     |
| 1.480" A/F | 9.74     |
| 1.500" A/F | 10.0     |
| 1.670" A/F | 12.4     |
| 1.860" A/F | 15.4     |
| 2.500" A/F | 27.8     |

# Stainless Steel

## Round Bar



Stainless Steel Round Bar Grade 1.4305 (303)

| Size                  | KG/Metre |
|-----------------------|----------|
| 3.0mm DIA             | 0.06     |
| 1/8" DIA (3.175mm)    | 0.06     |
| 4.0mm DIA             | 0.10     |
| 3/16" DIA (4.762mm)   | 0.14     |
| 5.0mm DIA             | 0.16     |
| 6.0mm DIA             | 0.22     |
| 1/4" DIA (6.35mm)     | 0.25     |
| 7.0mm DIA             | 0.30     |
| 5/16" DIA (7.937mm)   | 0.39     |
| 8.0mm DIA             | 0.40     |
| 3/8" DIA (9.525mm)    | 0.56     |
| 10.0mm DIA            | 0.62     |
| 7/16" DIA (11.112mm)  | 0.77     |
| 12.0mm DIA            | 0.89     |
| 1/2" DIA (12.7mm)     | 1.00     |
| 14.0mm DIA            | 1.22     |
| 9/16" DIA (14.287mm)  | 1.27     |
| 15.0mm DIA            | 1.40     |
| 5/8" DIA (15.875mm)   | 1.56     |
| 16.0mm DIA            | 1.59     |
| 11/16" DIA (17.462mm) | 1.89     |
| 18.0mm DIA            | 2.01     |
| 3/4" DIA (19.05mm)    | 2.25     |
| 20.0mm DIA            | 2.48     |
| 22.0mm DIA            | 3.00     |
| 7/8" DIA (22.225mm)   | 3.07     |
| 24.0mm DIA            | 3.57     |
| 25.0mm DIA            | 3.88     |
| 1" DIA (25.4mm)       | 4.00     |
| 1 1/8" DIA (28.575mm) | 5.07     |
| 30.0mm DIA            | 5.58     |
| 1 1/4" DIA (31.75mm)  | 6.25     |
| 1 3/8" DIA (34.925mm) | 7.57     |
| 35.0mm DIA            | 7.60     |
| 1 1/2" DIA (38.1mm)   | 9.01     |
| 40.0mm DIA            | 9.93     |
| 1 5/8" DIA (41.275mm) | 10.6     |
| 1 3/4" DIA (44.45mm)  | 12.3     |
| 45.0mm DIA            | 12.6     |
| 1 7/8" DIA (47.625mm) | 14.1     |
| 50.0mm DIA            | 15.5     |
| 2" DIA (50.8mm)       | 16.0     |
| 2 1/8" DIA (53.975mm) | 18.1     |
| 2 1/4" DIA (57.15mm)  | 20.3     |
| 60.0mm DIA            | 22.3     |
| 2 3/8" DIA (60.325mm) | 22.6     |
| 2 1/2" DIA (63.5mm)   | 25.0     |
| 2 5/8" DIA (66.67mm)  | 27.6     |
| 2 3/4" DIA (69.85mm)  | 30.3     |
| 3" DIA (76.2mm)       | 36.0     |
| 3 1/4" DIA (82.55mm)  | 42.9     |
| 3 1/2" DIA (88.9mm)   | 49.8     |
| 3 3/4" DIA (95.25mm)  | 57.1     |
| 4" DIA (101.6mm)      | 65.0     |
| 4 1/4" DIA (107.95mm) | 73.4     |
| 4 1/2" DIA (114.3mm)  | 82.3     |
| 5" DIA (127.0mm)      | 102      |
| 5 3/4" DIA (146.05mm) | 134      |
| 6" DIA (152.4mm)      | 146      |
| 7" DIA (177.8mm)      | 199      |

## Round Bar



Stainless Steel Round Bar Grades 1.4307 (304L) & 1.4404 (316L)

| Size                  | KG/Metre |
|-----------------------|----------|
| 3.0mm DIA             | 0.06     |
| 1/8" DIA (3.175mm)    | 0.06     |
| 4.0mm DIA             | 0.10     |
| 3/16" DIA (4.762mm)   | 0.14     |
| 5.0mm DIA             | 0.16     |
| 6.0mm DIA             | 0.22     |
| 1/4" DIA (6.35mm)     | 0.25     |
| 5/16" DIA (7.937mm)   | 0.39     |
| 8.0mm DIA             | 0.40     |
| 3/8" DIA (9.525mm)    | 0.56     |
| 10.0mm DIA            | 0.62     |
| 7/16" DIA (11.112mm)  | 0.77     |
| 12.0mm DIA            | 0.89     |
| 1/2" DIA (12.7mm)     | 1.00     |
| 14.0mm DIA            | 1.23     |
| 9/16" DIA (14.287mm)  | 1.27     |
| 15.0mm DIA            | 1.40     |
| 5/8" DIA (15.875mm)   | 1.56     |
| 16.0mm DIA            | 1.59     |
| 11/16" DIA (17.462mm) | 1.91     |
| 18.0mm DIA            | 2.03     |
| 3/4" DIA (19.05mm)    | 2.25     |
| 20.0mm DIA            | 2.48     |
| 7/8" DIA (22.225mm)   | 3.07     |
| 24.0mm DIA            | 3.60     |
| 25.0mm DIA            | 3.88     |
| 1" DIA (25.4mm)       | 4.00     |
| 1 1/8" DIA (28.575mm) | 5.07     |
| 30.0mm DIA            | 5.58     |
| 1 1/4" DIA (31.75mm)  | 6.25     |
| 32.0mm DIA            | 6.40     |
| 1 3/8" DIA (34.925mm) | 7.57     |
| 35.0mm DIA            | 7.60     |
| 1 1/2" DIA (38.1mm)   | 9.01     |
| 40.0mm DIA            | 9.93     |
| 1 5/8" DIA (41.275mm) | 10.6     |
| 1 3/4" DIA (44.45mm)  | 12.3     |
| 1 7/8" DIA (47.625mm) | 14.2     |
| 45.0mm DIA            | 12.7     |
| 50.0mm DIA            | 15.5     |
| 2" DIA (50.8mm)       | 16.0     |
| 2 1/8" DIA (53.975mm) | 18.2     |
| 2 1/4" DIA (57.15mm)  | 20.3     |
| 60.0mm DIA            | 22.3     |
| 2 3/8" DIA (60.325mm) | 22.8     |
| 2 1/2" DIA (63.5mm)   | 25.0     |
| 2 5/8" DIA (66.67mm)  | 27.8     |
| 2 3/4" DIA (69.85mm)  | 30.3     |
| 3" DIA (76.2mm)       | 36.0     |
| 3 1/4" DIA (82.55mm)  | 42.9     |
| 3 1/2" DIA (88.9mm)   | 49.8     |
| 3 3/4" DIA (95.25mm)  | 57.1     |
| 4" DIA (101.6mm)      | 65.0     |
| 4 1/4" DIA (107.95mm) | 73.4     |
| 110.0mm DIA           | 75.7     |
| 4 1/2" DIA (114.3mm)  | 82.3     |
| 115.0mm DIA           | 82.7     |
| 4 3/4" DIA (120.65mm) | 92.4     |
| 5" DIA (127.0mm)      | 102      |
| 5 1/4" DIA (133.35mm) | 112      |
| 5 1/2" DIA (139.7mm)  | 123      |
| 145mm DIA             | 131      |
| 5 3/4" DIA (146.05mm) | 134      |
| 150.0mm DIA           | 145      |

## Round Bar



Stainless Steel Round Bar Grades 1.4307 (304L) & 1.4404 (316L) (continued)

| Size                  | KG/Metre |
|-----------------------|----------|
| 6" DIA (152.4mm)      | 146      |
| 6 1/4" DIA (158.75mm) | 159      |
| 6 1/2" DIA (165.1mm)  | 172      |
| 7" DIA (177.8mm)      | 199      |
| 180.0mm DIA           | 203      |
| 185.0mm DIA           | 217      |
| 7 1/2" DIA (190.5mm)  | 229      |
| 8" DIA (203.2mm)      | 260      |
| 8 1/2" DIA (215.9mm)  | 294      |
| 9" DIA (228.6mm)      | 329      |
| 240.0mm DIA           | 360      |
| 9 1/2" DIA (241.3mm)  | 369      |
| 10" DIA (254.0mm)     | 406      |
| 10 1/2" DIA (266.7mm) | 451      |
| 11" DIA (279.4mm)     | 492      |
| 12" DIA (304.8mm)     | 585      |
| 340.0mm DIA           | 728      |
| 350.0mm DIA           | 766      |
| 14" DIA (355.6mm)     | 802      |
| 375.0mm DIA           | 879      |
| 16" DIA (406.4mm)     | 1040     |
| 450.0mm DIA           | 1317     |

continued...

# Stainless Steel

## Flat Bar - Rolled Edge



Stainless Steel Rolled Edge Flat Bar Grades 1.4307 (304L) & 1.4404 (316L)

| Size             | KG/Metre |
|------------------|----------|
| 12.0mm X 3.0mm   | 0.28     |
| 12.0mm X 5.0mm   | 0.47     |
| 12.0mm X 6.0mm   | 0.57     |
| 20.0mm X 3.0mm   | 0.47     |
| 20.0mm X 5.0mm   | 0.79     |
| 20.0mm X 6.0mm   | 0.95     |
| 25.0mm X 3.0mm   | 0.59     |
| 25.0mm X 5.0mm   | 0.99     |
| 25.0mm X 6.0mm   | 1.19     |
| 25.0mm X 8.0mm   | 1.58     |
| 25.0mm X 10.0mm  | 1.98     |
| 30.0mm X 3.0mm   | 0.71     |
| 30.0mm X 5.0mm   | 1.19     |
| 30.0mm X 6.0mm   | 1.42     |
| 30.0mm X 8.0mm   | 1.90     |
| 30.0mm X 10.0mm  | 2.37     |
| 35.0mm X 6.0mm   | 1.66     |
| 40.0mm X 3.0mm   | 0.95     |
| 40.0mm X 5.0mm   | 1.58     |
| 40.0mm X 6.0mm   | 1.90     |
| 40.0mm X 8.0mm   | 2.53     |
| 40.0mm X 10.0mm  | 3.16     |
| 40.0mm X 12.0mm  | 3.79     |
| 45.0mm X 6.0mm   | 2.13     |
| 50.0mm X 3.0mm   | 1.19     |
| 50.0mm X 5.0mm   | 1.98     |
| 50.0mm X 6.0mm   | 2.37     |
| 50.0mm X 8.0mm   | 3.16     |
| 50.0mm X 10.0mm  | 3.95     |
| 50.0mm X 12.0mm  | 4.74     |
| 60.0mm X 3.0mm   | 1.42     |
| 60.0mm X 5.0mm   | 2.37     |
| 60.0mm X 6.0mm   | 2.84     |
| 60.0mm X 8.0mm   | 3.79     |
| 60.0mm X 10.0mm  | 4.74     |
| 60.0mm X 12.0mm  | 5.69     |
| 65.0mm X 6.0mm   | 3.08     |
| 65.0mm X 10.0mm  | 5.14     |
| 75.0mm X 3.0mm   | 1.78     |
| 75.0mm X 5.0mm   | 2.96     |
| 75.0mm X 6.0mm   | 3.56     |
| 75.0mm X 8.0mm   | 4.74     |
| 75.0mm X 10.0mm  | 5.93     |
| 75.0mm X 12.0mm  | 7.11     |
| 80.0mm X 6.0mm   | 3.79     |
| 80.0mm X 10.0mm  | 6.32     |
| 100.0mm X 3.0mm  | 2.37     |
| 100.0mm X 5.0mm  | 3.95     |
| 100.0mm X 6.0mm  | 4.74     |
| 100.0mm X 8.0mm  | 6.32     |
| 100.0mm X 10.0mm | 7.90     |
| 100.0mm X 12.0mm | 9.48     |
| 125.0mm X 6.0mm  | 5.93     |
| 125.0mm X 10.0mm | 9.88     |
| 125.0mm X 12.0mm | 11.85    |
| 150.0mm X 6.0mm  | 7.11     |
| 150.0mm X 8.0mm  | 9.48     |
| 150.0mm X 10.0mm | 11.85    |
| 150.0mm X 12.0mm | 14.33    |
| 200.0mm X 6.0mm  | 9.48     |
| 200.0mm X 8.0mm  | 12.64    |
| 200.0mm X 10.0mm | 15.80    |

## Flat Bar - Hot Rolled



Stainless Steel Hot Rolled Flat Bar Grade 1.4307 (304L)

| Size             | KG/Metre |
|------------------|----------|
| 20.0mm X 10.0mm  | 1.58     |
| 20.0mm X 12.0mm  | 1.90     |
| 25.0mm X 10.0mm  | 1.98     |
| 25.0mm X 12.0mm  | 2.37     |
| 25.0mm X 15.0mm  | 2.96     |
| 25.0mm X 20.0mm  | 3.95     |
| 30.0mm X 12.0mm  | 2.84     |
| 30.0mm X 15.0mm  | 3.56     |
| 30.0mm X 25.0mm  | 5.93     |
| 40.0mm X 15.0mm  | 4.74     |
| 40.0mm X 20.0mm  | 6.32     |
| 40.0mm X 25.0mm  | 7.90     |
| 50.0mm X 15.0mm  | 5.93     |
| 50.0mm X 20.0mm  | 7.90     |
| 50.0mm X 25.0mm  | 9.88     |
| 60.0mm X 15.0mm  | 7.11     |
| 60.0mm X 20.0mm  | 9.48     |
| 60.0mm X 25.0mm  | 11.9     |
| 75.0mm X 15.0mm  | 8.89     |
| 75.0mm X 20.0mm  | 11.9     |
| 75.0mm X 25.0mm  | 14.8     |
| 100.0mm X 15.0mm | 11.9     |
| 100.0mm X 20.0mm | 15.8     |
| 100.0mm X 25.0mm | 19.8     |

Stainless Steel Hot Rolled Flat Bar Grade 1.4404 (316L)

| Size             | KG/Metre |
|------------------|----------|
| 20.0mm X 10.0mm  | 1.59     |
| 20.0mm X 12.0mm  | 1.91     |
| 25.0mm X 10.0mm  | 1.99     |
| 25.0mm X 12.0mm  | 2.39     |
| 25.0mm X 15.0mm  | 2.99     |
| 30.0mm X 12.0mm  | 2.87     |
| 30.0mm X 20.0mm  | 4.78     |
| 30.0mm X 25.0mm  | 5.97     |
| 40.0mm X 15.0mm  | 4.78     |
| 40.0mm X 20.0mm  | 6.37     |
| 40.0mm X 25.0mm  | 7.96     |
| 50.0mm X 15.0mm  | 5.97     |
| 50.0mm X 20.0mm  | 7.96     |
| 50.0mm X 25.0mm  | 9.95     |
| 60.0mm X 15.0mm  | 7.16     |
| 60.0mm X 20.0mm  | 9.55     |
| 75.0mm X 20.0mm  | 11.94    |
| 100.0mm X 15.0mm | 11.94    |

# Stainless Steel

## Flat Bar - Polished



Stainless Steel Rolled Edge Polished 320G Flat Bar Grade 1.4307 (304L)

| Size           | KG/Metre |
|----------------|----------|
| 30mm X 5.0mm   | 1.22     |
| 40mm X 5.0mm   | 1.63     |
| 50mm X 5.0mm   | 2.03     |
| 60mm X 5.0mm   | 2.44     |
| 100mm X 5.0mm  | 4.07     |
| 30mm X 6.0mm   | 1.46     |
| 40mm X 6.0mm   | 1.95     |
| 50mm X 6.0mm   | 2.44     |
| 30mm X 8.0mm   | 1.95     |
| 40mm X 8.0mm   | 2.60     |
| 50mm X 8.0mm   | 3.25     |
| 60mm X 8.0mm   | 3.91     |
| 80mm X 8.0mm   | 5.21     |
| 100mm X 8.0mm  | 6.51     |
| 30mm X 10.0mm  | 2.44     |
| 40mm X 10.0mm  | 3.25     |
| 50mm X 10.0mm  | 4.07     |
| 60mm X 10.0mm  | 4.88     |
| 80mm X 10.0mm  | 6.51     |
| 100mm X 10.0mm | 8.14     |

# Stainless Steel

## Structural & Decorative Tube - Round

Stainless Steel Welded Structural & Decorative Tube Grades 304 & 316 - Mirror Polish O/D

| Size              | KG/Metre |
|-------------------|----------|
| 5/8" OD X 1.2mm   | 0.44     |
| 5/8" OD X 1.5mm   | 0.54     |
| 1/2" OD X 1.5mm   | 0.42     |
| 3/4" OD X 1.85SWG | 0.54     |
| 3/4" OD X 1.5mm   | 0.65     |
| 7/8" OD X 1.2mm   | 0.63     |
| 7/8" OD X 1.5mm   | 0.77     |
| 7/8" OD X 2.0mm   | 1.00     |
| 19mm OD X 1.2mm   | 0.53     |
| 1" OD X 1.2mm     | 0.72     |
| 1" OD X 1.5mm     | 0.89     |
| 1" OD X 2.0mm     | 1.17     |
| 1 1/4" OD X 1.2mm | 0.91     |
| 1 1/4" OD X 1.5mm | 1.13     |
| 1 1/2" OD X 1.2mm | 1.10     |
| 1 1/2" OD X 1.5mm | 1.40     |
| 1 1/2" OD X 2.0mm | 1.80     |
| 1 3/4" OD X 1.5mm | 1.60     |
| 2" OD X 1.2mm     | 1.48     |
| 2" OD X 1.5mm     | 1.84     |
| 2" OD X 2.0mm     | 2.44     |
| 2" OD X 3.0mm     | 3.56     |
| 2 1/2" OD X 1.5mm | 2.31     |
| 3" OD X 1.5mm     | 2.78     |

Stainless Steel Welded Structural & Decorative Tube Grades 304 & 316 - Brushed Finish O/D

| Size              | KG/Metre |
|-------------------|----------|
| 3/4" OD X 1.5mm   | 0.65     |
| 1" OD X 1.5mm     | 0.89     |
| 1 1/2" OD X 1.5mm | 1.36     |
| 1 1/2" OD X 2.0mm | 1.79     |
| 1 1/2" OD X 3.0mm | 2.61     |
| 2" OD X 1.5mm     | 1.84     |
| 2" OD X 2.0mm     | 2.42     |
| 2" OD X 3.0mm     | 3.56     |
| 3" OD X 3.0mm     | 5.45     |
| 4" OD X 3.0mm     | 7.34     |

Stainless Steel Welded Structural & Decorative Tube Grade 304 - Descaled Finish

| Size            | KG/Metre |
|-----------------|----------|
| 25mm OD X 1.5mm | 0.90     |
| 25mm OD X 2.0mm | 1.14     |

## Structural & Decorative Tube - Round

Stainless Steel Welded Structural & Decorative Tube ASTM A554 Grades 304 & 316 - Satin Polish O/D

| Size                    | KG/Metre |
|-------------------------|----------|
| 1 1/2" OD X 3.0mm SATIN | 2.63     |
| 2" OD X 3.0mm SATIN     | 3.59     |
| 3" OD X 3.0mm SATIN     | 5.49     |
| 4" OD X 3.0mm SATIN     | 7.40     |

Stainless Steel Welded Structural & Decorative Tube Grades 304 & 316 - Dull Polish O/D

| Size              | KG/Metre |
|-------------------|----------|
| 3/4" OD X 1.5mm   | 0.65     |
| 1" OD X 1.5mm     | 0.89     |
| 1 1/2" OD X 1.5mm | 1.36     |
| 1 1/2" OD X 2.0mm | 1.79     |
| 1 1/2" OD X 3.0mm | 2.61     |
| 2" OD X 1.5mm     | 1.84     |
| 2" OD X 2.0mm     | 2.42     |
| 2" OD X 3.0mm     | 3.56     |
| 3" OD X 3.0mm     | 5.45     |
| 4" OD X 3.0mm     | 7.34     |

## Slotted Tube System and Fittings

Stainless Steel Slotted Handrail Tube Grades 304 & 316

| Size           | KG/Metre |
|----------------|----------|
| 42.2MM X 1.5MM | 1.83     |
| 48.3MM X 1.5MM | 2.17     |



Stainless Steel Glue



Stainless Steel Cleaning & Passivation Kit



90 degree angle - vertical



90 degree angle - horizontal



Connector



Rubber inserts



Slotted tube



End caps



# Stainless Steel

## Handrail Tube and Fittings

Stainless Steel Handrail Tube Grade 304 & 316 - Satin Polish O/D

| Size              | KG/Metre |
|-------------------|----------|
| 1" OD X 3.0mm     | 1.68     |
| 2" OD X 3.0mm     | 3.57     |
| 3" OD X 3.0mm     | 5.46     |
| 4" OD X 3.0mm     | 7.40     |
| 42.4mm OD X 2.0mm | 2.01     |
| 48.3mm OD x 2.0mm | 2.32     |
| 60.3mm OD X 2.0mm | 2.92     |
| 42.4mm OD X 2.5mm | 2.49     |
| 48.3mm OD X 2.5mm | 2.86     |
| 60.3mm OD X 2.5mm | 3.61     |

Stainless Steel UN-ANNEALED Handrail Tube Grade 304 - Descaled Finish

| Size                   | KG/Metre |
|------------------------|----------|
| 42.2mm OD X 1.6mm 304  | 1.62     |
| 60.3mm OD X 1.6mm 304  | 2.33     |
| 76.1mm OD X 1.6mm 304  | 2.96     |
| 101.6mm OD X 2.0mm 304 | 4.94     |



### Glass Clamps



Glass Clamp



Glass Clamp



Glass Clamp



Glass Clamp

### Fittings



Adjustable Elbow



90 Degree Elbow



45 Degree Elbow



90 Degree Curved Elbow

### Fittings



Flexible Elbow



Internal Connector



Crossbar Holder Intermediate



Flush Tee Connector

### Fittings



4-way Corner Connector



Cross Connector



3-way Corner Connector



Adaptor

### Mountings



Floor Base (indoor use)

### Mountings



Floor Base (outdoor use)

### Mountings



Elbow with Flange

### End Caps



Flat Cap

### Handrail Brackets



Straight Saddle



Handrail Holder



Disc



Cover Plate



Elbow with Flange



End Caps



Adjustable Saddle



Handrail Holder



Wall Flange



Disc

### End Caps



End Caps



End Caps with M8



End Caps



Wall Support



Handrail Holder



Side Mounted Base



Side Mounted Base

# Stainless Steel

Glass U - Frameless glass system for interior or exterior stairs and blaconies

Accessories - Adhesive & Cleaners



Stainless Steel Cleaning & Passivation Kit



Stainless Steel Glue



# Stainless Steel

## Structural & Decorative Tube - Square

Stainless Steel Welded Structural & Decorative Tube  
Grade 1.4301 (304) - Descaled Finish

| Size                    | KG/Metre |
|-------------------------|----------|
| 12.7mm X 12.7mm X 1.2mm | 0.45     |
| 12.7mm X 12.7mm X 1.5mm | 0.55     |
| 40mm X 40mm X 4.0mm     | 4.81     |
| 50mm X 50mm X 4.0mm     | 5.96     |
| 50mm X 50mm X 5.0mm     | 7.41     |
| 60mm X 60mm X 4.0mm     | 7.22     |
| 60mm X 60mm X 5.0mm     | 8.90     |
| 80mm X 80mm X 4.0mm     | 9.82     |
| 80mm X 80mm X 5.0mm     | 12.40    |
| 100mm X 100mm X 4.0mm   | 12.40    |
| 100mm X 100mm X 5.0mm   | 15.38    |
| 100mm X 100mm X 6.0mm   | 17.50    |
| 100mm X 100mm X 8.0mm   | 23.26    |
| 120mm X 120mm X 3.0mm   | 11.80    |
| 120mm X 120mm X 4.0mm   | 15.00    |
| 120mm X 120mm X 5.0mm   | 18.66    |
| 120mm X 120mm X 6.0mm   | 21.20    |
| 150mm X 150mm X 3.0mm   | 14.06    |

Stainless Steel Welded Structural & Decorative Tube  
Grade 1.4301 (304) - Brushed Finish O/D

| Size                   | KG/Metre |
|------------------------|----------|
| 150mm X 150mm X 4.0mm  | 18.62    |
| 150mm X 150mm X 5.0mm  | 22.40    |
| 150mm X 150mm X 6.0mm  | 27.36    |
| 150mm X 150mm X 8.0mm  | 34.30    |
| 150mm X 150mm X 10.0mm | 41.65    |
| 200mm X 200mm X 3.0mm  | 18.62    |
| 200mm X 200mm X 5.0mm  | 30.40    |
| 200mm X 200mm X 6.0mm  | 36.09    |
| 200mm X 200mm X 8.0mm  | 47.10    |
| 200mm X 200mm X 10.0mm | 57.60    |

Stainless Steel Welded Structural & Decorative Tube  
Grade 1.4404 (316) - Descaled Finish

| Size                  | KG/Metre |
|-----------------------|----------|
| 80mm X 80mm X 4.0mm   | 9.82     |
| 100mm X 100mm X 4.0mm | 12.40    |
| 100mm X 100mm X 5.0mm | 15.38    |
| 100mm X 100mm X 6.0mm | 17.50    |
| 100mm X 100mm X 8.0mm | 21.60    |
| 120mm X 120mm X 4.0mm | 14.77    |
| 120mm X 120mm X 5.0mm | 18.66    |
| 120mm X 120mm X 6.0mm | 21.20    |
| 150mm X 150mm X 4.0mm | 18.60    |
| 150mm X 150mm X 5.0mm | 23.08    |
| 150mm X 150mm X 6.0mm | 27.51    |

Stainless Steel Welded Structural & Decorative Tube  
Grade 1.4016 (430) - Dull Polish O/D

| Size                | KG/Metre |
|---------------------|----------|
| 25mm X 25mm X 1.2mm | 0.93     |
| 30mm X 30mm X 1.2mm | 1.11     |
| 30mm X 30mm X 1.5mm | 1.37     |
| 40mm X 40mm X 1.5mm | 1.86     |

Stainless Steel Welded Structural & Decorative Tube  
Grade 1.4301 (304) - Brushed Finish O/D

| Size                | KG/Metre |
|---------------------|----------|
| 20mm X 20mm X 1.5mm | 0.88     |

Stainless Steel Welded Structural & Decorative Tube  
Grade 1.4016 (430) - Dull Polish O/D

| Size                  | KG/Metre |
|-----------------------|----------|
| 20mm X 20mm X 1.5mm   | 0.88     |
| 25mm X 25mm X 1.5mm   | 1.15     |
| 25mm X 25mm X 2.0mm   | 1.50     |
| 30mm X 30mm X 1.5mm   | 1.37     |
| 30mm X 30mm X 2.0mm   | 1.84     |
| 30mm X 30mm X 3.0mm   | 2.72     |
| 40mm X 40mm X 1.5mm   | 1.86     |
| 40mm X 40mm X 2.0mm   | 2.45     |
| 40mm X 40mm X 3.0mm   | 3.76     |
| 50mm X 50mm X 1.5mm   | 2.33     |
| 50mm X 50mm X 2.0mm   | 3.08     |
| 50mm X 50mm X 3.0mm   | 4.65     |
| 60mm X 60mm X 3.0mm   | 5.44     |
| 80mm X 80mm X 3.0mm   | 7.36     |
| 100mm X 100mm X 3.0mm | 9.53     |
| 100mm X 100mm X 4.0mm | 12.40    |

Stainless Steel Welded Structural & Decorative Tube  
to EN/ISO 1127 Grade 1.4509 (441) - Dull Polish O/D

| Size                | KG/Metre |
|---------------------|----------|
| 25mm X 25mm X 1.2mm | 0.93     |
| 30mm X 30mm X 1.2mm | 1.11     |
| 30mm X 30mm X 1.5mm | 1.37     |
| 40mm X 40mm X 1.5mm | 1.86     |

Stainless Steel Welded Structural & Decorative Tube  
Grade 1.4301 (304) - Dull Polish O/D

| Size                    | KG/Metre |
|-------------------------|----------|
| 12.7mm X 12.7mm X 1.2mm | 0.45     |
| 12.7mm X 12.7mm X 1.5mm | 0.55     |
| 15mm X 15mm X 1.2mm     | 0.53     |
| 15mm X 15mm X 1.5mm     | 0.66     |
| 20mm X 20mm X 1.2mm     | 0.72     |
| 20mm X 20mm X 1.5mm     | 0.88     |
| 20mm X 20mm X 2.0mm     | 1.19     |
| 25mm X 25mm X 1.2mm     | 0.93     |
| 25mm X 25mm X 1.5mm     | 1.15     |
| 25mm X 25mm X 2.0mm     | 1.50     |
| 25mm X 25mm X 3.0mm     | 2.21     |
| 30mm X 30mm X 1.2mm     | 1.11     |
| 30mm X 30mm X 1.5mm     | 1.37     |
| 30mm X 30mm X 2.0mm     | 1.84     |
| 30mm X 30mm X 3.0mm     | 2.72     |
| 40mm X 40mm X 1.2mm     | 1.50     |
| 40mm X 40mm X 1.5mm     | 1.86     |
| 40mm X 40mm X 2.0mm     | 2.45     |
| 40mm X 40mm X 3.0mm     | 3.76     |
| 50mm X 50mm X 1.5mm     | 2.33     |
| 50mm X 50mm X 2.0mm     | 3.08     |
| 50mm X 50mm X 3.0mm     | 4.65     |
| 60mm X 60mm X 2.0mm     | 3.71     |
| 60mm X 60mm X 3.0mm     | 5.49     |
| 70mm X 70mm X 3.0mm     | 6.53     |
| 80mm X 80mm X 2.0mm     | 4.99     |
| 80mm X 80mm X 3.0mm     | 7.53     |
| 100mm X 100mm X 2.0mm   | 6.40     |
| 100mm X 100mm X 3.0mm   | 9.53     |



## Structural & Decorative Tube - Square

Stainless Steel Welded Structural & Decorative Tube  
Grade 304 - Brushed Finish

| Size                  | KG/Metre |
|-----------------------|----------|
| 15mm x 15mm x 1.5mm   | 0.60     |
| 20mm x 20mm x 2.0mm   | 1.19     |
| 25mm x 25mm x 1.5mm   | 1.15     |
| 25mm x 25mm x 2.0mm   | 1.49     |
| 25mm x 25mm x 3.0mm   | 2.20     |
| 30mm x 30mm x 1.5mm   | 1.37     |
| 30mm x 30mm x 2.0mm   | 1.84     |
| 30mm x 30mm x 3.0mm   | 2.72     |
| 40mm x 40mm x 1.5mm   | 1.86     |
| 40mm x 40mm x 2.0mm   | 2.45     |
| 40mm x 40mm x 3.0mm   | 3.76     |
| 50mm x 50mm x 1.5mm   | 2.33     |
| 50mm x 50mm x 2.0mm   | 3.08     |
| 50mm x 50mm x 3.0mm   | 4.65     |
| 60mm x 60mm x 2.0mm   | 3.71     |
| 60mm x 60mm x 3.0mm   | 5.49     |
| 70mm x 70mm x 3.0mm   | 6.53     |
| 80mm x 80mm x 2.0mm   | 4.99     |
| 80mm x 80mm x 3.0mm   | 7.53     |
| 100mm x 100mm x 2.0mm | 6.40     |
| 100mm x 100mm x 3.0mm | 9.53     |

Stainless Steel Welded Structural & Decorative Tube  
Grade 316 - Brushed Finish

| Size                  | KG/Metre |
|-----------------------|----------|
| 20mm x 20mm x 1.5mm   | 0.88     |
| 25mm x 25mm x 1.5mm   | 1.15     |
| 25mm x 25mm x 2.0mm   | 1.49     |
| 30mm x 30mm x 1.5mm   | 1.37     |
| 30mm x 30mm x 2.0mm   | 1.84     |
| 30mm x 30mm x 3.0mm   | 2.72     |
| 40mm x 40mm x 1.5mm   | 1.86     |
| 40mm x 40mm x 2.0mm   | 2.45     |
| 40mm x 40mm x 3.0mm   | 3.76     |
| 50mm x 50mm x 1.5mm   | 2.33     |
| 50mm x 50mm x 2.0mm   | 3.08     |
| 50mm x 50mm x 3.0mm   | 4.65     |
| 60mm x 60mm x 3.0mm   | 5.44     |
| 80mm x 80mm x 3.0mm   | 7.36     |
| 100mm x 100mm x 3.0mm | 9.53     |



# Stainless Steel

## Structural & Decorative Tube - Rectangular

Stainless Steel Welded Structural & Decorative Tube  
Grade 304 - Brushed Finish

| Size                 | KG/Metre |
|----------------------|----------|
| 20mm x 10mm x 1.5mm  | 0.66     |
| 30mm x 10mm x 1.5mm  | 0.90     |
| 30mm x 15mm x 1.5mm  | 1.00     |
| 30mm x 20mm x 1.5mm  | 1.15     |
| 40mm x 15mm x 1.5mm  | 1.26     |
| 40mm x 20mm x 1.5mm  | 1.37     |
| 40mm x 20mm x 2.0mm  | 1.83     |
| 50mm x 25mm x 1.5mm  | 1.76     |
| 50mm x 25mm x 2.0mm  | 2.32     |
| 50mm x 25mm x 3.0mm  | 3.46     |
| 50mm x 30mm x 1.5mm  | 1.86     |
| 50mm x 30mm x 2.0mm  | 2.45     |
| 50mm x 30mm x 3.0mm  | 3.75     |
| 60mm x 20mm x 1.5mm  | 1.86     |
| 60mm x 30mm x 1.5mm  | 2.12     |
| 60mm x 30mm x 2.0mm  | 2.80     |
| 60mm x 30mm x 3.0mm  | 4.10     |
| 60mm x 40mm x 1.5mm  | 2.33     |
| 60mm x 40mm x 2.0mm  | 3.08     |
| 60mm x 40mm x 3.0mm  | 4.65     |
| 80mm x 40mm x 1.5mm  | 2.80     |
| 80mm x 40mm x 2.0mm  | 3.71     |
| 80mm x 40mm x 3.0mm  | 5.49     |
| 80mm x 60mm x 3.0mm  | 6.53     |
| 100mm x 40mm x 3.0mm | 6.53     |
| 100mm x 50mm x 2.0mm | 4.68     |
| 100mm x 50mm x 3.0mm | 6.95     |
| 100mm x 60mm x 3.0mm | 7.53     |

Stainless Steel Welded Structural & Decorative Tube  
Grade 304 - Descaled Finish

| Size                   | KG/Metre |
|------------------------|----------|
| 80mm X 40mm X 4.0mm    | 7.22     |
| 80mm X 40mm X 5.0mm    | 8.90     |
| 100mm X 50mm X 4.0mm   | 9.09     |
| 100mm X 50mm X 5.0mm   | 11.2     |
| 120mm X 60mm X 3.0mm   | 8.39     |
| 120mm X 60mm X 4.0mm   | 11.1     |
| 120mm X 60mm X 5.0mm   | 13.8     |
| 120mm X 80mm X 3.0mm   | 9.53     |
| 120mm X 80mm X 4.0mm   | 12.4     |
| 120mm X 80mm X 5.0mm   | 15.4     |
| 150mm X 50mm X 3.0mm   | 9.53     |
| 150mm X 50mm X 5.0mm   | 15.4     |
| 150mm X 100mm X 3.0mm  | 11.7     |
| 150mm X 100mm X 4.0mm  | 15.4     |
| 150mm X 100mm X 5.0mm  | 18.8     |
| 150mm X 100mm X 6.0mm  | 22.6     |
| 150mm X 100mm X 8.0mm  | 27.9     |
| 200mm X 100mm X 3.0mm  | 14.1     |
| 200mm X 100mm X 4.0mm  | 18.6     |
| 200mm X 100mm X 5.0mm  | 22.4     |
| 200mm X 100mm X 6.0mm  | 27.4     |
| 200mm X 100mm X 8.0mm  | 35.9     |
| 200mm X 100mm X 10.0mm | 41.6     |
| 250mm X 150mm X 6.0mm  | 36.8     |
| 250mm X 150mm X 8.0mm  | 47.3     |



Stainless Steel Welded Structural & Decorative Tube  
Grade 316 - Descaled finish

| Size                  | KG/Metre |
|-----------------------|----------|
| 80mm X 40mm X 4.0mm   | 7.2      |
| 80mm X 40mm X 5.0mm   | 8.9      |
| 100mm X 50mm X 5.0mm  | 11.1     |
| 120mm X 80mm X 3.0mm  | 9.5      |
| 120mm X 80mm X 5.0mm  | 15.4     |
| 150mm X 100mm X 3.0mm | 11.7     |
| 150mm X 100mm X 4.0mm | 15.4     |
| 150mm X 100mm X 5.0mm | 19.1     |
| 150mm X 100mm X 6.0mm | 22.6     |
| 150mm X 100mm X 8.0mm | 29.8     |
| 200mm X 100mm X 4.0mm | 18.6     |
| 200mm X 100mm X 5.0mm | 23.1     |
| 200mm X 100mm X 6.0mm | 27.5     |
| 200mm X 100mm X 8.0mm | 34.3     |

Stainless Steel Welded Structural & Decorative Tube  
Grade 304 - Dull Polish O/D

| Size                 | KG/Metre |
|----------------------|----------|
| 20mm X 10mm X 1.5mm  | 0.66     |
| 30mm X 10mm X 1.2mm  | 0.73     |
| 30mm X 10mm X 1.5mm  | 0.90     |
| 30mm X 15mm X 1.5mm  | 1.00     |
| 30mm X 20mm X 1.5mm  | 1.15     |
| 40mm X 15mm X 1.5mm  | 1.26     |
| 40mm X 20mm X 1.2mm  | 1.11     |
| 40mm X 20mm X 1.5mm  | 1.37     |
| 40mm X 20mm X 2.0mm  | 1.84     |
| 50mm X 25mm X 1.2mm  | 1.42     |
| 50mm X 25mm X 1.5mm  | 1.76     |
| 50mm X 25mm X 2.0mm  | 2.32     |
| 50mm X 25mm X 3.0mm  | 3.46     |
| 50mm X 30mm X 1.5mm  | 1.86     |
| 50mm X 30mm X 2.0mm  | 2.45     |
| 50mm X 30mm X 3.0mm  | 3.76     |
| 60mm X 20mm X 1.5mm  | 1.86     |
| 60mm X 30mm X 1.5mm  | 2.12     |
| 60mm X 30mm X 2.0mm  | 2.80     |
| 60mm X 30mm X 3.0mm  | 4.13     |
| 60mm X 40mm X 1.5mm  | 2.33     |
| 60mm X 40mm X 2.0mm  | 3.08     |
| 60mm X 40mm X 3.0mm  | 4.65     |
| 80mm X 40mm X 1.5mm  | 2.80     |
| 80mm X 40mm X 2.0mm  | 3.71     |
| 80mm X 40mm X 3.0mm  | 5.49     |
| 80mm X 60mm X 3.0mm  | 6.53     |
| 100mm X 50mm X 2.0mm | 4.68     |
| 100mm X 40mm X 3.0mm | 6.53     |
| 100mm X 50mm X 3.0mm | 6.95     |
| 100mm X 60mm X 3.0mm | 7.53     |
| 120mm X 60mm X 3.0mm | 8.39     |

Stainless Steel Welded Structural & Decorative Tube  
Grade 316 - Dull Polish O/D

| Size                 | KG/Metre |
|----------------------|----------|
| 40mm X 20mm X 1.5mm  | 1.37     |
| 50mm X 25mm X 1.5mm  | 1.76     |
| 60mm X 40mm X 2.0mm  | 3.06     |
| 80mm X 40mm X 2.0mm  | 3.71     |
| 80mm X 40mm X 3.0mm  | 5.49     |
| 100mm X 50mm X 2.0mm | 4.68     |
| 100mm X 50mm X 3.0mm | 6.95     |



# Stainless Steel

## Pipe



SEAMLESS TO ASTM A312 / ANSI B36.19

| Size          | 304L  | 316L  |
|---------------|-------|-------|
| 1/8" SCH10S   |       | 0.28  |
| 1/8" SCH40S   |       | 0.37  |
| 1/4" SCH10S   |       | 0.50  |
| 1/4" SCH40S   | 0.64  | 0.64  |
| 3/8" SCH80S   | 0.81  | 0.81  |
| 3/8" SCH10S   | 0.64  | 0.64  |
| 3/8" SCH40S   | 0.86  | 0.86  |
| 3/8" SCH80S   |       | 1.12  |
| 1/2" SCH10S   | 1.02  | 1.02  |
| 1/2" SCH40S   | 1.29  | 1.29  |
| 1/2" SCH80S   | 1.65  | 1.65  |
| 3/4" SCH10S   |       | 1.30  |
| 3/4" SCH40S   | 1.72  | 1.72  |
| 3/4" SCH80S   | 2.24  | 2.24  |
| 1" SCH10S     | 2.13  | 2.13  |
| 1" SCH40S     | 2.55  | 2.55  |
| 1" SCH80S     | 3.30  | 3.30  |
| 1 1/4" SCH40S | 3.45  |       |
| 1 1/4" SCH80S | 4.55  | 4.55  |
| 1 1/2" SCH5S  | 1.93  |       |
| 1 1/2" SCH10S | 3.16  | 3.16  |
| 1 1/2" SCH40S | 4.12  | 4.12  |
| 1 1/2" SCH80S | 5.51  | 5.51  |
| 2" SCH10S     | 4.00  | 4.00  |
| 2" SCH40S     | 5.54  | 5.54  |
| 2" SCH80S     | 7.62  | 7.62  |
| 2 1/2" SCH10S | 5.36  | 5.36  |
| 2 1/2" SCH40S | 8.79  | 8.79  |
| 2 1/2" SCH80S |       | 11.60 |
| 3" SCH10S     | 6.57  | 6.57  |
| 3" SCH40S     | 11.50 | 11.50 |
| 3" SCH80S     | 15.60 | 15.60 |
| 4" SCH10S     | 8.52  | 8.52  |
| 4" SCH40S     | 16.40 | 16.40 |
| 4" SCH80S     | 22.70 | 22.70 |
| 5" SCH40S     |       | 22.20 |
| 6" SCH10S     | 14.10 |       |
| 6" SCH40S     | 28.80 |       |
| 6" SCH80S     | 43.40 | 43.40 |
| 8" SCH10S     |       | 20.30 |
| 8" SCH40S     | 43.30 | 43.30 |

SEAMLESS TO ASTM A312 / ANSI B36.10 Grade 316L

| Size          | KG/Metre |
|---------------|----------|
| 1/2" SCH160   | 1.99     |
| 3/4" SCH160   | 2.95     |
| 1" SCH160     | 4.32     |
| 1 1/2" SCH160 | 7.37     |
| 2" SCH160     | 11.30    |
| 3" SCH160     | 21.70    |
| 6" SCH10S     | 14.10    |
| 6" SCH40S     | 28.80    |
| 8" SCH80S     | 65.90    |

## Pipe



WELDED TO ASTM A312 / ANSI B36.19

| Size          | 304L  | 316L  |
|---------------|-------|-------|
| 1/2" SCH5S    | 0.82  | 0.82  |
| 1/2" SCH10S   | 1.02  | 1.02  |
| 1/2" SCH40S   | 1.29  | 1.29  |
| 3/4" SCH5S    | 1.04  | 1.04  |
| 3/4" SCH10S   | 1.30  | 1.30  |
| 3/4" SCH40S   | 1.72  | 1.72  |
| 1" SCH5S      | 1.32  | 1.32  |
| 1" SCH10S     | 2.13  | 2.13  |
| 1" SCH40S     | 2.55  | 2.55  |
| 1 1/4" SCH5S  | 1.68  |       |
| 1 1/4" SCH10S | 2.74  | 2.74  |
| 1 1/4" SCH40S | 3.45  | 3.45  |
| 1 1/2" SCH5S  |       | 1.93  |
| 1 1/2" SCH10S | 3.16  | 3.16  |
| 1 1/2" SCH40S | 4.11  | 4.11  |
| 2" SCH5S      | 2.43  | 2.43  |
| 2" SCH10S     | 4.00  | 4.00  |
| 2" SCH40S     | 5.54  | 5.54  |
| 2 1/2" SCH5S  | 3.76  | 3.76  |
| 2 1/2" SCH10S | 5.36  | 5.36  |
| 2 1/2" SCH40S | 8.79  | 8.79  |
| 3" SCH5S      | 4.60  | 4.60  |
| 3" SCH10S     | 6.57  | 6.57  |
| 3" SCH40S     | 11.50 | 11.50 |
| 3 1/2" SCH10S | 7.55  | 7.55  |
| 3 1/2" SCH40S | 13.80 | 13.80 |
| 4" SCH5S      | 5.94  | 5.94  |
| 4" SCH10S     | 8.52  | 8.52  |
| 4" SCH40S     | 16.40 | 16.40 |
| 5" SCH10S     | 11.80 | 11.80 |
| 5" SCH40S     | 22.20 | 22.20 |
| 6" SCH5S      | 11.50 | 11.50 |
| 6" SCH10S     | 14.10 | 14.10 |
| 6" SCH40S     | 28.80 | 28.80 |
| 8" SCH5S      | 15.10 | 15.10 |
| 8" SCH10S     | 20.30 | 20.30 |
| 8" SCH40S     | 43.30 | 43.30 |
| 10" SCH5S     |       | 23.10 |
| 10" SCH10S    | 28.30 | 28.30 |
| 10" SCH40S    | 61.40 | 61.40 |
| 12" SCH5S     |       | 31.90 |
| 12" SCH10S    | 36.70 | 36.70 |
| 12" SCH40S    | 75.20 | 75.20 |
| 14" SCH10S    | 42.10 | 42.10 |
| 16" SCH10S    | 48.20 | 48.20 |
| 18" SCH10S    | 54.30 | 54.30 |
| 20" SCH10S    | 69.90 | 69.90 |
| 24" SCH10S    | 96.20 | 96.20 |

## Butt Weld Fittings



Stainless Steel Equal Tees - Seamless

| Size                    | 304L | 316L |
|-------------------------|------|------|
| 1/2" SCH10S EQUAL TEE   |      | 0.06 |
| 1/2" SCH40S EQUAL TEE   | 0.07 | 0.07 |
| 1" SCH10S EQUAL TEE     | 0.18 | 0.18 |
| 1" SCH40S EQUAL TEE     | 0.21 | 0.21 |
| 1 1/2" SCH10S EQUAL TEE | 0.40 | 0.40 |
| 1 1/2" SCH40S EQUAL TEE |      | 0.52 |
| 2" SCH10S EQUAL TEE     | 0.56 | 0.56 |
| 2" SCH40S EQUAL TEE     | 0.77 | 0.77 |
| 3" SCH10S EQUAL TEE     |      | 1.24 |
| 3" SCH40S EQUAL TEE     |      | 2.17 |
| 4" SCH10S EQUAL TEE     | 1.96 | 1.96 |
| 4" SCH80S EQUAL TEE     |      | 5.24 |
| 6" SCH10S EQUAL TEE     | 4.43 | 4.43 |

Stainless Steel Reducing Tees - Seamless

| Size                       | 304L | 316L |
|----------------------------|------|------|
| 1"-1/2" SCH10S RED TEE     | 0.18 | 0.18 |
| 1 1/2"-1/2" SCH10S RED TEE |      | 0.65 |
| 1 1/2"-3/4" SCH10S RED TEE |      | 0.14 |
| 1 1/2"-1" SCH40S RED TEE   |      | 0.52 |
| 2"-1" SCH10S RED TEE       |      | 0.56 |
| 2"-1" SCH40S RED TEE       |      | 0.77 |
| 3"-2" SCH10S RED TEE       |      | 1.24 |
| 4"-2" SCH10S RED TEE       | 1.96 |      |



Stainless Steel Long Radius Elbows - 90 Degree - Seamless

| Size                      | 304L | 316L  |
|---------------------------|------|-------|
| 1/2" SCH10S 90 LR ELBOW   | 0.06 | 0.06  |
| 1/2" SCH40S 90 LR ELBOW   | 0.08 | 0.08  |
| 1/2" SCH80S 90 LR ELBOW   |      | 0.10  |
| 3/4" SCH10S 90 LR ELBOW   | 0.06 | 0.06  |
| 3/4" SCH40S 90 LR ELBOW   |      | 0.08  |
| 3/4" SCH80S 90 LR ELBOW   |      | 0.10  |
| 1" SCH10S 90 LR ELBOW     | 0.13 | 0.13  |
| 1" SCH40S 90 LR ELBOW     | 0.15 | 0.15  |
| 1" SCH80S 90 LR ELBOW     |      | 0.20  |
| 1 1/2" SCH10S 90 LR ELBOW | 0.28 | 0.28  |
| 1 1/2" SCH40S 90 LR ELBOW | 0.37 | 0.37  |
| 1 1/2" SCH80S 90 LR ELBOW |      | 0.49  |
| 2" SCH10S 90 LR ELBOW     | 0.48 | 0.48  |
| 2" SCH40S 90 LR ELBOW     | 0.66 | 0.66  |
| 2" SCH80S 90 LR ELBOW     |      | 0.91  |
| 2 1/2" SCH10S 90 LR ELBOW | 0.80 | 0.80  |
| 3" SCH10S 90 LR ELBOW     | 1.18 | 1.18  |
| 3" SCH40S 90 LR ELBOW     | 2.07 | 2.07  |
| 4" SCH10S 90 LR ELBOW     | 2.04 | 2.04  |
| 4" SCH40S 90 LR ELBOW     | 3.92 | 3.92  |
| 6" SCH10S 90 LR ELBOW     | 5.06 | 5.06  |
| 6" SCH40S 90 LR ELBOW     |      | 10.35 |
| 8" SCH10S 90 LR ELBOW     | 9.74 |       |

# Stainless Steel

## Butt Weld Fittings



Stainless Steel Long Radius 45 Degree Elbows - Seamless

| Size                   | 304L | 316L |
|------------------------|------|------|
| ½" SCH40S 45 LR ELBOW  |      | 0.04 |
| 1" SCH10S 45 LR ELBOW  |      | 0.06 |
| 1½" SCH10S 45 LR ELBOW |      | 0.14 |
| 1½" SCH40S 45 LR ELBOW |      | 0.18 |
| 2" SCH10S 45 LR ELBOW  |      | 0.24 |
| 2" SCH40S 45 LR ELBOW  |      | 0.33 |

Stainless Steel End Caps - Seamless



| Size               | 304L | 316L |
|--------------------|------|------|
| ½" SCH10S END CAP  |      | 0.03 |
| 1" SCH10S END CAP  | 0.07 | 0.07 |
| 1" SCH40S END CAP  |      | 0.10 |
| 1¼" SCH10S END CAP |      | 0.10 |
| 1½" SCH10S END CAP | 0.13 | 0.13 |
| 2" SCH10S END CAP  | 0.19 | 0.19 |
| 2½" SCH40S END CAP | 0.37 |      |
| 3" SCH10S END CAP  | 0.38 | 0.38 |
| 3" SCH40S END CAP  |      | 0.64 |
| 4" SCH10S END CAP  | 0.57 | 0.57 |
| 6" SCH10S END CAP  |      | 1.41 |
| 8" SCH40S END CAP  |      | 5.08 |
| 12" SCH10S END CAP |      | 6.68 |

Stainless Steel Concentric Reducers - Seamless



| Size                   | 304L | 316L |
|------------------------|------|------|
| 1"-½" SCH10S CON-RED   |      | 0.11 |
| 1"-½" SCH40S CON-RED   |      | 0.13 |
| 1½"-1" SCH10S CON-RED  | 0.20 | 0.20 |
| 1½"-1" SCH40S CON-RED  |      | 0.26 |
| 1½"-1¼" SCH40S CON-RED |      | 0.26 |
| 2"-1" SCH10S CON-RED   | 0.30 | 0.30 |
| 2"-1" SCH40S CON-RED   | 0.42 | 0.42 |
| 2"-1½" SCH10S CON-RED  |      | 0.30 |
| 2"-1½" SCH40S CON-RED  |      | 0.42 |
| 3"-1½" SCH40S CON-RED  |      | 1.02 |
| 3"-2" SCH10S CON-RED   |      | 0.58 |
| 3"-2" SCH40S CON-RED   |      | 1.02 |
| 4"-2" SCH10S CON-RED   | 0.87 | 0.87 |
| 4"-2" SCH40S CON-RED   |      | 1.66 |
| 4"-3" SCH10S CON-RED   | 0.87 | 0.87 |
| 6"-3" SCH10S CON-RED   |      | 1.97 |
| 6"-4" SCH10S CON-RED   |      | 1.97 |

Stainless Steel Eccentric Reducers - Seamless

| Size                  | 304L | 316L |
|-----------------------|------|------|
| 1¼"-1" SCH10S ECC-RED |      | 0.18 |
| 4"-3" SCH10S ECC-RED  |      | 0.87 |

## Butt Weld Fittings



Stainless Steel Short Radius Elbows - 90 Degree - Seamless (ANSI B16.28)

| Size                   | 304L | 316L |
|------------------------|------|------|
| 1½" SCH40S 90 SR ELBOW |      | 0.25 |
| 2" SCH10S 90 SR ELBOW  |      | 0.32 |
| 2" SCH40S 90 SR ELBOW  |      | 0.44 |
| 3" SCH10S 90 SR ELBOW  |      | 0.79 |
| 3" SCH40S 90 SR ELBOW  |      | 1.38 |
| 4" SCH10S 90 SR ELBOW  |      | 1.36 |
| 4" SCH40S 90 SR ELBOW  |      | 2.60 |
| 6" SCH10S 90 SR ELBOW  |      | 5.45 |

Stainless Steel Stub Ends Type A MSS SP43 Seamless



| Size                   | 304L | 316L |
|------------------------|------|------|
| 1" SCH10S STUB TYPE A  |      | 0.14 |
| 1½" SCH10S STUB TYPE A |      | 0.25 |
| 2" SCH10S STUB TYPE A  | 0.38 | 0.38 |
| 3" SCH10S STUB TYPE A  |      | 0.64 |
| 4" SCH10S STUB TYPE A  |      | 0.98 |
| 6" SCH10S STUB TYPE A  |      | 1.95 |

Stainless Steel Equal Tees - Welded



| Size                 | 304L | 316L |
|----------------------|------|------|
| ½" SCH10S EQUAL TEE  | 0.06 | 0.06 |
| ¾" SCH10S EQUAL TEE  | 0.08 | 0.08 |
| 1" SCH10S EQUAL TEE  | 0.18 | 0.18 |
| 1" SCH40S EQUAL TEE  | 0.21 | 0.21 |
| 1½" SCH10S EQUAL TEE | 0.40 | 0.40 |
| 1½" SCH40S EQUAL TEE | 0.52 | 0.52 |
| 2" SCH10S EQUAL TEE  | 0.56 | 0.56 |
| 2" SCH40S EQUAL TEE  | 0.77 | 0.77 |
| 3" SCH10S EQUAL TEE  | 1.24 | 1.24 |
| 4" SCH10S EQUAL TEE  | 1.96 | 1.96 |
| 6" SCH10S EQUAL TEE  |      | 4.43 |

Stainless Steel Reducing Tees - Welded

| Size                  | 304L | 316L |
|-----------------------|------|------|
| 1"-½" SCH10S RED TEE  |      | 0.18 |
| 1½"-1" SCH10S RED TEE | 0.40 | 0.40 |
| 2"-1" SCH10S RED TEE  | 0.56 | 0.56 |
| 2"-1½" SCH10S RED TEE | 0.56 |      |
| 3"-1½" SCH10S RED TEE | 1.24 |      |
| 3"-2" SCH10S RED TEE  | 1.24 | 1.24 |

## Butt Weld Fittings



Stainless Steel Long Radius 90 Degree Elbows - Welded

| Size                   | 304L  | 316L  |
|------------------------|-------|-------|
| ½" SCH10S 90 LR ELBOW  | 0.06  | 0.06  |
| ½" SCH40S 90 LR ELBOW  | 0.08  | 0.08  |
| ¾" SCH10S 90 LR ELBOW  | 0.06  | 0.06  |
| ¾" SCH40S 90 LR ELBOW  | 0.08  | 0.08  |
| 1" SCH10S 90 LR ELBOW  | 0.13  | 0.13  |
| 1" SCH40S 90 LR ELBOW  | 0.15  | 0.15  |
| 1¼" SCH10S 90 LR ELBOW | 0.21  | 0.21  |
| 1¼" SCH40S 90 LR ELBOW | 0.26  |       |
| 1½" SCH10S 90 LR ELBOW | 0.28  | 0.28  |
| 1½" SCH40S 90 LR ELBOW |       | 0.37  |
| 2" SCH10S 90 LR ELBOW  | 0.48  | 0.48  |
| 2" SCH40S 90 LR ELBOW  | 0.66  | 0.66  |
| 2½" SCH10S 90 LR ELBOW | 0.80  | 0.80  |
| 3" SCH10S 90 LR ELBOW  | 1.18  | 1.18  |
| 3" SCH40S 90 LR ELBOW  | 2.07  | 2.07  |
| 4" SCH10S 90 LR ELBOW  | 2.04  | 2.04  |
| 4" SCH40S 90 LR ELBOW  | 3.92  | 3.92  |
| 6" SCH10S 90 LR ELBOW  | 5.06  | 5.06  |
| 6" SCH40S 90 LR ELBOW  | 10.35 | 10.35 |
| 8" SCH10S 90 LR ELBOW  | 9.74  | 9.74  |
| 8" SCH40S 90 LR ELBOW  |       | 20.76 |
| 10" SCH10S 90 LR ELBOW | 16.95 | 16.95 |
| 12" SCH10S 90 LR ELBOW | 26.35 | 26.35 |
| 12" SCH40S 90 LR ELBOW |       | 54.04 |
| 14" SCH10S 90 LR ELBOW |       | 35.28 |
| 16" SCH10S 90 LR ELBOW |       | 46.10 |
| 20" SCH10S 90 LR ELBOW |       | 83.70 |

Stainless Steel Long Radius 45 Degree Elbows - Welded

| Size                   | 304L | 316L |
|------------------------|------|------|
| ¾" SCH40S 45 LR ELBOW  | 0.03 | 0.04 |
| 1" SCH10S 45 LR ELBOW  |      | 0.06 |
| 1" SCH40S 45 LR ELBOW  |      | 0.08 |
| 1½" SCH10S 45 LR ELBOW | 0.14 | 0.14 |
| 1½" SCH40S 45 LR ELBOW |      | 0.18 |
| 2" SCH10S 45 LR ELBOW  | 0.24 | 0.24 |
| 3" SCH10S 45 LR ELBOW  | 0.59 | 0.59 |
| 4" SCH10S 45 LR ELBOW  | 1.02 | 1.02 |
| 6" SCH10S 45 LR ELBOW  | 2.53 | 2.53 |
| 8" SCH10S 45 LR ELBOW  |      | 4.87 |
| 10" SCH10S 45 LR ELBOW |      | 8.47 |

# Stainless Steel

## Butt Weld Fittings



Stainless Steel Concentric Reducers - Welded

| Size                  | 304L | 316L |
|-----------------------|------|------|
| 1"-½" SCH10S CON-RED  | 0.11 | 0.11 |
| 1"-½" SCH40S CON-RED  |      | 0.13 |
| 1"-¾" SCH10S CON-RED  |      | 0.11 |
| 1½"-1" SCH10S CON-RED | 0.20 | 0.20 |
| 1½"-1" SCH40S CON-RED |      | 0.26 |
| 2"-1" SCH10S CON-RED  | 0.30 | 0.30 |
| 2"-1½" SCH10S CON-RED | 0.30 | 0.30 |
| 2"-1½" SCH40S CON-RED | 0.42 | 0.42 |
| 2½"-2" SCH10S CON-RED |      | 0.48 |
| 3"-1½" SCH10S CON-RED | 0.58 | 0.58 |
| 3"-2" SCH10S CON-RED  | 0.58 | 0.58 |
| 3"-2" SCH40S CON-RED  |      | 1.02 |
| 3"-2½" SCH10S CON-RED |      | 0.58 |
| 4"-2" SCH10S CON-RED  | 0.87 | 0.87 |
| 4"-3" SCH10S CON-RED  | 0.87 | 0.87 |
| 6"-3" SCH10S CON-RED  | 1.97 |      |
| 6"-4" SCH10S CON-RED  | 1.97 | 1.97 |
| 8"-4" SCH10S CON-RED  |      | 3.10 |
| 8"-6" SCH10S CON-RED  |      | 3.10 |

Stainless Steel Eccentric Reducers - Welded

| Size                  | 304L | 316L |
|-----------------------|------|------|
| 1½"-1" SCH10S ECC-RED |      | 0.20 |
| 1½"-1" SCH40S ECC-RED |      | 0.26 |
| 2½"-2" SCH10S ECC-RED |      | 0.48 |
| 3"-1½" SCH10S ECC-RED |      | 0.58 |
| 3"-2" SCH10S ECC-RED  | 0.58 |      |
| 4"-2" SCH10S ECC-RED  |      | 0.87 |
| 4"-3" SCH10S ECC-RED  |      | 0.87 |



Stainless Steel Stub Ends Type A MSS SP43 Welded

| Size                   | 304L | 316L |
|------------------------|------|------|
| ½" SCH10S STUB TYPE A  |      | 0.08 |
| 1" SCH10S STUB TYPE A  | 0.14 | 0.14 |
| 1½" SCH10S STUB TYPE A | 0.25 | 0.25 |
| 2" SCH10S STUB TYPE A  | 0.38 | 0.38 |
| 2½" SCH10S STUB TYPE A |      | 0.47 |
| 3" SCH10S STUB TYPE A  |      | 0.64 |
| 4" SCH10S STUB TYPE A  |      | 0.98 |
| 6" SCH10S STUB TYPE A  |      | 1.95 |
| 8" SCH10S STUB TYPE A  |      | 3.11 |

## Flanges



Stainless Steel Raised Face Blind Flanges ASTM A182/ANSI B16.5 150lb Grades 304L & 316L

| Size               | KG/Unit |
|--------------------|---------|
| ½" 150lb RF BLIND  | 0.42    |
| ¾" 150lb RF BLIND  | 0.61    |
| 1" 150lb RF BLIND  | 0.86    |
| 1½" 150lb RF BLIND | 1.53    |
| 2" 150lb RF BLIND  | 2.42    |
| 2½" 150lb RF BLIND | 3.94    |
| 3" 150lb RF BLIND  | 4.93    |
| 4" 150lb RF BLIND  | 7.00    |
| 6" 150lb RF BLIND  | 11.3    |
| 8" 150lb RF BLIND  | 19.6    |
| 10" 150lb RF BLIND | 28.8    |
| 12" 150lb RF BLIND | 43.2    |

## Flanges



Stainless Steel Raised Face Blind Flanges ASTM A182/ANSI B16.5 300lb Grade 316

| Size              | KG/Unit |
|-------------------|---------|
| ¾" 300lb RF BLIND | 1.11    |
| 1" 300lb RF BLIND | 1.39    |
| 2" 300lb RF BLIND | 3.18    |
| 3" 300lb RF BLIND | 6.81    |
| 4" 300lb RF BLIND | 11.50   |

Stainless Steel Raised Face Slip On Flanges ASTM A182/ANSI B16.5 150lb Grades 304L & 316L

| Size                 | KG/Unit |
|----------------------|---------|
| ½" 150lb RF SLIP ON  | 0.39    |
| ¾" 150lb RF SLIP ON  | 0.56    |
| 1" 150lb RF SLIP ON  | 0.78    |
| 1¼" 150lb RF SLIP ON | 1.03    |
| 1½" 150lb RF SLIP ON | 1.32    |
| 2" 150lb RF SLIP ON  | 2.06    |
| 2½" 150lb RF SLIP ON | 3.28    |
| 3" 150lb RF SLIP ON  | 3.85    |
| 4" 150lb RF SLIP ON  | 5.30    |
| 5" 150lb RF SLIP ON  | 6.01    |
| 6" 150lb RF SLIP ON  | 7.45    |
| 8" 150lb RF SLIP ON  | 12.1    |
| 10" 150lb RF SLIP ON | 16.5    |
| 12" 150lb RF SLIP ON | 26.2    |
| 14" 150lb RF SLIP ON | 34.6    |
| 16" 150lb RF SLIP ON | 44.8    |

Stainless Steel Raised Face Slip On Flanges ASTM A182/ANSI B16.5 300lb Grade 316

| Size                 | KG/Unit |
|----------------------|---------|
| 1" 300lb RF SLIP ON  | 1.36    |
| 1½" 300lb RF SLIP ON | 2.49    |
| 2" 300lb RF SLIP ON  | 2.87    |
| 3" 300lb RF SLIP ON  | 5.85    |
| 4" 300lb RF SLIP ON  | 9.61    |

Stainless Steel Raised Face Weld Neck Flanges ASTM A182/ANSI B16.5 150lb Grades 304L & 316L

| Size                  | KG/Unit |
|-----------------------|---------|
| ½" 150lb RFWN SCH10S  | 0.48    |
| ½" 150lb RFWN SCH40S  | 0.48    |
| ¾" 150lb RFWN SCH40S  | 0.71    |
| 1" 150lb RFWN SCH10S  | 1.01    |
| 1" 150lb RFWN SCH40S  | 1.01    |
| 1½" 150lb RFWN SCH10S | 1.72    |
| 1½" 150lb RFWN SCH40S | 1.72    |
| 2" 150lb RFWN SCH10S  | 2.58    |
| 2" 150lb RFWN SCH40S  | 2.58    |
| 2½" 150lb RFWN SCH10S | 4.11    |
| 2½" 150lb RFWN SCH40S | 4.11    |
| 3" 150lb RFWN SCH10S  | 4.92    |
| 3" 150lb RFWN SCH40S  | 4.92    |
| 4" 150lb RFWN SCH10S  | 6.84    |
| 4" 150lb RFWN SCH40S  | 6.84    |
| 6" 150lb RFWN SCH10S  | 10.6    |
| 6" 150lb RFWN SCH40S  | 10.6    |
| 8" 150lb RFWN SCH10S  | 17.6    |
| 10" 150lb RFWN SCH10S | 24.0    |
| 12" 150lb RFWN SCH10S | 24.0    |

## Flanges



Stainless Steel Raised Face Weld Neck Flanges ASTM A182/ANSI B16.5 300lb Grade 316

| Size                 | KG/Unit |
|----------------------|---------|
| ¾" 300lb RFWN SCH40S | 1.26    |
| 1" 300lb RFWN SCH10S | 1.52    |
| 1" 300lb RFWN SCH40S | 1.52    |
| 2" 300lb RFWN SCH10S | 3.40    |
| 2" 300lb RFWN SCH40S | 3.40    |
| 3" 300lb RFWN SCH10S | 4.92    |
| 3" 300lb RFWN SCH40S | 6.93    |
| 4" 300lb RFWN SCH40S | 11.20   |

Stainless Steel Plate Flanges BS10 Table E - Blind Grade 316L

| Size                | KG/Unit |
|---------------------|---------|
| 1" NB TABLE E BLIND | 0.52    |
| 1½" TABLE E BLIND   | 0.88    |
| 2" TABLE E BLIND    | 1.26    |
| 3" TABLE E BLIND    | 2.23    |
| 4" TABLE E BLIND    | 3.45    |
| 6" TABLE E BLIND    | 5.14    |

Stainless Steel Plate Flanges BS10 Table E - Slip On Grade 316L

| Size                | KG/Unit |
|---------------------|---------|
| ½" TABLE E SLIP ON  | 0.30    |
| ¾" TABLE E SLIP ON  | 0.33    |
| 1" TABLE E SLIP ON  | 0.47    |
| 1½" TABLE E SLIP ON | 0.75    |
| 2" TABLE E SLIP ON  | 1.03    |
| 3" TABLE E SLIP ON  | 1.65    |
| 4" TABLE E SLIP ON  | 2.40    |
| 6" TABLE E SLIP ON  | 5.14    |
| 8" TABLE E SLIP ON  | 7.50    |

Stainless Steel BS4504/BSEN 1092 Flanges PN16/105 Raised Face Blind Grades 304L & 316L

| Size                   | KG/Unit |
|------------------------|---------|
| 1" PN 16/105 RF BLIND  | 1.30    |
| 1½" PN 16/105 RF BLIND | 2.30    |
| 2" PN 16/105 RF BLIND  | 3.00    |
| 3" PN 16/105 RF BLIND  | 5.10    |
| 4" PN 16/105 RF BLIND  | 6.00    |
| 6" PN 16/105 RF BLIND  | 11.10   |

Stainless Steel BS4504/BSEN 1092 Flanges PN16/101 Raised Face Slip On Grades 304L & 316L

| Size                  | KG/Unit |
|-----------------------|---------|
| ½" PN 16/101 RF S.O.  | 0.75    |
| ¾" PN 16/101 RF S.O.  | 0.90    |
| 1" PN 16/101 RF S.O.  | 1.10    |
| 1¼" PN 16/101 RF S.O. | 1.70    |
| 1½" PN 16/101 RF S.O. | 2.00    |
| 2" PN 16/101 RF S.O.  | 2.60    |
| 2½" PN 16/101 RF S.O. | 3.20    |
| 3" PN 16/101 RF S.O.  | 4.10    |
| 4" PN 16/101 RF S.O.  | 4.40    |
| 6" PN 16/101 RF S.O.  | 7.20    |
| 8" PN 16/101 RF S.O.  | 9.90    |
| 10" PN 16/101 RF S.O. | 14.30   |

## Stainless Steel

### High Pressure Fittings - Threaded

High Pressure 3000lb NPT Threaded Fittings to ANSI B16.11 in Grades 304L & 316L

Size Range: ½" to 3"



90° Elbow



45° Elbow



Equal Tee



Reducing Tee



Hexagon Plug



Cap



Full Coupling



Half Coupling



Union



Hexagon Nipple

For further information please see the full brochure on this range which can be downloaded from the Aalco web site at [www.aalco.co.uk](http://www.aalco.co.uk) or requested from your local Service Centre

## Stainless Steel

### High Pressure Fittings - Socket Weld

High Pressure 3000lb Socket Weld Fittings to ANSI B16.11 in Grades 304L & 316L

Size Range: ½" to 3"



90° Elbow



45° Elbow



Equal Tee



Reducing Tee



Full Coupling



Union



Cap

For further information please see the full brochure on this range which can be downloaded from the Aalco web site at [www.aalco.co.uk](http://www.aalco.co.uk) or requested from your local Service Centre



# Stainless Steel

## Seamless Tube



Seamless Stainless Steel Tube ASTM A269/A213  
Grade 316

| Size                       | KG/Metre |
|----------------------------|----------|
| 1/8" OD X 0.022" (24swg)   | 0.04     |
| 1/8" OD X 0.028" (22swg)   | 0.04     |
| 1/8" OD X 0.036" (20swg)   | 0.05     |
| 3/16" OD X 0.022" (24swg)  | 0.06     |
| 3/16" OD X 0.028" (22swg)  | 0.07     |
| 3/16" OD X 0.036" (20swg)  | 0.09     |
| 3/16" OD X 0.048" (18swg)  | 0.11     |
| 1/4" OD X 0.028" (22swg)   | 0.10     |
| 1/4" OD X 0.036" (20swg)   | 0.12     |
| 1/4" OD X 0.048" (18swg)   | 0.16     |
| 1/4" OD X 0.064" (16swg)   | 0.19     |
| 5/16" OD X 0.028" (22swg)  | 0.13     |
| 5/16" OD X 0.036" (20swg)  | 0.16     |
| 5/16" OD X 0.064" (16swg)  | 0.26     |
| 3/8" OD X 0.028" (22swg)   | 0.16     |
| 3/8" OD X 0.036" (20swg)   | 0.20     |
| 3/8" OD X 0.048" (18swg)   | 0.25     |
| 3/8" OD X 0.064" (16swg)   | 0.32     |
| 3/8" OD X 0.080" (14swg)   | 0.38     |
| 1/2" OD X 0.028" (22swg)   | 0.21     |
| 1/2" OD X 0.036" (20swg)   | 0.26     |
| 1/2" OD X 0.048" (18swg)   | 0.35     |
| 1/2" OD X 0.064" (16swg)   | 0.45     |
| 1/2" OD X 0.080" (14swg)   | 0.54     |
| 1/2" OD X 0.125"           | 0.76     |
| 5/8" OD X 0.036" (20swg)   | 0.34     |
| 5/8" OD X 0.048" (18swg)   | 0.45     |
| 5/8" OD X 0.064" (16swg)   | 0.58     |
| 5/8" OD X 0.080" (14swg)   | 0.70     |
| 5/8" OD X 0.125"           | 1.01     |
| 3/4" OD X 0.036" (20swg)   | 0.41     |
| 3/4" OD X 0.048" (18swg)   | 0.54     |
| 3/4" OD X 0.064" (16swg)   | 0.71     |
| 3/4" OD X 0.080" (14swg)   | 0.86     |
| 3/4" OD X 0.104" (12swg)   | 1.08     |
| 3/4" OD X 0.128" (10swg)   | 1.26     |
| 7/8" OD X 0.064" (16swg)   | 0.84     |
| 1" OD X 0.036" (20swg)     | 0.56     |
| 1" OD X 0.048" (18swg)     | 0.74     |
| 1" OD X 0.064" (16swg)     | 0.97     |
| 1" OD X 0.080" (14swg)     | 1.19     |
| 1" OD X 0.104" (12swg)     | 1.50     |
| 1" OD X 0.128" (10swg)     | 1.77     |
| 1 1/4" OD X 0.064" (16swg) | 1.20     |
| 1 1/4" OD X 0.080" (14swg) | 1.50     |
| 1 1/4" OD X 0.125"         | 2.30     |
| 1 1/2" OD X 0.064" (16swg) | 1.50     |
| 1 1/2" OD X 0.125"         | 2.80     |
| 2" OD X 0.125"             | 3.79     |
| 2" OD X 0.250"             | 7.06     |
| 2 1/2" OD X 0.25"          | 9.10     |
| 3" OD X 0.064" (16swg)     | 3.00     |
| 3" OD X 0.128" (10swg)     | 5.90     |
| 3" OD X 0.250"             | 11.09    |

Seamless Stainless Steel Tube ASTM A269/A213  
Grade 304

| Size              | KG/Metre |
|-------------------|----------|
| 6.0mm OD X 1.0mm  | 0.12     |
| 10.0mm OD X 1.0mm | 0.22     |
| 12.0mm OD X 1.0mm | 0.30     |
| 15.0mm OD X 1.5mm | 0.50     |

## Seamless Tube




Seamless Stainless Steel Tube ASTM A269/A213  
Grade 316

| Size              | KG/Metre |
|-------------------|----------|
| 6.0mm OD X 0.50mm | 0.07     |
| 6.0mm OD X 1.0mm  | 0.13     |
| 6.0mm OD X 1.5mm  | 0.17     |
| 8.0mm OD X 1.0mm  | 0.18     |
| 8.0mm OD X 1.5mm  | 0.24     |
| 10.0mm OD X 1.0mm | 0.23     |
| 10.0mm OD X 1.5mm | 0.32     |
| 10.0mm OD X 2.0mm | 0.40     |
| 12.0mm OD X 1.0mm | 0.30     |
| 12.0mm OD X 1.5mm | 0.39     |
| 12.0mm OD X 2.0mm | 0.50     |
| 15.0mm OD X 1.5mm | 0.50     |
| 16.0mm OD X 1.5mm | 0.54     |
| 16.0mm OD X 2.0mm | 0.70     |
| 18.0mm OD X 1.5mm | 0.61     |
| 20.0mm OD X 1.5mm | 0.69     |
| 20.0mm OD X 2.0mm | 0.90     |
| 22.0mm OD X 1.5mm | 0.77     |
| 25.0mm OD X 1.5mm | 0.90     |
| 25.0mm OD X 2.0mm | 1.20     |
| 25.0mm OD X 2.5mm | 1.40     |
| 25.0mm OD X 3.0mm | 1.70     |


Seamless Stainless Steel Tube ASTM A269/A213  
Grade 304

| Size                     | KG/Metre |
|--------------------------|----------|
| 1/4" OD X 0.036" (20swg) | 0.12     |
| 5/8" OD X 0.036" (20swg) | 0.34     |
| 1/2" OD X 0.048" (18swg) | 0.35     |
| 3/4" OD X 0.036" (20swg) | 0.41     |
| 5/8" OD X 0.048" (18swg) | 0.44     |
| 5/8" OD X 0.064" (16swg) | 0.58     |
| 3/4" OD X 0.064" (16swg) | 0.70     |
| 1" OD X 0.048" (18swg)   | 0.73     |


## Metric Tube and Fittings




Welded 45° & 90° elbows  
(radius D+100)




Welded 45° & 90° elbows  
(radius 1.5D)




Pulled equal and reducing tees




Equal tees with branch




Pressed end caps



Concentric and eccentric  
reducers



Pressed collars



Flanges

## Metric Tube and Fittings



Stainless Steel Metric Welded Tube EN10217-7-  
2006 TC1 Grades 304L & 316L

| Size                    | KG/Metre |
|-------------------------|----------|
| 28mm O/D X 1.5MM WALL   | 0.99     |
| 38MM O/D X 1.5MM WALL   | 1.37     |
| 43MM O/D X 1.5MM WALL   | 1.56     |
| 44.5MM O/D X 2.0MM WALL | 2.13     |
| 53MM O/D X 1.5MM WALL   | 1.93     |
| 54MM O/D X 2.0MM WALL   | 2.40     |
| 83MM O/D X 1.5MM WALL   | 3.06     |
| 84MM O/D X 2.0MM WALL   | 3.90     |
| 103MM O/D X 1.5MM WALL  | 3.81     |
| 104MM O/D X 2.0MM WALL  | 5.12     |
| 129 MM O/D 2.0MM WALL   | 6.35     |
| 153MM O/D X 1.5MM WALL  | 5.68     |
| 154MM O/D X 2.0MM WALL  | 7.60     |
| 204MM O/D X 2.0MM WALL  | 10.1     |
| 254MM O/D X 2.0MM WALL  | 15.8     |
| 304MM O/D X 2.0MM WALL  | 15.1     |




# Stainless Steel

## BSP Fittings

Sizes: 1/8", 1/4", 3/8", 1/2", 3/4", 1", 1 1/2", 2", 3"




90° Elbow



Equal Tee




Union



45° Elbow




Half Socket




Socket




Round Nut




Reducing Socket



Hexagon Nipple




Reducing Nipple




Equal Nipple



Cap



Barrel Nipple




Welding Nipple




Square Head Plug



Hexagon Head Plug




Hose Connector



Reducing Bush



Hexagon Nut



Cross

## Hygienic Tube and Fittings

Stainless Steel Hygienic Tube to ASTM A270 Grades 304L & 316L. Available in Bright Annealed or with Satin Polished O/D

| Size               | KG/Metre |
|--------------------|----------|
| 3/4" O/D X 16SWG   | 0.72     |
| 1" O/D X 16SWG     | 0.97     |
| 1 1/2" O/D X 16SWG | 1.45     |
| 2" O/D X 16SWG     | 1.99     |
| 2 1/2" O/D X 16SWG | 2.51     |
| 3" O/D X 16SWG     | 3.02     |
| 4" O/D X 16SWG     | 4.04     |
| 4" O/D X 14SWG     | 5.02     |

Stainless Steel Hygienic Tube to DIN 11850 - UN-ANNEALED - Grade 316L. Available Descaled or with Satin Polished O/D

| Size              | KG/Metre |
|-------------------|----------|
| 1" OD X 1.5mm     | 0.9      |
| 1 1/2" OD X 1.5mm | 1.37     |
| 2" OD X 1.5mm     | 1.85     |
| 2 1/2" OD X 1.5mm | 2.33     |
| 3" OD X 1.5mm     | 2.8      |
| 4" OD X 1.5mm     | 3.75     |
| 4" OD X 2.0mm     | 4.98     |
| 4" O/D X 14SWG    | 5.02     |

Stainless Steel Hygienic Tube to DIN 11850 - UN-ANNEALED - Grade 304. Available Descaled or with Satin Polished O/D

| Size              | KG/Metre |
|-------------------|----------|
| 1" OD X 1.5mm     | 0.9      |
| 1 1/2" OD x 1.5mm | 1.37     |
| 2" OD X 1.5mm     | 1.85     |



Hygienic Bends



Clamp Fittings



RJT Unions



IDF Unions



Hinged Pipe Clip



Pulled Tees



Full Tees



Reducing Tees



Concentric and Eccentric Reducers



## Brass Products

|                  |    |
|------------------|----|
| Sheet.....       | 32 |
| Rod .....        | 32 |
| Hexagon Bar..... | 33 |
| Flat Bar.....    | 33 |
| Plate.....       | 33 |
| Tube .....       | 33 |
| Square Bar.....  | 33 |
| Equal Angle..... | 33 |

## Copper Products

|                 |    |
|-----------------|----|
| Sheet.....      | 34 |
| Flat Bar.....   | 34 |
| Rod .....       | 34 |
| Round Tube..... | 34 |

## Bronze Products

|           |    |
|-----------|----|
| Rod ..... | 35 |
|-----------|----|



### Metals Main Index

|                 |    |
|-----------------|----|
| Aluminium       | 04 |
| Stainless Steel | 15 |
| Brass           | 32 |
| Copper          | 34 |
| Bronze          | 35 |

Brass  
Sheet



Brass Sheet Alloy CW508L/CZ108 - In Half Hard Condition

| Size                     | KG/Sheet |
|--------------------------|----------|
| 4' X 2' X 0.55mm         | 3.45     |
| 4' X 2' X 0.90mm         | 5.65     |
| 4' X 2' X 18SWG          | 7.66     |
| 4' X 2' X 16SWG          | 10.24    |
| 4' X 2' X 2.0mm          | 12.6     |
| 4' X 2' X 12SWG          | 16.7     |
| 4' X 2' X 10SWG          | 20.4     |
|                          |          |
| 8' X 1000mm X 0.9mm      | 18.5     |
| 8' X 1000mm X 1.2mm      | 24.7     |
| 8' X 1000mm X 1.5mm      | 30.9     |
|                          |          |
| 8' X 4' X 18SWG          | 30.6     |
| 8' X 4' X 1.6mm          | 40.2     |
| 8' X 4' X 14SWG          | 51.0     |
| 8' X 4' X 10SWG          | 81.6     |
|                          |          |
| 2000mm X 1000mm X 0.45mm | 7.61     |
| 2000mm X 1000mm X 0.55mm | 9.30     |
| 2000mm X 1000mm X 0.7mm  | 11.83    |
| 2000mm X 1000mm X 0.9mm  | 15.21    |
| 2000mm X 1000mm X 1.2mm  | 20.28    |
| 2000mm X 1000mm X 1.5mm  | 25.35    |
| 2000mm X 1000mm X 2.0mm  | 33.80    |
| 2000mm X 1000mm X 2.5mm  | 42.25    |
| 2000mm X 1000mm X 3.0mm  | 50.70    |

Brass Sheet Alloy CW505L/CZ106 - In Soft (O) Condition

| Size                     | KG/Sheet |
|--------------------------|----------|
| 4' X 2' X 24SWG          | 3.51     |
| 4' X 2' X 20SWG          | 5.70     |
| 4' X 2' X 18SWG          | 7.64     |
|                          |          |
| 2000mm X 1000mm X 0.55mm | 9.27     |
| 2000mm X 1000mm X 0.7mm  | 11.80    |
| 2000mm X 1000mm X 0.9mm  | 15.17    |
| 2000mm X 1000mm X 1.2mm  | 20.23    |
| 2000mm X 1000mm X 1.6mm  | 26.98    |
| 2000mm X 1000mm X 2.0mm  | 33.72    |

Polished Brass Sheet Alloy CW508L/CZ108 - In Half Hard Condition

| Size                     | KG/Sheet |
|--------------------------|----------|
| 2000mm X 1000mm X 0.55mm | 9.43     |
| 2000mm X 1000mm X 0.7mm  | 12.0     |
| 2000mm X 1000mm X 0.9mm  | 15.4     |
| 2000mm X 1000mm X 1.2mm  | 20.6     |
| 2000mm X 1000mm X 1.5mm  | 25.7     |
| 2000mm X 1000mm X 2.0mm  | 34.3     |
| 2000mm X 1000mm X 2.5mm  | 42.9     |
| 2000mm X 1000mm X 3.0mm  | 51.5     |
|                          |          |
| 8' X 1000mm X 1.2mm      | 25.1     |
| 8' X 1000mm X 1.5mm      | 31.4     |

Rod



Brass Rod Alloy CW614N/CZ121 - Free Machining Brass

| Size       | KG/Metre |
|------------|----------|
| ⅛" DIA     | 0.07     |
| ⅙" DIA     | 0.11     |
| 4.0mm DIA  | 0.11     |
| ⅜" DIA     | 0.15     |
| 5.0mm DIA  | 0.17     |
| 7⁄32" DIA  | 0.21     |
| 6.0mm DIA  | 0.24     |
| ¼" DIA     | 0.27     |
| 7.0mm DIA  | 0.33     |
| ⅝" DIA     | 0.34     |
| ⅝" DIA     | 0.42     |
| 8.0mm DIA  | 0.43     |
| 11⁄32" DIA | 0.51     |
| 9.0mm DIA  | 0.54     |
| ⅜" DIA     | 0.61     |
| 10.0mm DIA | 0.67     |
| 7⁄16" DIA  | 0.82     |
| 12.0mm DIA | 0.96     |
| ½" DIA     | 1.08     |
| 13.0mm DIA | 1.13     |
| 17⁄32" DIA | 1.21     |
| 14.0mm DIA | 1.31     |
| ⅝" DIA     | 1.36     |
| 15.0mm DIA | 1.50     |
| ⅞" DIA     | 1.68     |
| 16.0mm DIA | 1.71     |
| 17.0mm DIA | 1.93     |
| 11⁄16" DIA | 2.04     |
| 18.0mm DIA | 2.16     |
| ¾" DIA     | 2.42     |
| 20.0mm DIA | 2.67     |
| 13⁄16" DIA | 2.84     |
| 22.0mm DIA | 3.23     |
| 7⁄8" DIA   | 3.30     |
| 15⁄16" DIA | 3.78     |
| 24.0mm DIA | 3.85     |
| 25.0mm DIA | 4.17     |
| 1" DIA     | 4.31     |
| 26.0mm DIA | 4.51     |
| 11⁄16" DIA | 4.86     |
| 28.0mm DIA | 5.23     |
| 1⅝" DIA    | 5.45     |
| 30.0mm DIA | 6.01     |
| 13⁄16" DIA | 6.07     |
| 1¼" DIA    | 6.73     |
| 1⅝" DIA    | 7.42     |
| 1⅞" DIA    | 8.15     |
| 35.0mm DIA | 8.18     |
| 1½" DIA    | 9.69     |
| 40.0mm DIA | 10.7     |
| 1⅝" DIA    | 11.4     |
| 1¾" DIA    | 13.2     |
| 17⁄8" DIA  | 15.1     |
| 50.0mm DIA | 16.7     |
| 2" DIA     | 17.2     |
| 2⅞" DIA    | 19.4     |
| 2¼" DIA    | 21.8     |
| 60.0mm DIA | 24.0     |
| 2⅜" DIA    | 24.3     |
| 2½" DIA    | 26.9     |
| 65.0mm DIA | 28.2     |
| 2⅞" DIA    | 29.7     |
| 2¾" DIA    | 32.6     |
| 3" DIA     | 38.8     |

Rod



Brass Rod Alloy CW614N/CZ121 - Free Machining Brass (continued)

| Size      | KG/Metre |
|-----------|----------|
| 3¼" DIA   | 45.5     |
| 3½" DIA   | 52.8     |
| 3¾" DIA   | 60.6     |
| 4" DIA    | 68.9     |
| 4¼" DIA   | 77.8     |
| 4½" DIA   | 87.2     |
| 130mm DIA | 113      |
| 155mm DIA | 160      |
| 180mm DIA | 216      |
| 205mm DIA | 281      |

Brass Rod Alloy CW721R / CZ114 - High Tensile Brass / Manganese Bronze

| Size       | KG/Metre |
|------------|----------|
| ⅜" DIA     | 0.59     |
| ½" DIA     | 1.04     |
| ⅝" DIA     | 1.63     |
| ¾" DIA     | 2.34     |
| 13⁄16" DIA | 2.75     |
| 7⁄8" DIA   | 3.19     |
| 1" DIA     | 4.16     |
| 1¼" DIA    | 6.51     |
| 1⅝" DIA    | 7.87     |
| 1½" DIA    | 9.37     |
| 1¾" DIA    | 12.8     |
| 2" DIA     | 16.7     |
| 2¼" DIA    | 21.1     |
| 2½" DIA    | 26.0     |
| 2¾" DIA    | 31.5     |
| 3" DIA     | 37.5     |
| 4" DIA     | 66.6     |

Brass Rod Alloy CW606N/CZ131 - Riveting Quality Brass

| Size      | KG/Metre |
|-----------|----------|
| ¼" DIA    | 0.27     |
| ⅝" DIA    | 0.42     |
| ⅜" DIA    | 0.61     |
| 7⁄16" DIA | 0.82     |
| ½" DIA    | 1.08     |
| ⅝" DIA    | 1.68     |
| ¾" DIA    | 2.42     |

Brass Rod Alloy CW712R/CZ112 - Naval Brass

| Size    | KG/Metre |
|---------|----------|
| ¾" DIA  | 2.41     |
| 1" DIA  | 4.28     |
| 1¼" DIA | 6.69     |
| 1½" DIA | 9.63     |
| 1¾" DIA | 13.1     |
| 2" DIA  | 17.1     |
| 2½" DIA | 26.8     |
| 3" DIA  | 38.5     |

# Brass

## Hexagon Bar



Brass Hexagon Bar Alloy CW614N/CZ121

| Size       | KG/Metre |
|------------|----------|
| 5.0mm A/F  | 0.18     |
| 6.0mm A/F  | 0.27     |
| 0.248" A/F | 0.29     |
| ¼" A/F     | 0.30     |
| ⅜" A/F     | 0.46     |
| 8.0mm A/F  | 0.47     |
| 0.324" A/F | 0.50     |
| ¾" A/F     | 0.67     |
| 10.0mm A/F | 0.74     |
| 11.0mm A/F | 0.89     |
| 7⁄16" A/F  | 0.91     |
| 0.445" A/F | 0.94     |
| 12.0mm A/F | 1.06     |
| ½" A/F     | 1.19     |
| 13.0mm A/F | 1.24     |
| 0.525" A/F | 1.31     |
| 14.0mm A/F | 1.44     |
| ⅝" A/F     | 1.50     |
| 15.0mm A/F | 1.66     |
| .600" A/F  | 1.71     |
| ⅞" A/F     | 1.71     |
| 16.0mm A/F | 1.88     |
| 17.0mm A/F | 2.13     |
| 1⅛" A/F    | 2.24     |
| 18.0mm A/F | 2.39     |
| 0.710" A/F | 2.39     |
| 19.0mm A/F | 2.66     |
| ¾" A/F     | 2.67     |
| 20.0mm A/F | 2.94     |
| 1⅜" A/F    | 3.14     |
| 0.820" A/F | 3.19     |
| 22.0mm A/F | 3.56     |
| 7⁄8" A/F   | 3.64     |
| 0.920" A/F | 4.02     |
| 1⅝" A/F    | 4.17     |
| 24.0mm A/F | 4.24     |
| 1" A/F     | 4.75     |
| 1.010" A/F | 4.84     |
| 1⅞" A/F    | 5.36     |
| 1.100" A/F | 5.75     |
| 1⅞" A/F    | 6.01     |
| 30.0mm A/F | 6.63     |
| 1.200" A/F | 6.84     |
| 1¼" A/F    | 7.42     |
| 32.0mm A/F | 7.54     |
| 1.300" A/F | 8.03     |
| 1⅞" A/F    | 8.18     |
| 1⅞" A/F    | 8.98     |
| 36.0mm A/F | 9.54     |
| 1.480" A/F | 10.40    |
| 1½" A/F    | 10.69    |
| 41.0mm A/F | 12.37    |
| 1.625" A/F | 12.54    |
| 1.670" A/F | 13.25    |
| 46.0mm A/F | 15.58    |
| 1.860" A/F | 16.43    |
| 50.0mm A/F | 18.40    |
| 2.050" A/F | 19.96    |
| 2.200" A/F | 22.99    |
| 60.0mm A/F | 26.50    |
| 2½" A/F    | 29.68    |
| 65.0mm A/F | 31.10    |
| 2¾" A/F    | 35.92    |
| 3" A/F     | 42.74    |

continued...

## Flat Bar



Brass Flat Bar CW614N/CZ121

| Size       | KG/Metre |
|------------|----------|
| ⅜" X ⅛"    | 0.26     |
| ⅜" X ¼"    | 0.51     |
| ½" X ⅛"    | 0.34     |
| ⅝" X ⅛"    | 0.43     |
| ⅝" X ¼"    | 0.86     |
| ⅝" X ⅜"    | 1.29     |
| ½" X ¼"    | 0.69     |
| ¾" X ⅛"    | 0.51     |
| ¾" X ⅜"    | 0.77     |
| ¾" X ¼"    | 1.03     |
| ¾" X ⅝"    | 1.54     |
| ¾" X ½"    | 2.06     |
| 1" X ⅛"    | 0.69     |
| 1" X ⅜"    | 1.03     |
| 1" X ¼"    | 1.37     |
| 1" X ⅝"    | 1.71     |
| 1" X ⅜"    | 2.06     |
| 1" X ½"    | 2.74     |
| 1" X ⅝"    | 3.43     |
| 1" X ¾"    | 4.11     |
| 1¼" X ⅛"   | 0.86     |
| 1¼" X ¼"   | 1.71     |
| 1¼" X ⅜"   | 2.57     |
| 1¼" X ½"   | 3.43     |
| 1¼" X ¾"   | 5.14     |
| 1¼" X 1"   | 6.85     |
| 1½" X ⅛"   | 1.03     |
| 1½" X ⅜"   | 1.54     |
| 1½" X ¼"   | 2.06     |
| 1½" X ⅝"   | 3.09     |
| 1½" X ½"   | 4.11     |
| 1½" X ⅞"   | 5.14     |
| 1½" X ¾"   | 6.17     |
| 1½" X 1"   | 8.23     |
| 1¾" X 1/2" | 4.80     |
| 2" X ⅛"    | 1.37     |
| 2" X ⅜"    | 2.05     |
| 2" X ¼"    | 2.74     |
| 2" X ⅝"    | 4.12     |
| 2" X ½"    | 5.48     |
| 2" X ⅞"    | 6.86     |
| 2" X ¾"    | 8.23     |
| 2" X 1"    | 10.97    |
| 2" X 1¼"   | 13.71    |
| 2" X 1½"   | 16.45    |
| 2½" X ¼"   | 3.43     |
| 2½" X ⅝"   | 5.14     |
| 2½" X ½"   | 6.85     |
| 2½" X ¾"   | 10.28    |
| 2½" X 1"   | 13.71    |
| 2½" X 1¼"  | 17.14    |
| 2½" X 1½"  | 20.56    |
| 3" X ⅛"    | 2.06     |
| 3" X ¼"    | 4.11     |
| 3" X ⅝"    | 6.17     |
| 3" X ½"    | 8.23     |
| 3" X 1"    | 16.45    |
| 3" X 1½"   | 24.68    |
| 3" X 2"    | 32.90    |
| 4" X ⅛"    | 2.75     |
| 4" X ¼"    | 5.48     |
| 4" X ½"    | 10.97    |
| 4" X ¾"    | 16.45    |
| 4" X 1½"   | 32.90    |

## Plate



Brass Plate Alloy CW508L/CZ108 Half Hard

| Size                     | KG/Plate |
|--------------------------|----------|
| 2000mm X 1000mm X 4.0mm  | 69       |
| 2000mm X 1000mm X 4.76mm | 82       |
| 2000mm X 1000mm X 5.0mm  | 86       |
| 2000mm X 1000mm X 6.35mm | 109      |

## Tube



Brass Tube for Handrail/Bar-rail Alloy CW508L/CZ108

| Size           | KG/Metre |
|----------------|----------|
| 2" O/D X 16SWG | 2.13     |

## Square Bar



Brass Square Bar Alloy CW614N/CZ121

| Size     | KG/Metre |
|----------|----------|
| ¼" SQ    | 0.34     |
| ⅜" SQ    | 0.54     |
| ⅝" SQ    | 0.77     |
| 7⁄16" SQ | 1.05     |
| ½" SQ    | 1.37     |
| ⅝" SQ    | 2.14     |
| ¾" SQ    | 3.08     |
| 7⁄8" SQ  | 4.20     |
| 1" SQ    | 5.48     |
| 1¼" SQ   | 8.57     |
| 1½" SQ   | 12.3     |
| 1¾" SQ   | 16.8     |
| 2" SQ    | 21.9     |
| 2¼" SQ   | 27.8     |
| 2½" SQ   | 34.3     |
| 3" SQ    | 49.4     |

## Equal Angle



Brass Angle Alloy CW624N/CZ130

| Size           | KG/Metre |
|----------------|----------|
| ½" X ½" X ⅛"   | 0.62     |
| ¾" X ¾" X ⅛"   | 0.97     |
| 1" X 1" X ⅛"   | 1.33     |
| 1¼" X 1¼" X ⅛" | 1.68     |
| 1½" X 1½" X ⅛" | 2.03     |
| 1½" X 1½" X ⅜" | 2.98     |
| 2" X 2" X ⅛"   | 2.74     |
| 2" X 2" X ¼"   | 5.30     |
| 3" X 3" X ¼"   | 8.12     |



# Copper Sheet



Copper Sheet Alloy CW024A/C106 Half Hard

| Size                     | KG/Sheet |
|--------------------------|----------|
| 4' X 2' X 24SWG          | 3.70     |
| 4' X 2' X 22SWG          | 4.70     |
| 4' X 2' X 20SWG          | 6.02     |
| 4' X 2' X 18SWG          | 8.07     |
| 4' X 2' X 16SWG          | 10.8     |
| 4' X 2' X 14SWG          | 13.4     |
| 4' X 2' X 10SWG          | 21.5     |
|                          |          |
| 8' X 4' X 18SWG          | 32.3     |
| 8' X 4' X 1.6mm          | 42.3     |
| 8' X 4' X 2.0mm          | 52.9     |
| 8' X 4' X 3.0mm          | 79.4     |
| 8' X 4' X 4.0mm          | 105.8    |
|                          |          |
| 2000mm X 1000mm X 0.55mm | 9.8      |
| 2000mm X 1000mm X 0.7mm  | 12.5     |
| 2000mm X 1000mm X 0.9mm  | 16.0     |
| 2000mm X 1000mm X 1.2mm  | 21.4     |
| 2000mm X 1000mm X 1.5mm  | 26.7     |
| 2000mm X 1000mm X 2.0mm  | 35.6     |
| 2000mm X 1000mm X 2.5mm  | 44.5     |
| 2000mm X 1000mm X 3.0mm  | 53.4     |
| 2000mm X 1000mm X 4.0mm  | 74.0     |
| 2000mm X 1000mm X 5.0mm  | 92.6     |
| 2000mm X 1000mm X 6.0mm  | 111      |

Copper Sheet Alloy CW004A/C101 Half Hard

| Size                    | KG/Sheet |
|-------------------------|----------|
| 4' X 2' X 20SWG         | 6.02     |
| 4' X 2' X 10SWG         | 21.5     |
|                         |          |
| 1200mm X 600mm X 1.6mm  | 10.3     |
| 1200mm X 600mm X 2.0mm  | 12.8     |
| 2000mm X 1000mm X 0.9mm | 16.0     |
| 2000mm X 1000mm X 1.2mm | 21.4     |
| 2000mm X 1000mm X 1.5mm | 26.7     |
| 2000mm X 1000mm X 2.0mm | 35.6     |
| 2000mm X 1000mm X 3.0mm | 53.4     |
| 2000mm X 1000mm X 4.0mm | 74.0     |
| 2000mm X 1000mm X 5.0mm | 92.6     |
| 2000mm X 1000mm X 6.0mm | 111      |

Copper Sheet Alloy CW024A/C106 - Soft - Spinning Quality

| Size                     | KG/Sheet |
|--------------------------|----------|
| 4' X 2' X 24SWG          | 3.70     |
| 4' X 2' X 20SWG          | 6.02     |
| 4' X 2' X 18SWG          | 8.07     |
|                          |          |
| 2000mm X 1000mm X 0.55mm | 9.8      |
| 2000mm X 1000mm X 0.7mm  | 12.5     |
| 2000mm X 1000mm X 0.9mm  | 16.0     |
| 2000mm X 1000mm X 1.2mm  | 21.4     |
| 2000mm X 1000mm X 1.5mm  | 26.7     |

# Flat Bar



Copper Flat Bar - Radius Edge - Alloy CW004A/C101

| Size                  | KG/Metre |
|-----------------------|----------|
| ½" X ⅛" Rad Edge      | 0.36     |
| ½" X ⅜" Rad Edge      | 0.54     |
| ⅝" X ⅛" Rad Edge      | 0.45     |
| ½" X ¼" Rad Edge      | 0.72     |
| ¾" X ⅛" Rad Edge      | 0.54     |
| ¾" X ⅜" Rad Edge      | 0.81     |
| ¾" X ¼" Rad Edge      | 1.08     |
| 1" X ⅛" Rad Edge      | 0.72     |
| 1" X ⅜" Rad Edge      | 1.07     |
| 1" X ¼" Rad Edge      | 1.44     |
| 1" X ½" Rad Edge      | 2.87     |
| 1¼" X ⅛" Rad Edge     | 0.90     |
| 1¼" X ⅜" Rad Edge     | 1.35     |
| 1¼" X ¼" Rad Edge     | 1.79     |
| 1½" X ⅛" Rad Edge     | 1.08     |
| 1½" X ⅜" Rad Edge     | 1.61     |
| 1½" X ¼" Rad Edge     | 2.15     |
| 1½" X ⅝" Rad Edge     | 3.23     |
| 2" X ⅛" Rad Edge      | 1.44     |
| 2" X ⅜" Rad Edge      | 2.15     |
| 2" X ¼" Rad Edge      | 2.87     |
| 2" X ⅝" Rad Edge      | 4.31     |
| 2" X ½" Rad Edge      | 5.74     |
| 2" X ¾" Rad Edge      | 8.61     |
| 2½" X ¼" Rad Edge     | 3.59     |
| 2½" X ⅜" Rad Edge     | 5.39     |
| 2½" X ½" Rad Edge     | 7.18     |
| 3" X ¼" Rad Edge      | 4.31     |
| 3" X ⅜" Rad Edge      | 6.46     |
| 3" X ½" Rad Edge      | 8.61     |
| 4" X ¼" Rad Edge      | 5.74     |
| 4" X ⅝" Rad Edge      | 8.62     |
| 4" X ½" Rad Edge      | 11.48    |
| 5" X ¼" Rad Edge      | 7.18     |
| 5" X ½" Rad Edge      | 14.35    |
| 6" X ¼" Rad Edge      | 8.61     |
| 20mm X 5mm Rad Edge   | 0.89     |
| 20mm X 6mm Rad Edge   | 1.07     |
| 20mm X 10mm Rad Edge  | 1.78     |
| 25mm X 3mm Rad Edge   | 0.67     |
| 25mm X 5mm Rad Edge   | 1.11     |
| 25mm X 6mm Rad Edge   | 1.34     |
| 25mm X 10mm Rad Edge  | 2.23     |
| 30mm X 3mm Rad Edge   | 0.80     |
| 30mm X 5mm Rad Edge   | 1.34     |
| 30mm X 6mm Rad Edge   | 1.60     |
| 30mm X 10mm Rad Edge  | 2.67     |
| 40mm X 5mm Rad Edge   | 1.78     |
| 40mm X 6mm Rad Edge   | 2.14     |
| 40mm X 8mm Rad Edge   | 2.85     |
| 40mm X 10mm Rad Edge  | 3.56     |
| 50mm X 5mm Rad Edge   | 2.23     |
| 50mm X 6mm Rad Edge   | 2.67     |
| 50mm X 8mm Rad Edge   | 3.56     |
| 50mm X 10mm Rad Edge  | 4.45     |
| 50mm X 12mm Rad Edge  | 5.34     |
| 60mm X 6mm Rad Edge   | 3.20     |
| 60mm X 10mm Rad Edge  | 5.34     |
| 70mm X 10mm Rad Edge  | 6.23     |
| 80mm X 8mm Rad Edge   | 5.70     |
| 80mm X 10mm Rad Edge  | 7.12     |
| 100mm X 6mm Rad Edge  | 5.34     |
| 100mm X 10mm Rad Edge | 8.90     |
| 120mm X 10mm Rad Edge | 10.68    |


# Flat Bar



Copper Flat Bar - Radius Edge - Alloy CW004A/C101 (continued)

| Size                  | KG/Metre |
|-----------------------|----------|
| 150mm X 6mm Rad Edge  | 8.01     |
| 150mm X 10mm Rad Edge | 13.35    |
| 160mm X 10mm Rad Edge | 14.24    |
| 200mm X 10mm Rad Edge | 17.80    |

# Rod



Copper Rod CW004A/C101 - Hard Drawn High Conductivity

| Size       | KG/Metre |
|------------|----------|
| ¼" DIA     | 0.28     |
| ⅝" DIA     | 0.44     |
| ¾" DIA     | 0.63     |
| ½" DIA     | 1.13     |
| ⅝" DIA     | 1.76     |
| ¾" DIA     | 2.54     |
| ⅞" DIA     | 3.45     |
| 1" DIA     | 4.51     |
| 1⅛" DIA    | 5.71     |
| 1¼" DIA    | 7.05     |
| 1⅝" DIA    | 8.53     |
| 1½" DIA    | 10.1     |
| 1⅞" DIA    | 11.9     |
| 2" DIA     | 18.0     |
| 2¼" DIA    | 22.8     |
| 2½" DIA    | 28.2     |
| 4" DIA     | 72.2     |
|            |          |
| 10.0mm DIA | 0.70     |
| 12.0mm DIA | 1.01     |
| 16.0mm DIA | 1.79     |
| 20.0mm DIA | 2.80     |
| 25.0mm DIA | 4.37     |
| 30.0mm DIA | 6.29     |
| 40.0mm DIA | 11.2     |
| 50.0mm DIA | 17.5     |

# Round Tube



Copper Tube Alloy CW024A/C106

| Size            | KG/Metre |
|-----------------|----------|
| ¼ o/d X 20 swg  | 0.14     |
| ¼ o/d X 18 swg  | 0.17     |
| ⅜ o/d X 20 swg  | 0.22     |
| ⅜ o/d X 18 swg  | 0.29     |
| ½ o/d X 20 swg  | 0.30     |
| ½ o/d X 18 swg  | 0.39     |
| ½ o/d X 16 swg  | 0.50     |
| ¾ o/d X 20 swg  | 0.38     |
| ¾ o/d X 18 swg  | 0.61     |
| ¾ o/d X 16 swg  | 0.79     |
| ⅞ o/d X 20 swg  | 0.54     |
| ⅞ o/d X 18 swg  | 0.72     |
| ⅞ o/d X 16 swg  | 0.94     |
| 1 o/d X 20 swg  | 0.63     |
| 1 o/d X 18 swg  | 0.83     |
| 1 o/d X 16 swg  | 1.08     |
| 1¼ o/d X 16 swg | 1.37     |
| 1½ o/d X 16 swg | 1.66     |
| 2 o/d X 16 swg  | 2.24     |
| 2½ o/d X 16 swg | 2.81     |

continued...

# Bronze Rod



Aluminium Bronze Rod CW307G/CA104

| Size   | KG/Metre |
|--------|----------|
| 1/2"   | 0.96     |
| 5/8"   | 1.50     |
| 3/4"   | 2.35     |
| 1"     | 3.85     |
| 1 1/4" | 6.10     |
| 1 1/2" | 8.66     |
| 1 3/4" | 12.00    |
| 2"     | 15.40    |
| 2 1/4" | 21.00    |
| 2 1/2" | 24.90    |
| 2 3/4" | 29.60    |
| 3"     | 34.70    |
| 3 1/2" | 47.20    |
| 4"     | 61.60    |
| 4 1/2" | 78.0     |
| 5"     | 96.3     |
| 5 1/2" | 116      |
| 6"     | 139      |
| 6 1/2" | 165      |
| 7"     | 189      |
| 7 1/2" | 249      |
| 8"     | 276      |
| 9"     | 312      |
| 10"    | 385      |
| 12"    | 556      |

Aluminium Bronze Rod DEF-STAN 833 (NES 833)  
Grade 1

| Size   | KG/Metre |
|--------|----------|
| 3/8"   | 0.54     |
| 1/2"   | 0.96     |
| 5/8"   | 1.50     |
| 3/4"   | 2.17     |
| 7/8"   | 2.96     |
| 1"     | 3.85     |
| 1 1/4" | 6.02     |
| 1 1/2" | 8.66     |
| 1 3/4" | 11.8     |
| 2"     | 15.4     |
| 2 1/2" | 24.1     |
| 3"     | 34.7     |
| 3 1/2" | 47.2     |
| 4"     | 61.6     |
| 4 1/2" | 78.0     |
| 5"     | 96.3     |
| 5 1/2" | 116      |
| 6"     | 139      |
| 6 1/2" | 165      |
| 7"     | 189      |
| 8"     | 249      |

Phosphor Bronze Rod CW451K/PB102

| Size   | KG/Metre |
|--------|----------|
| 1/2"   | 1.12     |
| 5/8"   | 1.75     |
| 3/4"   | 2.52     |
| 7/8"   | 3.43     |
| 1"     | 4.48     |
| 1 1/8" | 5.68     |
| 1 1/4" | 7.01     |
| 1 3/8" | 8.48     |
| 1 1/2" | 10.0     |
| 1 3/4" | 13.7     |
| 2"     | 17.9     |
| 2 1/4" | 22.7     |
| 2 1/2" | 28.0     |
| 2 3/4" | 33.9     |
| 3"     | 40.4     |
| 3 1/4" | 47.6     |
| 3 1/2" | 54.9     |
| 4"     | 71.7     |



www.aalco.co.uk



#### ABERDEEN

Unit 9B, Peterseat Drive  
Peterseat Park  
Altens Industrial Estate  
Aberdeen  
AB12 3HT  
Tel: 01224 854810  
Fax: 01224 871982  
Email: aberdeen@aalco.co.uk

#### CHEPSTOW

Avenue West  
Newhouse Park Estate  
Chepstow  
Monmouthshire  
NP16 6UD  
Tel: 01291 638 638  
Fax: 01291 638 600  
Email: chepstow@aalco.co.uk

#### HULL

Saxon Way  
Priory Park West  
Hessle  
Hull  
HU13 9PB  
Tel: 01482 626262  
Fax: 01482 626263  
Email: hull@aalco.co.uk

#### NEWCASTLE

First Avenue  
Team Valley Trading Estate  
Gateshead  
Tyne & Wear  
NE11 0NU  
Tel: 0191 491 1133  
Fax: 0191 491 1177  
Email: newcastle@aalco.co.uk

#### SOUTHAMPTON

Unit 2  
Airways Distribution Park  
Wide Lane  
Eastleigh  
SO18 2RT  
Tel: 023 8087 5200  
Fax: 023 8087 5275  
Email: southampton@aalco.co.uk

#### AYLESBURY

Unit 1, Premus  
Coldharbour Way  
Aylesbury  
Buckinghamshire  
HP19 8AP  
Tel: 01296 461700  
Fax: 01296 339923  
Email: aylesbury@aalco.co.uk

#### DYFED

Units 3-4  
Capel Hendre Industrial Estate  
Ammanford  
Carmarthenshire  
SA18 3SJ  
Tel: 01269 842044  
Fax: 01269 845276  
Email: dyfed@aalco.co.uk

#### LEEDS

Unit 1  
Revie Road off Elland Road  
Leeds  
LS11 8JG  
Tel: 0113 276 3300  
Fax: 0113 276 0382  
Email: leeds@aalco.co.uk

#### NORWICH

Roundtree Way  
Mousehold Lane  
Norwich  
NR7 8SR  
Tel: 01603 787878  
Fax: 01603 789999  
Email: norwich@aalco.co.uk

#### STOKE

Unit F, Forge Way  
Brown Lees Industrial Estate  
Biddulph  
Stoke-on-Trent  
ST8 7DN  
Tel: 01782 375700  
Fax: 01782 375701  
Email: stoke@aalco.co.uk

#### BELFAST

The Belfast Metal Centre  
20 McKinney Road  
Newtownabbey  
BT36 4PE  
Tel: 02890 838 838  
Fax: 02890 837 837  
Email: belfast@aalco.co.uk

#### ESSEX

Unit 2, Carnival Park  
Festival Way  
Basildon  
Essex  
SS14 3WN  
Tel: 01268 884200  
Fax: 01268 884220  
Email: essex@aalco.co.uk

#### LIVERPOOL

207 Great Howard Street  
Liverpool  
L5 9ZH  
Tel: 0151 207 3551  
Fax: 0151 207 2657  
Email: liverpool@aalco.co.uk

#### NOTTINGHAM

Harrimans Lane  
Dunkirk  
Nottingham  
NG7 2SD  
Tel: 0115 988 2600  
Fax: 0115 988 2636  
Email: nottingham@aalco.co.uk

#### SWANLEY

Unit 7  
The Interchange  
Wested Lane  
Swanley, Kent  
BR8 8TE  
Tel: 01322 610900  
Fax: 01322 610910  
Email: swanley@aalco.co.uk

#### BIRMINGHAM

Shelah Road  
Halesowen  
West Midlands  
B63 3PH  
Tel: 0121 585 3600  
Fax: 0121 585 6864  
Email: birmingham@aalco.co.uk

#### GLASGOW

117 Clydesmill Place  
Cambuslang Investment Park  
Glasgow  
G32 8RF  
Tel: 0141 646 3200  
Fax: 0141 646 3260  
Email: glasgow@aalco.co.uk

#### MANCHESTER

Express Trading Estate  
Stone Hill Road  
Farnworth  
Bolton  
BL4 9NN  
Tel: 01204 863456  
Fax: 01204 863430  
Email: manchester@aalco.co.uk



AMARI also available in Ireland

#### DUBLIN

Tel: +353 (0) 1 629 8600  
Fax: +353 (0) 1 629 9200  
Email: dublin@amari-dublin.com



#### CORK

Tel: +353 (0) 21 4310 520  
Fax: +353 (0) 21 4310 519  
Email: cork@amari-cork.com